

BIG CITIES HEALTH INVENTORY

2007

The Health of Urban USA

NACCHO
National Association of County & City Health Officials



NACCHO

National Association of County & City Health Officials

July 2007

We are very pleased to release the fifth edition of the *Big Cities Health Inventory* (BCHI), a compendium of health status indicators produced in a comparative format for the 54 largest metropolitan areas in the United States. This report fills an information gap that, despite great advances in information technology over the past decade, still persists today. Data on the health of our communities are probably more widely available at this time than at any point in the past. The Internet has become a vast repository of statistics on a variety of health conditions. But less progress has been made in turning these raw data into usable information, especially for the nation's largest urban areas which face higher rates of poor health status and racial/ethnic disparities in illness and access to health care services.

Several key principles of public health practice depend on having reliable and current information regarding the health status of the community. The most obvious of these principles is evidence-based decision making and the core science of public health, epidemiology, is grounded in the collection and analysis of data. Perhaps an even more fundamental principle is social justice and the recognition that eliminating health disparities is critical to improving the health of the overall population. For highly diverse urban populations, understanding the root causes of health disparities, including the synergistic interplay of social and environmental stressors that contribute to the erosion of resiliency in many of our nation's urban communities, is necessary to accomplish this goal.

NACCHO is committed to supporting its members in advancing these principles, and the BCHI is designed to assist Metro Forum members to better understand the needs of their populations within the context of the diverse urban environment. It is also intended that the BCHI will help focus discussion at the national level to further efforts to both improve the information base on urban health, and address health disparities that heavily impact urban communities.



Tony Iton, MD, JD, MPH
Director & Health Officer
Alameda County Health Department
Chair, Metro Forum



Patrick M. Libbey
Executive Director
NACCHO



Public Health
Prevent. Promote. Protect.
Your Local Health Department

Acknowledgments

Publication of this report was a “do it yourself” effort of the National Association of County and City Health Officials (NACCHO) Metro Forum. NACCHO and Metro Forum members provided both a major proportion of the project funding along with guidance on the report's content and production.

The Metro Forum appointed an 11 member Technical Advisory Committee, composed of senior local epidemiologists, which patiently advised the project production team on some of the more technical issues concerning data collection, reporting, and presentation. Committee members included:

- Bernadette Albanese, MD, MPH;
- Sheila Andersen, JD, MA, BSN;
- John O. Davies-Cole, Ph.D., MPH;
- Gerald Hoff, Ph.D., F.A.C.E;
- David Johnson, MPH;
- P. Joseph Gibson, Ph.D., MPH;
- Witold Migala, Ph.D., MPH;
- Mark Perry, MPH;
- David Solet, Ph.D.;
- Gretchen Van Wye, Ph.D., MA; and
- Timothy W. Van Wave, Dr. P.H.

Much of the data in this report were provided by the 54 urban local health departments which individually reported local data, responded to questions when clarification was needed, and finally validated the information in the report.

Production of the report fell to a four-person team. Patrick Lenihan, PhD, of the Public Health Institute of Metropolitan Chicago (PHIMC), served as the overall project manager. PHIMC was also the fiscal and administrative entity for the project. Nanette Benbow, MAS, was the lead epidemiologist responsible for managing the assembly of the data and preparation of the report. Nanette was assisted by Kingsley Weaver, who did much of the computer programming. Victoria Johnson, MS and Carol Brown, MS, from NACCHO coordinated project financing and communication with the Metro Forum.

While the BCHI reflects the input and efforts of many people, questions and comments should be addressed to:

Patrick Lenihan, PhD
Public Health Institute of Metropolitan Chicago
28 East Jackson
Chicago, IL 60604-3972
phone: (312) 566-0285
dlenih1@uic.edu

Suggested Citation

Big Cities Health Inventory: The Health of Urban America, 2007, National Association of County and City Health Officials, Benbow, N., editor. Washington, D.C. 2007.

Cities Represented in This Report



Table of Contents

| | |
|---|------------|
| Acknowledgments | iii |
| Introduction | |
| Background | 3 |
| Selection of Indicators and Organization of the Report | 3 |
| Selected Analyses | 4 |
| Trends | 5 |
| Summary | 6 |
| Section 1 | |
| Indicators by Gender, Ranked by City Total | 9-34 |
| Section 2 | |
| Indicators by Race/Ethnicity, Ranked by City Total | 35-62 |
| Section 3 | |
| Trends, Ranked Alphabetically by City | 63-88 |
| Section 4 | |
| City Profiles by Health Indicator | 89-118 |
| Section 5 | |
| Selected Sociodemographic Indicators, Ranked Alphabetically by City | 119-126 |
| Appendix | |
| Technical Notes | 127-138 |

List of Figures and Tables

Introduction

| | | |
|-----------|--|---|
| Table 1: | Rate Rank of Selected Indicators for U.S. Cities with Populations>1,000,000 in 2000 | 3 |
| Table 2: | Race/Ethnicity Rate Comparison for Selected Indicators | 4 |
| Figure 1: | Average City Rate for Selected Indicators by Race/Ethnicity, 2004 | 4 |
| Figure 2: | Percent Difference between City Lung Cancer Mortality Rate and Healthy People Year 2010 Goal, 2004 | 5 |
| Figure 3: | Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Communicable Disease Rates between 1998-2005 | 5 |
| Figure 4: | Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Mortality Rates between 1998—2005 | 6 |

Section I: Indicators by Gender, Ranked by City Total

| | | |
|-------------|---|----|
| Table 1.1: | HIV (not AIDS) Prevalence Rate by Gender, 2005 | 11 |
| Table 1.2: | AIDS Prevalence Rate by Gender, 2005 | 12 |
| Table 1.3: | HIV (not AIDS) Incidence Rate by Gender, 2005 | 13 |
| Table 1.4: | AIDS Incidence Rate by Gender, 2005 | 14 |
| Table 1.5: | Primary and Secondary Syphilis Incidence Rate by Gender, 2005 | 15 |
| Table 1.6: | Chlamydia Incidence Rate by Gender, 2005 | 16 |
| Table 1.7: | Gonorrhea Rate by Gender, 2005 | 17 |
| Table 1.8: | Tuberculosis Incidence Rate by Gender, 2005 | 18 |
| Table 1.9: | Overall Mortality Rate by Gender, 2004 | 19 |
| Table 1.10: | Heart Disease Mortality Rate by Gender, 2004 | 20 |
| Table 1.11: | All Cancer Mortality Rate by Gender, 2004 | 21 |
| Table 1.12: | Lung Cancer Mortality Rate by Gender, 2004 | 22 |
| Table 1.13: | Female Breast Cancer Mortality Rate, 2004 | 23 |
| Table 1.14: | Motor Vehicle Injury Mortality Rate by Gender, 2004 | 24 |
| Table 1.15: | Homicide Rate by Gender, 2004 | 25 |
| Table 1.16: | Firearm-Related Mortality Rate by Gender, 2004 | 26 |
| Table 1.17: | Suicide Rate by Gender, 2004 | 27 |
| Table 1.18: | HIV-Related Mortality Rate by Gender, 2004 | 28 |
| Table 1.19: | Pneumonia and Influenza Mortality Rate by Gender, 2004 | 29 |
| Table 1.20: | Diabetes Mortality Rate by Gender, 2004 | 30 |
| Table 1.21: | Infant Mortality Rate, 2003 | 31 |
| Table 1.22: | Fertility Rate, 2003 | 31 |
| Table 1.23: | Percent Low Birthweight, 2003 | 32 |
| Table 1.24: | Percent of Mothers Under Age Twenty, 2003 | 32 |
| Table 1.25: | Percent of Mothers who Smoke, 2003 | 33 |

Section 2: Indicators by Race/Ethnicity, Ranked by City Total

| | | |
|-------------|---|----|
| Table 2.1: | HIV (not AIDS) Prevalence Rate by Race/Ethnicity, 2005 | 37 |
| Table 2.2: | AIDS Prevalence Rate by Race/Ethnicity, 2005 | 38 |
| Table 2.3: | HIV (not AIDS) Incidence Rate by Race/Ethnicity, 2005 | 39 |
| Table 2.4: | AIDS Incidence Rate by Race/Ethnicity, 2005 | 40 |
| Table 2.5: | Primary and Secondary Syphilis Incidence Rate by Race/Ethnicity, 2005 | 41 |
| Table 2.6: | Chlamydia Incidence Rate by Race/Ethnicity, 2005 | 42 |
| Table 2.7: | Gonorrhea Rate by Race/Ethnicity, 2005 | 43 |
| Table 2.8: | Tuberculosis Incidence Rate by Race/Ethnicity, 2005 | 44 |
| Table 2.9: | Overall Mortality Rate by Race/Ethnicity, 2004 | 45 |
| Table 2.10: | Heart Disease Mortality Rate by Race/Ethnicity, 2004 | 46 |
| Table 2.11: | All Cancer Mortality Rate by Race/Ethnicity, 2004 | 47 |
| Table 2.12: | Lung Cancer Mortality Rate by Race/Ethnicity, 2004 | 48 |
| Table 2.13: | Female Breast Cancer Mortality Rate by Race/Ethnicity, 2004 | 49 |
| Table 2.14: | Motor Vehicle Injury Mortality Rate by Race/Ethnicity, 2004 | 50 |
| Table 2.15: | Homicide Rate by Race/Ethnicity, 2004 | 51 |
| Table 2.16: | Firearm-Related Mortality Rate by Race/Ethnicity, 2004 | 52 |

| | | |
|-------------|--|----|
| Table 2.17: | Suicide Rate by Race/Ethnicity, 2004 | 53 |
| Table 2.18: | HIV-Related Mortality Rate by Race/Ethnicity, 2004 | 54 |
| Table 2.19: | Pneumonia and Influenza Mortality Rate by Race/Ethnicity, 2004 | 55 |
| Table 2.20: | Diabetes Mortality Rate by Race/Ethnicity, 2004 | 56 |
| Table 2.21: | Infant Mortality Rate by Race/Ethnicity, 2003 | 57 |
| Table 2.22: | Fertility Rate by Race/Ethnicity, 2003 | 58 |
| Table 2.23: | Percent Low Birthweight by Race/Ethnicity, 2003 | 59 |
| Table 2.24: | Percent of Mothers Under Age Twenty by Race/Ethnicity, 2003 | 60 |
| Table 2.25: | Percent of Mothers who Smoke by Race/Ethnicity, 2003 | 61 |

Section 3: Trends, Ranked Alphabetically by City

| | | |
|-------------|--|----|
| Table 3.1: | HIV (not AIDS) Prevalence Rate, 1998—2005 | 65 |
| Table 3.2: | AIDS Prevalence Rate, 1998—2005 | 66 |
| Table 3.3: | AIDS Incidence Rate, 1998—2005 | 67 |
| Table 3.4: | Primary and Secondary Syphilis Incidence Rate, 1998—2005 | 68 |
| Table 3.5: | Chlamydia Incidence Rate, 1998—2005 | 69 |
| Table 3.6: | Gonorrhea Rate, 1998—2005 | 70 |
| Table 3.7: | Tuberculosis Incidence Rate, 1998—2005 | 71 |
| Table 3.8: | Overall Mortality Rate, 1990—2004 | 72 |
| Table 3.9: | Heart Disease Mortality Rate, 1990—2004 | 73 |
| Table 3.10: | All Cancer Mortality Rate, 1990—2004 | 74 |
| Table 3.11: | Lung Cancer Mortality Rate, 1990—2004 | 75 |
| Table 3.12: | Female Breast Cancer Mortality Rate, 1990—2004 | 76 |
| Table 3.13: | Motor Vehicle Injury Mortality Rate, 1990—2004 | 77 |
| Table 3.14: | Homicide Rate, 1990—2004 | 78 |
| Table 3.15: | Firearm-Related Mortality Rate, 1990—2004 | 79 |
| Table 3.16: | Suicide Rate, 1990—2004 | 80 |
| Table 3.17: | HIV-Related Mortality Rate, 1990—2004 | 81 |
| Table 3.18: | Pneumonia and Influenza Mortality Rate, 1990—2004 | 82 |
| Table 3.19: | Diabetes Mortality Rate, 1990—2004 | 83 |
| Table 3.20: | Infant Mortality Rate, 1990—2003 | 84 |
| Table 3.21: | Fertility Rate, 1990—2003 | 85 |
| Table 3.22: | Percent Low Birthweight, 1990—2003 | 86 |
| Table 3.23: | Percent of Mothers Under Age Twenty, 1990—2003 | 87 |
| Table 3.24: | Percent of Mothers who Smoke, 1990—2002 | 88 |

Section 4: City Profiles by Health Indicator

91

Section 5: Selected Sociodemographic Indicators, Ranked Alphabetically by City

| | | |
|------------|--|-----|
| Table 5.1: | Percent Foreign Born, 2000 | 121 |
| Table 5.2: | Childhood Poverty, 2000 | 122 |
| Table 5.3: | Percent Below 200% Poverty Level, 2000 | 123 |
| Table 5.4: | Median Household Income, 1999 | 124 |
| Table 5.5: | Number of High School Graduates 18 and Older, 2000 | 125 |
| Table 5.6: | Unemployment Among People 16 and Older, 2000 | 126 |

Appendix

| | | |
|------------|---|-----|
| Table A.1: | Report Indicators | 129 |
| Table A.2: | Cities providing county-level data | 130 |
| Table A.3: | Mortality indicators codes according to applicable revision of the International Classification of Diseases (ICD) and comparability ratios between ICD-9 and ICD-10 | 131 |
| Table A.4: | Number of Deaths, All Causes and the Two Leading Causes, Seattle WA, 2004: Reported vs. Geocoded City | 132 |
| Table A.5: | Percent Distribution of Single and Multiple Race Population by City, 2000 | 133 |
| Table A.6: | City Population & Race/Ethnicity Distribution, 2000 | 135 |
| Table A.7: | Percent of Total Cases that are of Other/Unknown Race/Ethnicity by Indicator, 2005 | 136 |
| Table A.8: | Population Change Between 2000 and 2005 | 137 |
| Table A.9: | Impact of census population year used to calculate AIDS incidence rates for select cities | 137 |

Introduction

Introduction

The importance of having state, county, and local health-related data has been recognized in a number of studies.¹⁻⁹ The availability of local level data, both general and related to specific issues, continues to improve in this technological age.¹⁰⁻¹³ Among these are several reports and data sources that have been produced to describe the relationship between levels of urbanization and health.¹⁴⁻²⁵

The purpose of this document is to focus specifically on the health of people living in large cities in the United States. In so doing, the report attempts to increase knowledge of the issues large cities face and stimulate dialogue that will lead to a healthier city population. In addition to improving our understanding of the health in large cities, the data in this report will serve as a reference point to monitor cities' progress in reaching the nation's Year 2010 objectives.

Background

The *Big Cities Health Inventory, 2007: The Health of Urban USA* (BCHI) is the fifth edition of a report initially developed by the Chicago Department of Public Health (CDPH) to present epidemiologic data specific to large cities.

The BCHI has always been a collaborative project. In addition to local health department contributions, the National Association of County and City Health Officials (NACCHO), has contributed significant input and financial support as well. NACCHO's Metro Forum has recognized the value of the BCHI from the beginning and became an early supporter and sponsor of the effort. The value of the BCHI derives from there being no comparable single data source available that allows

metro health departments to view a selection of key health status indicators in relation to other jurisdictions. The geography used in the BCHI corresponded to that of the jurisdiction of the respective Metro Forum health departments, making comparisons among jurisdictions more possible and valid. This comparison has proved valuable in profiling the health of urban America and in permitting metro area health departments to gauge the need to focus their efforts to address the health status needs relative to other urban jurisdictions and to justify these efforts before oversight bodies and funding agencies. NACCHO's sponsorship of the effort has included financial support for four of the last five *BCHIs* including this most recent edition. Publication of the *BCHI* is a "do it yourself" effort among Metro Forum members, which have provided a major portion of the funding and much of the data, along with guidance on selecting indicators and review of the report's content.

Selection of Indicators and Organization of the Report


The report focuses on 31 indicators of health, divided into five sections. Eight indicators cover communicable diseases, twelve causes on mortality, five indicators of maternal and child health, and six socioeconomic indicators (see Table A.1).

The report is divided into 5 sections. The first four sections following the introduction consist of a set of tables presenting, for each indicator, a city-to-city comparison along with the national rate and the year 2010 goal as benchmarks. Combined, these sections present the indicators for the cities overall, according to gender and race/ethnicity, and for the time period

TABLE 1: RATE RANK OF SELECTED INDICATORS FOR U.S. CITIES WITH POPULATIONS >1,000,000 IN 2000

| | POPULATION | HIV INCIDENCE | GONORRHEA | ALL CAUSE MORTALITY | HEART DISEASE | CANCER | DIABETES |
|-----------------------|------------|------------------|-----------|------------------------|------------------|--------|----------|
| New York, NY | 8,008,278 | 12 | 34 | 50 | 9 | 53 | 46 |
| Los Angeles, CA | 3,694,820 | 18 | 39 | 47 | 25 | 47 | 24 |
| Chicago, IL | 2,896,016 | 7 | 12 | 38 | 23 | 35 | 29 |
| Houston, TX | 1,953,631 | 11 | 23 | 18 | 15 | 23 | 20 |
| Philadelphia, PA | 1,517,550 | --- | 14 | 16 | 19 | 14 | 35 |
| Phoenix, AZ | 1,321,045 | 26 | 30 | 42 | 38 | 50 | 45 |
| San Diego, CA | 1,223,400 | --- | 40 | 49 | 42 | 49 | 47 |
| Dallas, TX | 1,188,580 | 4 | 22 | 37 | 31 | 40 | 39 |
| San Antonio, TX | 1,144,646 | 23 | 28 | 19 | 20 | 30 | 2 |
| Cities w/ Valid Rates | | 41 | 43 | 54 | 54 | 54 | 54 |

FIGURE 1: AVERAGE CITY RATE FOR SELECTED INDICATORS BY RACE/ETHNICITY, 2004



between 1990 and 2000. Throughout the report, indicators will appear in the following order: morbidity indicators, mortality, indicators of maternal and child health, and socioeconomic indicators.

Selected Analyses

This section presents a broad overview of the health of more than 46,285,000 people residing in the 54 largest cities in the United States. These cities accounted for 16% of the total U.S. population in 2000 and account for 15% of all deaths in the U.S. in 2004. Large cities continue to bear a disproportionate share of the nation’s morbidity. In 2005, these cities accounted for 47% of people living with AIDS in the United States. Similarly, 47% of primary and secondary syphilis, 29% of gonorrhea, and 26% of chlamydia cases diagnosed in the U.S. resided in these cities. Compared to national rates, all cities studied for which rates were available had a higher primary and secondary syphilis and chlamydia rate, and only six cities had a lower gonorrhea rate. Homicide and HIV/AIDS mortality also are more likely to affect large cities. More than half of the cities had an HIV/AIDS-related mortality rate double that of the U.S., and a quarter of them had a rate at least three times that of the country overall.

It is interesting to note, however, that the 9 largest cities in the U.S. have considerably different health

profiles and are often not among those with the highest rates (see Table 1). For instance, New York’s all-cause mortality rate in 2005 ranks 50 out of the 54 cities included in the report, yet its HIV incidence rate was among the 12 highest rates. San Antonio, on the other hand, had the second highest diabetes rate and ranks among the top twenty highest rates for all-cause mortality and heart disease.

Racial/Ethnic Disparities


While conditions relating to healthcare disparities have been improving for many minority populations due to increased attention and intensive intervention programs, racial health and income disparities are still a major concern.²⁶⁻²⁹ As illustrated in Figure 1, racial/ethnic disparities are also entrenched in the country’s largest cities. For example, in the case of lung cancer mortality, the city average rate is 24% higher for non-Hispanic Blacks alone than non-Hispanic Whites alone and 75% higher than the rate of Hispanics. The city average non-Hispanic Black alone rate is five times the rate for non-Hispanic White alone for homicide and 34% higher for female breast cancer. Hispanics have the highest city average motor vehicle injury mortality rate and non-Hispanic Whites have the highest city average suicide rate.

Racial disparities are also significant when comparing race/ethnicity specific rates across cities. That is, for many indicators, the lowest rate for non-Hispanic Blacks across cities is still considerably higher than the lowest rate for non-Hispanic Whites (see Table 2). In the case of female breast cancer mortality, for example, the lowest rate for non-Hispanic Whites among all 54 cities is 18.0 per 100,000, compared to the lowest non-Hispanic Black rate of 27.3 per 100,000.

TABLE 2: RACE/ETHNICITY RATE COMPARISON FOR SELECTED INDICATORS, 2004

| INDICATOR | LOWEST NON-HISPANIC BLACK RATE | LOWEST NON-HISPANIC WHITE RATE |
|----------------------|--------------------------------|--------------------------------|
| All Cause Mortality | 970.3 | 669.1 |
| Heart Disease | 204.6 | 137.4 |
| All Cancer | 211 | 160.6 |
| Female Breast Cancer | 27.3 | 15.9 |
| Diabetes | 31.8 | 13.1 |
| Pneumonia | 16 | 12.6 |

FIGURE 2: PERCENT DIFFERENCE BETWEEN CITY LUNG CANCER MORTALITY RATE AND HEALTHY PEOPLE YEAR 2010 GOAL, 2004




Trends

One of the purposes of the report is to measure whether or not cities are reaching the Healthy People 2010 Goals. For instance, Figure 2 displays the percent difference between a city’s 2004 lung cancer mortality rate and the Healthy People YR2010 Goal. Only 5 of 54 cities had reached or exceeded the goal of 43.3.


Figure 3 shows the number of cities for selected morbidity indicators between 1998 and 2005 whose rates: a) declined by more than 10%, b) had less than 10% decline or increase, and c) increased by more than 10%, for selected morbidity indicators between 1998 and 2005. The majority of cities experienced a considerable decline in rates of AIDS incidence and gonorrhea, 29 cities experienced an improvement in AIDS incidence rates, and 19 in gonorrhea rates.

FIGURE 3: NUMBER OF CITIES EXPERIENCING AN INCREASE, SLIGHT CHANGE, OR A DECREASE IN SELECTED COMMUNICABLE DISEASE RATES BETWEEN 1998—2005



However, during this period, 32 out of 43 cities experienced more than a 10% increase in chlamydia rates. Figure 4 displays similar information for mortality indicators between 1990 and 2004. All-cause mortality either declined more than 10% or experienced slight/no change in 50 of the 54 cities included in the report. Many cities experienced a considerable decline in mortality due to heart disease and lung cancer. In contrast, 39 of the 54 cities experienced an increase in diabetes-related mortality rates.

FIGURE 4: NUMBER OF CITIES EXPERIENCING AN INCREASE, SLIGHT CHANGE, OR A DECREASE IN SELECTED MORTALITY RATES BETWEEN 1998—2005



Summary

This report contributes towards our understanding of the current health issues in large cities. Much data are still needed on a regular basis to provide a comprehensive health profile over time that will allow for identification of negative and protective factors associated with large urban areas. Additionally, the report provides a benchmark for establishing current health status and highlights priority areas for reducing health disparities in minority populations.

The on-going city-level collaboration that has characterized the *Big Cities Health Inventory* has been crucial in assuring that the report continues to expand its scope to further our understanding of city characteristics that affect health.

Endnotes

1. Simon PA, Wold CM, Cousineau MR, et al. Meeting the needs of a local health department: the Los Angeles County Health Survey. *Am J Public Health*. 2001; 91:1950-1952.
2. Freudenberg N. Community-based health education for urban populations: an overview. *Health Education and Behavior*. 1998; 25: 11-23.
3. Institute of Medicine. *Improving Health in the Community: A Role for Performance Monitoring*. Washington, DC: National Academy Press; 1997.
4. Krieger N, Chen JT, Ebel G. Can we monitor so-

cioeconomic inequalities in health? A survey of U.S. health department's data collection and reporting practices. *Public Health Rep* 1997; 112:481-491.

5. Williams DR. Missed opportunities in monitoring socioeconomic status. *Public Health Rep* 1997; 112:492-494.
6. Payne-Sturges DC, Breugelmans JG. Local lead data are needed for local decision making. *Am J Public Health*. 2001; 91:1396-1397.
7. Barnett E, Halverson J. Local Increases in Coronary Heart Disease Mortality Among Blacks and Whites in the United States, 1985-1995. *Am J Public Health*. 2001; 91:1499-1506.
8. Plepys C, Kelin R. Health Status Indicators: Differentials by race and Hispanic origin. *Healthy People Statistical Notes*: no. 10. Hyattsville, MD: National Center for Health Statistics; 2001.
9. CDC. Surveillance for certain health behaviors among states and selected local areas—Behavioral Risk Factor Surveillance System, United States, 2003. *MMWR* 2005;54(No. SS-8)]
10. Illinois Project for Local Assessment of Needs (IPLAN). Available at URL: <http://app.idph.state.il.us/>
11. Office of Social and Economic Trend Analysis (SETA). Available at URL: <http://www.seta.iastate.edu/>
12. University of Virginia Library Geospatial and Statistical Data Center. Available at URL: <http://fisher.lib.virginia.edu/collections/stats/ccdb/php/historic.php?level=City>
13. The National Campaign to Prevent Teen Pregnancy. Available at URL: <http://www.teenpregnancy.org/resources/data/countycitydata.asp>
14. National Center for Health Statistics. *Health Status Indicator Reports: "State of the Art"*. Statistics and Surveillance; no. 8. Hyattsville, MD; May 1996.
15. U.S. Department of Health and Human Services, Health Resource and Services Administration. Community Health Status Indicators Project Partnership. Available from: URL: <http://www.communityhealth.hrsa.gov>.
16. Youth Risk Behavior Surveillance - United States, 1999. *MMWR Morb Mortal Wkly Rep*. 2000; 49(SS-05).
17. Lengerich, EJ, editor. *Indicators for Chronic Disease*

Surveillance: Consensus of CSTE, ASTCDPD, and CDC, Data Volume. Atlanta, GA: Council of State and Territorial Epidemiologists, June 2000.

18. State specific prevalence of selected health behaviors by race and ethnicity — Behavior Risk Factor Surveillance System, 1997. *MMWR Morb Mortal Wkly Rep.* 2000; 49(SS-02).
19. Annie E. Casey Foundation, 2001. *Kids Count Data Book. State Profiles of Child Well-Being.*
20. Centers for Disease Control and Prevention. *Reported Tuberculosis in the United States, 1997.* Atlanta, GA: Centers for Disease Control and Prevention; 1998.
21. Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 1999.* Atlanta, GA: Centers for Disease Control and Prevention; 2000.
22. UnitedHealth Group. *UnitedHealth Group State Health Ranking – 2000 Edition.* Available from URL: <http://www.unitedhealthgroup.com>
23. Brown M, Shenassa E, Matte T, Catlin S. Children in Illinois with Elevated Blood Levels, 1993-1998, and Lead-Related Pediatric Hospital Admissions in Illinois, 1993-1997. *Public Health Rep.* 2000; 115:532-536.
24. Annie E. Casey Foundation, 1999. *KIDS COUNT Special Report.* The Right Start.
25. Thomas R, editor. *Health and healthcare in the United States: county and metro area data.* Lanham, MD: Bernan Press; 1999.
26. Highlights. In: National Health Care Disparities Report. Rockville (MD): U.S. Department of Health and Human Services, Agency for Healthcare Research and Quality; 2005 Dec. Report No.: 06-0017. Available from: <http://www.ahrq.gov/qual/nhdr05/nhdr05.pdf>. pp. 2–4.
27. Collie-Akers VL, Fawcett SB, Schultz JA, Carson V, Cyprus J, Pierle JE. Analyzing a community-based coalition's efforts to reduce health disparities and the risk for chronic disease in Kansas City, Missouri. *Prec Chronic Dis.* 2007 Jul; 4(3):A66.
28. Keppel KG. Ten largest racial and ethnic health disparities in the United States based on Healthy People 2010 Objectives. *Am J Epidemiol.* 2007 Jul 1; 166(1):97-103.
29. Centers for Disease Control and Prevention. Fatal injuries among children by race and ethnicity—United States, 1999-2002. *Surveillance Summaries,* May 18, 2007. *MMWR* 2007; 56(No. SS-5).

Section I

TABLE 1.1: HIV (NOT AIDS) PREVALENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|-----------------------------|---------------------------------------|--------------|--------------|--------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Washington, DC | 4,074.4 | 1,952.5 | 2,951.6 | 1 | 1 |
| 2 | Miami, FL | 3,262.0 | 1,562.5 | 2,407.4 | 2 | 2 |
| 3 | Baltimore, MD | 1,729.4 | 997.2 | 1,343.3 | 3 | 3 |
| 4 | San Francisco, CA | 1,458.4 | 103.4 | 792.2 | 4 | 22 |
| 5 | Kansas City, MO | 968.8 | 136.6 | 538.3 | 5 | 15 |
| 6 | Denver, CO | 941.8 | 120.2 | 535.3 | 6 | 18 |
| 7 | Mesa, AZ | 801.5 | 169.5 | 482.6 | 7 | 9 |
| 8 | New York, NY | 624.2 | 275.6 | 440.8 | 11 | 5 |
| 9 | New Orleans, LA | 639.8 | 212.4 | 412.6 | 9 | 8 |
| 10 | Charlotte, NC | 528.7 | 282.4 | 403.1 | 16 | 4 |
| 11 | Dallas, TX | 633.2 | 167.2 | 402.1 | 10 | 11 |
| 11 | Memphis, TN | 548.0 | 271.0 | 402.1 | 13 | 6 |
| 13 | Seattle, WA | 717.2 | 64.1 | 389.8 | 8 | 28 |
| 14 | Boston, MA | 563.5 | 159.4 | 353.9 | 12 | 13 |
| 15 | Houston, TX | 473.2 | 219.7 | 346.3 | 17 | 7 |
| 16 | Chicago, IL | 532.6 | 163.5 | 342.6 | 15 | 12 |
| 17 | Minneapolis, MN | 533.7 | 117.7 | 326.7 | 14 | 19 |
| 18 | Nashville-Davidson, TN | 468.3 | 136.0 | 296.9 | 18 | 16 |
| 19 | Cincinnati, OH | 443.2 | 113.2 | 269.0 | 19 | 20 |
| 20 | Fort Worth, TX | 370.5 | 155.0 | 261.3 | 22 | 14 |
| 21 | Oakland, CA | 404.7 | 112.2 | 253.3 | 21 | 21 |
| 22 | Los Angeles, CA | 434.9 | 67.6 | 250.7 | 20 | 25 |
| 23 | Milwaukee, WI | 345.9 | 101.4 | 218.3 | 23 | 23 |
| 24 | Cleveland, OH | 313.4 | 123.9 | 213.6 | 27 | 17 |
| 25 | Jacksonville, FL | 241.7 | 168.5 | 203.9 | 30 | 10 |
| 26 | Phoenix, AZ | 335.4 | 51.0 | 195.6 | 25 | 32 |
| 27 | Tucson, AZ | 336.0 | 58.0 | 194.2 | 24 | 30 |
| 28 | Columbus, OH | 314.9 | 76.3 | 192.3 | 26 | 24 |
| 29 | Indianapolis, IN (Marion County) | 261.3 | 64.6 | 159.7 | 29 | 27 |
| 30 | Portland, OR (Multnomah County) | 268.6 | 35.1 | 150.6 | 28 | 36 |
| 31 | Oklahoma City, OK | 241.4 | 44.4 | 140.7 | 31 | 33 |
| 32 | Virginia Beach, VA | 182.4 | 67.5 | 124.4 | 33 | 26 |
| 33 | San Antonio, TX | 208.6 | 44.0 | 123.5 | 32 | 34 |
| 34 | Omaha, NB | 145.8 | 51.5 | 97.4 | 34 | 31 |
| 35 | Arlington, TX | 127.4 | 58.9 | 93.1 | 38 | 29 |
| 36 | Fresno, CA (Fresno County) | 127.8 | 40.9 | 84.4 | 37 | 35 |
| 37 | San Jose, CA | 131.7 | 20.0 | 76.8 | 36 | 38 |
| 38 | Albuquerque, NM (Bernalillo County) | 135.7 | 17.2 | 75.1 | 35 | 39 |
| 39 | Colorado Springs, CO (El Paso County) | 118.6 | 24.5 | 71.8 | 39 | 37 |
| 40 | Long Beach, CA | 84.2 | 12.8 | 47.9 | 40 | 40 |
| 41 | El Paso, TX | 19.1 | --- | 9.8 | 41 | --- |
| --- | Atlanta, GA | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Louisville/Jefferson Co., KY | --- | --- | --- | --- | --- |
| --- | Philadelphia, PA | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- |
| --- | San Diego, CA (San Diego County) | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- |
| City Average | | 612.0 | 215.5 | 406.7 | | |
| United States, 2005* | | --- | --- | --- | | |
| 2010 Goal | | | | --- | | |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† People living with HIV (not AIDS) at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.2: AIDS PREVALENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|---------------------------------------|--------------|--------------|--------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 4,813.1 | 1,910.3 | 3,353.4 | 1 | 1 |
| 2 | Washington, DC | 3,226.1 | 937.6 | 2,015.2 | 2 | 2 |
| 3 | Atlanta, GA | 2,242.6 | 463.4 | 1,346.5 | 3 | 4 |
| 4 | San Francisco, CA | 2,082.4 | 131.2 | 1,123.0 | 4 | 17 |
| 5 | Baltimore, MD | 1,356.7 | 648.1 | 978.6 | 5 | 3 |
| 6 | New York, NY | 1,120.5 | 413.4 | 748.4 | 7 | 5 |
| 7 | Philadelphia, PA | 992.8 | 315.6 | 630.2 | 8 | 6 |
| 8 | Denver, CO | 1,154.9 | 93.6 | 629.8 | 6 | 21 |
| 9 | Dallas, TX | 951.4 | 169.1 | 563.4 | 9 | 11 |
| 10 | Fort Worth, TX | 803.9 | 175.7 | 485.5 | 12 | 10 |
| 11 | Mesa, AZ | 835.6 | 133.5 | 481.4 | 11 | 16 |
| 12 | Houston, TX | 740.9 | 215.0 | 477.6 | 13 | 7 |
| 13 | Seattle, WA | 854.2 | 69.8 | 461.0 | 10 | 26 |
| 14 | Boston, MA | 698.5 | 205.5 | 442.8 | 14 | 9 |
| 15 | Oakland, CA | 682.2 | 153.3 | 408.5 | 15 | 13 |
| 16 | New Orleans, LA | 675.9 | 146.4 | 394.5 | 16 | 14 |
| 17 | Chicago, IL | 572.1 | 130.9 | 345.0 | 17 | 18 |
| 18 | Jacksonville, FL | 458.6 | 210.4 | 330.6 | 23 | 8 |
| 19 | Memphis, TN | 483.7 | 157.1 | 311.6 | 22 | 12 |
| 20 | Cleveland, OH | 501.0 | 123.1 | 302.0 | 20 | 19 |
| 21 | Los Angeles, CA | 541.1 | 61.5 | 300.6 | 18 | 30 |
| 22 | Kansas City, MO | 533.9 | 64.4 | 291.0 | 19 | 29 |
| 23 | Nashville-Davidson, TN | 483.9 | 104.8 | 288.3 | 21 | 20 |
| 24 | Detroit, MI | 418.2 | 138.6 | 270.4 | 27 | 15 |
| 25 | Minneapolis, MN | 426.6 | 73.5 | 250.9 | 26 | 24 |
| 26 | Cincinnati, OH | 430.4 | 70.3 | 240.3 | 25 | 25 |
| 27 | Portland, OR (Multnomah County) | 438.7 | 34.2 | 234.4 | 24 | 40 |
| 28 | Milwaukee, WI | 368.7 | 86.0 | 221.1 | 30 | 22 |
| 29 | Indianapolis, IN (Marion County) | 385.8 | 65.2 | 220.2 | 28 | 28 |
| 30 | Arlington, TX | 356.8 | 69.7 | 213.2 | 31 | 27 |
| 31 | San Diego, CA (San Diego County) | 379.5 | 38.7 | 210.1 | 29 | 36 |
| 32 | San Antonio, TX | 355.7 | 48.0 | 196.7 | 32 | 32 |
| 33 | Charlotte, NC | 291.0 | 81.9 | 184.3 | 35 | 23 |
| 34 | Tucson, AZ | 335.1 | 39.1 | 184.1 | 33 | 35 |
| 35 | Phoenix, AZ | 292.5 | 37.6 | 167.2 | 34 | 38 |
| 36 | Louisville/Jefferson Co., KY | 246.7 | 47.5 | 142.7 | 36 | 33 |
| 37 | Oklahoma City, OK | 234.1 | 27.0 | 128.2 | 37 | 42 |
| 38 | Columbus, OH | 215.7 | 37.7 | 124.2 | 38 | 37 |
| 39 | Sacramento, CA (Sacramento County) | 209.4 | 36.3 | 121.0 | 39 | 39 |
| 40 | San Jose, CA | 198.8 | 27.0 | 114.3 | 41 | 42 |
| 41 | Albuquerque, NM (Bernalillo County) | 209.3 | 19.3 | 112.1 | 40 | 44 |
| 42 | Omaha, NB | 177.9 | 44.0 | 109.2 | 42 | 34 |
| 43 | Virginia Beach, VA | 143.5 | 51.2 | 96.9 | 44 | 31 |
| 44 | Honolulu, HI (Honolulu County) | 151.0 | 18.6 | 85.1 | 43 | 45 |
| 45 | Fresno, CA (Fresno County) | 127.1 | 30.1 | 78.7 | 45 | 41 |
| 46 | Colorado Springs, CO (El Paso County) | 80.9 | 13.2 | 47.2 | 46 | 46 |
| 47 | Long Beach, CA | 54.3 | --- | 29.5 | 47 | --- |
| 48 | El Paso, TX | 16.8 | --- | 8.9 | 48 | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- |
| City Average | | 694.8 | 177.6 | 427.1 | | |
| United States, 2005 | | --- | --- | --- | | |
| 2010 Goal | | --- | --- | --- | | |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† People living with AIDS at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.3: HIV (NOT AIDS) INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|---------------------------------------|-------------|-------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 469.5 | 211.2 | 339.6 | 1 | 1 |
| 2 | Baltimore, MD | 224.6 | 110.8 | 164.0 | 2 | 2 |
| 3 | San Francisco, CA | 136.8 | 13.1 | 76.0 | 3 | 13 |
| 4 | Dallas, TX | 98.8 | 23.9 | 61.7 | 4 | 6 |
| 5 | Memphis, TN | 57.9 | 33.0 | 44.8 | 7 | 3 |
| 6 | Denver, CO | 73.5 | 9.8 | 42.0 | 5 | 16 |
| 7 | Chicago, IL | 61.9 | 16.4 | 38.5 | 6 | 11 |
| 8 | Charlotte, NC | 56.6 | 20.3 | 38.1 | 10 | 8 |
| 9 | Fort Worth, TX | 57.3 | 17.7 | 37.2 | 8 | 10 |
| 10 | Jacksonville, FL | 47.2 | 27.7 | 37.1 | 16 | 4 |
| 11 | Houston, TX | 52.7 | 20.8 | 36.7 | 13 | 7 |
| 12 | New York, NY | 52.8 | 18.5 | 34.7 | 12 | 9 |
| 13 | New Orleans, LA | 42.7 | 24.1 | 32.8 | 18 | 5 |
| 14 | Seattle, WA | 57.3 | --- | 31.8 | 8 | --- |
| 15 | Long Beach, CA | 53.4 | 10.2 | 31.4 | 11 | 15 |
| 16 | Kansas City, MO | 51.1 | 9.6 | 29.7 | 14 | 17 |
| 17 | Boston, MA | 48.0 | 12.1 | 29.4 | 15 | 14 |
| 18 | Los Angeles, CA | 45.6 | 6.8 | 26.1 | 17 | 22 |
| 19 | Minneapolis, MN | 41.1 | --- | 24.6 | 20 | --- |
| 20 | Cleveland, OH | 41.5 | 8.3 | 24.0 | 19 | 20 |
| 21 | Nashville-Davidson, TN | 35.9 | 9.2 | 22.1 | 22 | 18 |
| 22 | Cincinnati, OH | 34.5 | --- | 21.7 | 23 | --- |
| 23 | San Antonio, TX | 36.5 | 7.4 | 21.5 | 21 | 21 |
| 24 | Columbus, OH | 33.8 | 8.5 | 20.8 | 24 | 19 |
| 25 | Oakland, CA | 32.2 | --- | 20.0 | 26 | --- |
| 26 | Phoenix, AZ | 31.4 | 6.0 | 18.9 | 27 | 24 |
| 27 | Portland, OR (Multnomah County) | 33.3 | --- | 17.7 | 25 | --- |
| 28 | Arlington, TX | 21.0 | 13.2 | 17.1 | 30 | 12 |
| 29 | Tucson, AZ | 27.3 | --- | 15.8 | 28 | --- |
| 30 | Indianapolis, IN (Marion County) | 24.0 | 6.5 | 15.0 | 29 | 23 |
| 31 | Milwaukee, WI | 20.7 | --- | 12.7 | 32 | --- |
| 32 | Oklahoma City, OK | 21.0 | --- | 11.5 | 30 | --- |
| 33 | Omaha, NB | 13.7 | --- | 10.8 | 34 | --- |
| 34 | El Paso, TX | 19.4 | --- | 9.9 | 33 | --- |
| 35 | Virginia Beach, VA | 12.4 | --- | 9.4 | 36 | --- |
| 36 | Mesa, AZ | 13.7 | --- | 9.3 | 34 | --- |
| 37 | Albuquerque, NM (Bernalillo County) | 12.1 | --- | 6.1 | 37 | --- |
| 38 | Fresno, CA (Fresno County) | 9.0 | --- | 5.8 | 38 | --- |
| 39 | Colorado Springs, CO (El Paso County) | 8.9 | --- | 5.0 | 39 | --- |
| --- | Atlanta, GA | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Louisville/Jefferson Co., KY | --- | --- | --- | --- | --- |
| --- | Philadelphia, PA | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- |
| --- | San Diego, CA (San Diego County) | --- | --- | --- | --- | --- |
| --- | San Jose, CA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Washington, DC | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- |
| City Average | | 56.7 | 26.9 | 37.2 | | |
| United States, 2005 | | --- | --- | --- | | |
| 2010 Goal | | --- | --- | --- | | |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† HIV (not AIDS) cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.4: AIDS INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|---------------------|---------------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 400.7 | 203.5 | 301.5 | 1 | 1 |
| 2 | Washington, DC | 188.6 | 83.9 | 133.2 | 2 | 2 |
| 3 | Baltimore, MD | 123.8 | 68.8 | 94.4 | 3 | 3 |
| 4 | Atlanta, GA | 114.6 | 31.5 | 72.8 | 4 | 4 |
| 5 | San Francisco, CA | 94.2 | 9.4 | 52.5 | 5 | 17 |
| 6 | Memphis, TN | 77.4 | 27.4 | 51.1 | 6 | 6 |
| 6 | New York, NY | 73.8 | 30.7 | 51.1 | 8 | 5 |
| 8 | Dallas, TX | 76.5 | 19.0 | 48.0 | 7 | 11 |
| 9 | Philadelphia, PA | 66.2 | 24.1 | 43.7 | 10 | 8 |
| 10 | Houston, TX | 56.1 | 24.6 | 40.3 | 12 | 7 |
| 10 | Long Beach, CA | 73.7 | --- | 40.3 | 9 | --- |
| 12 | New Orleans, LA | 59.4 | 22.5 | 39.8 | 11 | 9 |
| 13 | Jacksonville, FL | 51.4 | 22.1 | 36.3 | 15 | 10 |
| 14 | Nashville-Davidson, TN | 47.1 | 17.0 | 31.6 | 17 | 12 |
| 15 | Chicago, IL | 49.7 | 12.1 | 30.4 | 16 | 15 |
| 16 | Denver, CO | 52.1 | 8.0 | 30.3 | 14 | 18 |
| 17 | Seattle, WA | 52.3 | --- | 29.5 | 13 | --- |
| 18 | Detroit, MI | 46.2 | 14.3 | 29.3 | 18 | 14 |
| 19 | Charlotte, NC | 38.5 | 16.0 | 27.0 | 19 | 13 |
| 20 | Boston, MA | 37.0 | 12.1 | 24.1 | 22 | 15 |
| 21 | Cincinnati, OH | 38.4 | --- | 22.0 | 20 | --- |
| 22 | Oakland, CA | 37.4 | --- | 21.3 | 21 | --- |
| 23 | Indianapolis, IN (Marion County) | 27.4 | 6.7 | 16.7 | 23 | 19 |
| 24 | San Antonio, TX | 26.4 | 5.9 | 15.8 | 24 | 20 |
| 25 | Fort Worth, TX | 25.8 | --- | 15.5 | 26 | --- |
| 26 | Phoenix, AZ | 25.8 | 4.6 | 15.4 | 26 | 21 |
| 27 | Los Angeles, CA | 26.4 | 3.7 | 15.0 | 24 | 22 |
| 28 | Kansas City, MO | 24.4 | --- | 14.3 | 29 | --- |
| 29 | San Diego, CA (San Diego County) | 24.8 | 2.5 | 13.7 | 28 | 23 |
| 30 | Tucson, AZ | 23.9 | --- | 13.6 | 30 | --- |
| 31 | Minneapolis, MN | 18.7 | --- | 13.1 | 33 | --- |
| 32 | Columbus, OH | 21.4 | --- | 11.9 | 31 | --- |
| 33 | Omaha, NB | 15.8 | --- | 11.0 | 37 | --- |
| 34 | Louisville/Jefferson Co., KY | 18.4 | --- | 10.8 | 34 | --- |
| 35 | El Paso, TX | 19.4 | --- | 10.6 | 32 | --- |
| 36 | Cleveland, OH | 16.8 | --- | 9.8 | 36 | --- |
| 37 | Oklahoma City, OK | 17.0 | --- | 9.7 | 35 | --- |
| 38 | Arlington, TX | 12.0 | --- | 9.0 | 40 | --- |
| 39 | Albuquerque, NM (Bernalillo County) | 13.2 | --- | 8.1 | 39 | --- |
| 40 | Mesa, AZ | 11.7 | --- | 6.8 | 41 | --- |
| 40 | Portland, OR (Multnomah County) | 13.8 | --- | 6.8 | 38 | --- |
| 42 | Sacramento, CA (Sacramento County) | 10.7 | --- | 6.5 | 42 | --- |
| 43 | Milwaukee, WI | 9.1 | --- | 6.2 | 44 | --- |
| 44 | Fresno, CA (Fresno County) | 9.7 | --- | 6.0 | 43 | --- |
| 45 | Honolulu, HI (Honolulu County) | 9.1 | --- | 5.3 | 44 | --- |
| 46 | San Jose, CA | 7.5 | --- | 4.2 | 46 | --- |
| 47 | Colorado Springs, CO (El Paso County) | --- | --- | 3.9 | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- |
| City Average | | 49.7 | 29.1 | 32.1 | | |
| United States, 2005 | | --- | --- | 13.7 | | |
| 2010 Goal | | | | --- | | |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† AIDS cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.5: PRIMARY AND SECONDARY SYPHILIS INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|---------------------------------------|-------------|------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 79.4 | 13.7 | 46.3 | 1 | 2 |
| 2 | Atlanta, GA (Fulton County) | 71.2 | 5.8 | 38.0 | 2 | 5 |
| 3 | San Francisco, CA | 61.5 | --- | 32.1 | 3 | --- |
| 4 | Baltimore, MD | 39.8 | 21.3 | 29.9 | 4 | 1 |
| 5 | Washington, DC | 38.2 | --- | 19.9 | 5 | --- |
| 6 | Memphis, TN | 26.0 | 13.7 | 19.5 | 8 | 2 |
| 7 | Charlotte, NC | 23.8 | --- | 14.6 | 9 | --- |
| 8 | Chicago, IL | 27.0 | 2.5 | 14.4 | 7 | 10 |
| 9 | Kansas City, MO | 27.2 | --- | 13.8 | 6 | --- |
| 10 | Columbus, OH | 21.7 | 5.7 | 13.5 | 11 | 6 |
| 11 | Houston, TX | 19.3 | 4.3 | 11.8 | 14 | 9 |
| 12 | Minneapolis, MN | 21.3 | --- | 11.0 | 12 | --- |
| 13 | Boston, MA | 22.2 | --- | 10.9 | 10 | --- |
| 13 | Dallas, TX | 16.2 | 5.4 | 10.9 | 16 | 7 |
| 13 | Los Angeles, CA | 19.9 | 1.9 | 10.9 | 13 | 11 |
| 16 | Fort Worth, TX | 11.8 | 10.0 | 10.8 | 20 | 4 |
| 17 | San Antonio, TX | 16.4 | 5.4 | 10.7 | 15 | 7 |
| 18 | Arlington, TX | --- | --- | 9.0 | --- | --- |
| 19 | New York, NY | 15.7 | 0.5 | 7.7 | 17 | 13 |
| 20 | San Diego, CA (San Diego County) | 11.9 | 1.7 | 6.9 | 19 | 12 |
| 21 | Jacksonville, FL | 8.4 | --- | 6.7 | 26 | --- |
| 22 | Denver, CO | 12.1 | --- | 6.3 | 18 | --- |
| 23 | Phoenix, AZ | 8.9 | --- | 5.9 | 24 | --- |
| 24 | Oakland, CA | 11.4 | --- | 5.8 | 22 | --- |
| 25 | Philadelphia, PA | 11.5 | --- | 5.7 | 21 | --- |
| 26 | Louisville/Jefferson Co., KY | 11.2 | --- | 5.6 | 23 | --- |
| 27 | Albuquerque, NM (Bernalillo County) | --- | --- | 5.0 | --- | --- |
| 28 | San Jose, CA | 8.6 | --- | 4.6 | 25 | --- |
| 29 | Nashville-Davidson, TN | 8.3 | --- | 4.2 | 27 | --- |
| 30 | Oklahoma City, OK | --- | --- | 4.1 | --- | --- |
| 30 | Portland, OR (Multnomah County) | 8.3 | --- | 4.1 | 27 | --- |
| 32 | Indianapolis, IN (Marion County) | 6.7 | --- | 3.6 | 29 | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Cincinnati, OH | --- | --- | --- | --- | --- |
| --- | Cleveland, OH | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- |
| --- | Fresno, CA (Fresno County) | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- |
| --- | Milwaukee, WI | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- |
| City Average | | 23.0 | 7.1 | 12.6 | | |
| United States, 2005 | | 5.1 | 0.9 | 3.0 | | |
| 2010 Goal | | | | 0.2 | | |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.6: CHLAMYDIA INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|---------------------------------------|--------------|--------------|--------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Milwaukee, WI | 875.7 | 2,197.9 | 1,565.9 | 1 | 1 |
| 2 | Cincinnati, OH | 601.8 | 2,067.7 | 1,386.7 | 4 | 2 |
| 3 | Miami, FL | 424.0 | 1,716.1 | 1,073.7 | 13 | 3 |
| 4 | Memphis, TN | 541.9 | 1,489.2 | 1,040.9 | 7 | 5 |
| 5 | Philadelphia, PA | 658.1 | 1,347.8 | 1,027.3 | 2 | 6 |
| 6 | Baltimore, MD | 363.9 | 1,518.1 | 979.8 | 15 | 4 |
| 7 | Cleveland, OH | 557.1 | 1,319.8 | 972.6 | 6 | 7 |
| 8 | Kansas City, MO | 588.3 | 1,306.5 | 959.8 | 5 | 8 |
| 9 | Denver, CO | 640.6 | 1,143.1 | 889.2 | 3 | 10 |
| 10 | Indianapolis, IN (Marion County) | 490.9 | 1,162.5 | 840.0 | 8 | 9 |
| 11 | Chicago, IL | 451.1 | 1,107.6 | 789.2 | 10 | 11 |
| 12 | Omaha, NB | 405.2 | 1,001.1 | 711.0 | 14 | 12 |
| 13 | Minneapolis, MN | 434.4 | 906.6 | 669.6 | 12 | 18 |
| 14 | Albuquerque, NM (Bernalillo County) | --- | --- | 662.1 | --- | --- |
| 15 | Washington, DC | 253.2 | 983.5 | 643.3 | 27 | 13 |
| 16 | Boston, MA | 448.2 | 820.8 | 641.4 | 11 | 22 |
| 17 | Jacksonville, FL | 312.7 | 925.6 | 628.7 | 21 | 15 |
| 18 | San Antonio, TX | 320.1 | 898.0 | 618.7 | 19 | 19 |
| 19 | Fresno, CA (Fresno County) | 305.6 | 907.9 | 607.5 | 24 | 17 |
| 20 | Oakland, CA | 306.6 | 882.3 | 604.8 | 23 | 20 |
| 21 | Charlotte, NC | 260.0 | 910.3 | 591.7 | 26 | 16 |
| 22 | Columbus, OH | 292.0 | 857.2 | 589.2 | 25 | 21 |
| 23 | Fort Worth, TX | 212.7 | 948.1 | 585.6 | 34 | 14 |
| 24 | Sacramento, CA (Sacramento County) | 318.8 | 799.6 | 569.1 | 20 | 24 |
| 25 | Oklahoma City, OK | 247.9 | 774.3 | 517.1 | 28 | 26 |
| 26 | Phoenix, AZ | 233.3 | 794.9 | 509.4 | 32 | 25 |
| 27 | Nashville-Davidson, TN | 348.7 | 631.6 | 494.7 | 16 | 32 |
| 28 | New York, NY | 322.7 | 639.4 | 489.7 | 18 | 31 |
| 29 | Houston, TX | 147.5 | 814.9 | 481.6 | 40 | 23 |
| 30 | San Francisco, CA | 473.1 | 462.4 | 477.4 | 9 | 42 |
| 31 | Colorado Springs, CO (El Paso County) | 328.2 | 601.6 | 464.3 | 17 | 34 |
| 32 | Atlanta, GA (Fulton County) | 240.7 | 680.7 | 464.1 | 30 | 28 |
| 33 | Dallas, TX | 179.1 | 712.9 | 444.3 | 38 | 27 |
| 34 | Portland, OR (Multnomah County) | 312.0 | 554.3 | 434.4 | 22 | 36 |
| 35 | Wichita, KS (Sedgwick County) | 179.6 | 664.2 | 424.6 | 37 | 30 |
| 36 | El Paso, TX | 128.5 | 672.3 | 414.1 | 41 | 29 |
| 37 | Mesa, AZ | 159.4 | 625.5 | 394.6 | 39 | 33 |
| 38 | San Diego, CA (San Diego County) | 207.7 | 558.2 | 391.0 | 35 | 35 |
| 39 | Los Angeles, CA | 242.1 | 522.9 | 382.9 | 29 | 39 |
| 40 | Virginia Beach, VA | 221.8 | 523.0 | 373.9 | 33 | 38 |
| 41 | Louisville/Jefferson Co., KY | 239.1 | 469.9 | 359.6 | 31 | 41 |
| 42 | San Jose, CA | 201.8 | 486.2 | 343.5 | 36 | 40 |
| 43 | Arlington, TX | 116.5 | 547.7 | 332.5 | 42 | 37 |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| City Average | | 347.4 | 927.5 | 647.5 | | |
| United States, 2005 | | 161.6 | 498.2 | 332.5 | | |
| 2010 Goal | | | | --- | | |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.7: GONORRHEA INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|---------------------------------------|--------------|--------------|--------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Cincinnati, OH | 706.1 | 927.8 | 829.5 | 2 | 1 |
| 2 | Cleveland, OH | 742.0 | 619.4 | 683.3 | 1 | 3 |
| 3 | Milwaukee, WI | 569.5 | 711.5 | 643.6 | 4 | 2 |
| 4 | Kansas City, MO | 554.6 | 546.8 | 550.6 | 5 | 4 |
| 5 | Baltimore, MD | 576.9 | 496.5 | 534.0 | 3 | 5 |
| 6 | Miami, FL | 465.6 | 451.0 | 458.2 | 7 | 7 |
| 7 | Indianapolis, IN (Marion County) | 442.8 | 465.3 | 455.1 | 9 | 6 |
| 8 | Memphis, TN | 453.4 | 446.8 | 449.9 | 8 | 8 |
| 9 | Washington, DC | 413.2 | 339.9 | 375.1 | 11 | 12 |
| 10 | Charlotte, NC | 424.9 | 312.5 | 367.6 | 10 | 15 |
| 11 | Oklahoma City, OK | 329.5 | 359.7 | 345.0 | 20 | 10 |
| 12 | Chicago, IL | 335.1 | 347.4 | 341.5 | 19 | 11 |
| 13 | Fort Worth, TX | 343.9 | 328.4 | 336.3 | 17 | 13 |
| 14 | Philadelphia, PA | 345.3 | 322.6 | 333.2 | 16 | 14 |
| 15 | Jacksonville, FL | 347.8 | 291.0 | 318.5 | 15 | 17 |
| 16 | Atlanta, GA (Fulton County) | 396.8 | 241.9 | 318.1 | 12 | 20 |
| 17 | Minneapolis, MN | 352.7 | 274.2 | 313.9 | 14 | 18 |
| 18 | San Francisco, CA | 517.7 | 91.6 | 310.7 | 6 | 38 |
| 19 | Oakland, CA | 277.6 | 309.6 | 294.6 | 21 | 16 |
| 20 | Columbus, OH | 373.3 | 410.8 | 293.3 | 13 | 9 |
| 21 | Denver, CO | 336.5 | 216.8 | 277.3 | 18 | 23 |
| 22 | Dallas, TX | 277.0 | 251.0 | 264.3 | 22 | 19 |
| 23 | Houston, TX | 176.6 | 227.9 | 202.3 | 26 | 21 |
| 24 | Louisville/Jefferson Co., KY | 228.9 | 173.5 | 200.0 | 24 | 28 |
| 25 | Nashville-Davidson, TN | 232.4 | 161.6 | 195.8 | 23 | 29 |
| 26 | Omaha, NB | 162.6 | 222.5 | 193.3 | 31 | 22 |
| 27 | Sacramento, CA (Sacramento County) | 175.5 | 193.7 | 186.3 | 27 | 24 |
| 28 | San Antonio, TX | 188.5 | 179.2 | 183.7 | 25 | 26 |
| 29 | Fresno, CA (Fresno County) | 149.1 | 175.5 | 162.6 | 32 | 27 |
| 30 | Phoenix, AZ | 171.2 | 133.1 | 152.5 | 29 | 30 |
| 31 | Wichita, KS (Sedgwick County) | 96.9 | 191.7 | 144.9 | 39 | 25 |
| 32 | Boston, MA | 170.0 | 119.5 | 143.8 | 30 | 34 |
| 33 | Portland, OR (Multnomah County) | 175.3 | 93.8 | 134.1 | 28 | 36 |
| 34 | New York, NY | 146.0 | 119.9 | 132.3 | 33 | 33 |
| 35 | Arlington, TX | 128.0 | 121.9 | 124.9 | 34 | 32 |
| 36 | Albuquerque, NM (Bernalillo County) | --- | --- | 118.6 | --- | --- |
| 37 | Colorado Springs, CO (El Paso County) | 106.7 | 125.9 | 116.3 | 37 | 31 |
| 38 | Virginia Beach, VA | 106.9 | 116.4 | 111.7 | 36 | 35 |
| 39 | Los Angeles, CA | 126.0 | 93.8 | 109.9 | 35 | 36 |
| 40 | San Diego, CA (San Diego County) | 103.6 | 76.1 | 92.6 | 38 | 40 |
| 41 | Mesa, AZ | 77.4 | 86.0 | 81.7 | 40 | 39 |
| 42 | San Jose, CA | 73.2 | 54.1 | 63.9 | 41 | 42 |
| 43 | El Paso, TX | 47.8 | 54.4 | 51.3 | 42 | 41 |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| City Average | | 295.8 | 273.4 | 279.0 | | |
| United States, 2005 | | 111.8 | 119.4 | 115.6 | | |
| 2010 Goal | | | | 19.0 | | |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.8: TUBERCULOSIS INCIDENCE RATE BY GENDER, 2005

| Rank | City* | Rate† | | | Rank‡ | |
|------|---------------------------------------|-------------|------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 79.4 | 47.2 | 63.2 | 1 | 1 |
| 2 | San Francisco, CA | 22.8 | 11.0 | 17.0 | 2 | 3 |
| 3 | Fort Worth, TX | 20.9 | 9.6 | 15.1 | 3 | 4 |
| 4 | Minneapolis, MN | 15.6 | 12.6 | 14.1 | 10 | 2 |
| 5 | Memphis, TN | 18.2 | 7.9 | 12.8 | 4 | 10 |
| 6 | Dallas, TX | 16.0 | 8.7 | 12.4 | 7 | 6 |
| 6 | Houston, TX | 17.7 | 7.2 | 12.4 | 5 | 14 |
| 8 | New York, NY | 16.7 | 8.3 | 12.3 | 6 | 7 |
| 9 | Nashville-Davidson, TN | 15.9 | 7.5 | 11.6 | 8 | 12 |
| 10 | Chicago, IL | 14.7 | 8.3 | 11.4 | 13 | 7 |
| 11 | Oakland, CA | 15.0 | --- | 11.3 | 12 | --- |
| 12 | Jacksonville, FL | 15.4 | 6.9 | 11.0 | 11 | 16 |
| 13 | San Diego, CA (San Diego County) | 13.9 | 7.7 | 10.8 | 16 | 11 |
| 13 | Seattle, WA | 15.7 | --- | 10.8 | 9 | --- |
| 15 | Atlanta, GA (Fulton County) | 14.2 | 7.2 | 10.7 | 15 | 14 |
| 16 | Sacramento, CA (Sacramento County) | 12.0 | 9.3 | 10.6 | 19 | 5 |
| 17 | Columbus, OH | 14.7 | 6.6 | 10.5 | 13 | 18 |
| 18 | Washington, DC | 13.4 | 6.6 | 9.8 | 17 | 18 |
| 19 | Boston, MA | 12.0 | 7.5 | 9.7 | 19 | 12 |
| 20 | Los Angeles, CA | 11.8 | 6.7 | 9.3 | 21 | 17 |
| 21 | Cleveland, OH | 12.8 | --- | 9.2 | 17 | --- |
| 22 | Arlington, TX | --- | --- | 9.0 | --- | --- |
| 23 | Fresno, CA (Fresno County) | 9.0 | 8.3 | 8.6 | 25 | 7 |
| 24 | Charlotte, NC | 12.5 | --- | 8.5 | 18 | --- |
| 25 | Denver, CO | 11.8 | --- | 7.9 | 21 | --- |
| 26 | Philadelphia, PA | 9.1 | 6.4 | 7.6 | 24 | 19 |
| 26 | Phoenix, AZ | 10.6 | 4.5 | 7.6 | 23 | 20 |
| 28 | Oklahoma City, OK | 8.1 | --- | 6.5 | 28 | --- |
| 29 | San Antonio, TX | 8.5 | 4.4 | 6.4 | 26 | 21 |
| 30 | Portland, OR (Multnomah County) | 8.3 | --- | 6.1 | 27 | --- |
| 31 | Cincinnati, OH | --- | --- | 6.0 | --- | --- |
| 32 | Kansas City, MO | --- | --- | 5.4 | --- | --- |
| 33 | Indianapolis, IN (Marion County) | 6.7 | --- | 5.2 | 30 | --- |
| 34 | Louisville/Jefferson Co., KY | 7.5 | --- | 4.5 | 29 | --- |
| 35 | Wichita, KS (Sedgwick County) | --- | --- | 4.4 | --- | --- |
| 36 | Milwaukee, WI | --- | --- | 3.7 | --- | --- |
| --- | Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- |
| --- | Baltimore, MD | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | San Jose, CA | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- |
| | City Average | 15.5 | 9.6 | 10.9 | | |
| | United States, 2005 | 6.0 | 3.6 | 4.8 | | |
| | 2010 Goal | | | 1.0 | | |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 1.9: OVERALL MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|---------------------|------------------------------|---------|---------|---------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 2,019.3 | 1,361.2 | 1,660.3 | 1 | 1 |
| 2 | Sacramento, CA | 1,794.9 | 1,195.5 | 1,449.6 | 2 | 2 |
| 3 | Tucson, AZ | 1,747.3 | 1,142.8 | 1,398.2 | 3 | 3 |
| 4 | Miami, FL | 1,651.7 | 989.2 | 1,288.4 | 4 | 4 |
| 5 | Baltimore, MD | 1,497.2 | 881.8 | 1,139.6 | 5 | 11 |
| 6 | Fresno, CA | 1,427.7 | 929.0 | 1,135.0 | 8 | 5 |
| 7 | Cleveland, OH | 1,430.4 | 922.7 | 1,131.0 | 6 | 6 |
| 8 | Detroit, MI | 1,407.7 | 885.3 | 1,103.4 | 9 | 10 |
| 9 | New Orleans, LA | 1,429.1 | 848.8 | 1,095.1 | 7 | 14 |
| 10 | Cincinnati, OH | 1,344.7 | 894.5 | 1,072.9 | 10 | 8 |
| 11 | Jacksonville, FL | 1,295.7 | 894.9 | 1,061.2 | 14 | 7 |
| 12 | Columbus, OH | 1,340.7 | 859.6 | 1,051.0 | 11 | 13 |
| 13 | Memphis, TN | 1,317.3 | 863.4 | 1,045.7 | 13 | 12 |
| 14 | St. Louis, MO | 1,328.3 | 798.3 | 1,013.2 | 12 | 20 |
| 15 | Indianapolis, IN | 1,272.3 | 832.3 | 1,009.1 | 16 | 15 |
| 16 | Philadelphia, PA | 1,281.2 | 815.5 | 1,006.1 | 15 | 18 |
| 17 | Arlington, TX | 1,176.1 | 885.5 | 1,004.5 | 26 | 9 |
| 18 | Houston, TX | 1,235.0 | 822.7 | 997.9 | 20 | 16 |
| 19 | San Antonio, TX | 1,205.3 | 822.6 | 983.5 | 25 | 17 |
| 20 | Albuquerque, NM | 1,250.4 | 782.0 | 976.2 | 17 | 27 |
| 21 | Atlanta, GA | 1,216.7 | 796.2 | 974.3 | 24 | 22 |
| 22 | Charlotte, NC | 1,232.4 | 811.4 | 973.0 | 21 | 19 |
| 23 | Fort Worth, TX | 1,241.1 | 781.2 | 969.2 | 19 | 28 |
| 24 | Washington, DC | 1,249.2 | 770.9 | 966.4 | 18 | 30 |
| 25 | Milwaukee, WI | 1,224.6 | 787.0 | 965.4 | 22 | 26 |
| 26 | Pittsburgh, PA | 1,219.3 | 768.1 | 950.5 | 23 | 31 |
| 26 | Wichita, KS | 1,164.4 | 798.0 | 950.5 | 28 | 21 |
| 28 | Mesa, AZ | 1,139.2 | 792.0 | 943.1 | 31 | 25 |
| 29 | Louisville/Jefferson Co., KY | 1,170.5 | 792.7 | 942.7 | 27 | 24 |
| 30 | Oklahoma City, OK | 1,139.0 | 794.4 | 936.2 | 32 | 23 |
| 31 | Tulsa, OK | 1,153.9 | 779.5 | 933.6 | 30 | 29 |
| 32 | Kansas City, MO | 1,157.6 | 749.5 | 912.6 | 29 | 35 |
| 33 | Colorado Springs, CO | 1,131.2 | 764.2 | 911.7 | 34 | 33 |
| 34 | Portland, OR | 1,106.9 | 757.8 | 902.7 | 36 | 34 |
| 35 | Nashville-Davidson, TN | 1,131.9 | 744.4 | 899.7 | 33 | 36 |
| 36 | Virginia Beach, VA | 1,106.3 | 767.0 | 888.2 | 37 | 32 |
| 37 | Dallas, TX | 1,123.0 | 708.1 | 881.6 | 35 | 39 |
| 38 | Chicago, IL | 1,072.6 | 720.7 | 868.1 | 42 | 37 |
| 39 | Omaha, NB | 1,082.3 | 714.3 | 859.5 | 39 | 38 |
| 40 | El Paso, TX | 1,079.3 | 697.5 | 854.4 | 40 | 41 |
| 41 | Long Beach, CA | 1,051.5 | 707.6 | 853.5 | 43 | 40 |
| 42 | Phoenix, AZ | 1,076.4 | 687.5 | 852.2 | 41 | 43 |
| 43 | Denver, CO | 1,085.8 | 661.5 | 841.9 | 38 | 47 |
| 44 | Austin, TX | 1,014.9 | 693.5 | 826.5 | 46 | 42 |
| 45 | Oakland, CA | 1,009.3 | 677.5 | 822.8 | 47 | 44 |
| 46 | Boston, MA | 1,030.8 | 666.2 | 820.9 | 44 | 46 |
| 47 | Los Angeles, CA | 985.7 | 667.3 | 806.5 | 48 | 45 |
| 48 | Minneapolis, MN | 1,016.3 | 643.3 | 799.5 | 45 | 48 |
| 49 | San Diego, CA | 927.1 | 640.8 | 762.0 | 50 | 49 |
| 50 | New York, NY | 922.6 | 630.3 | 748.9 | 51 | 50 |
| 51 | Seattle, WA | 931.4 | 579.2 | 729.5 | 49 | 52 |
| 52 | San Jose, CA | 846.0 | 602.8 | 708.9 | 53 | 51 |
| 53 | San Francisco, CA | 889.0 | 544.5 | 699.3 | 52 | 54 |
| 54 | Honolulu, HI | 817.9 | 547.8 | 669.9 | 54 | 53 |
| City Average | | 1,207.4 | 790.2 | 963.8 | | |
| United States, 2004 | | 955.1 | 680.1 | 801.0 | | |
| 2010 Goal | | | | --- | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.10: HEART DISEASE MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|------|------------------------------|--------------|--------------|--------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 619.0 | 340.4 | 465.0 | 1 | 1 |
| 2 | Miami, FL | 504.9 | 293.6 | 388.2 | 2 | 4 |
| 3 | Sacramento, CA | 492.3 | 303.9 | 383.4 | 3 | 3 |
| 4 | Detroit, MI | 458.6 | 307.0 | 370.0 | 5 | 2 |
| 5 | Cleveland, OH | 474.5 | 286.3 | 362.8 | 4 | 5 |
| 6 | Tucson, AZ | 451.0 | 260.9 | 340.8 | 6 | 6 |
| 7 | Memphis, TN | 408.1 | 238.6 | 304.7 | 7 | 8 |
| 8 | Fresno, CA | 396.8 | 238.1 | 301.0 | 8 | 9 |
| 9 | New York, NY | 361.6 | 259.5 | 300.6 | 12 | 7 |
| 10 | Baltimore, MD | 385.6 | 220.5 | 287.2 | 9 | 14 |
| 11 | Long Beach, CA | 367.0 | 228.3 | 285.1 | 11 | 11 |
| 12 | St. Louis, MO | 374.7 | 226.9 | 284.7 | 10 | 12 |
| 13 | Arlington, TX | 340.7 | 230.1 | 279.0 | 20 | 10 |
| 14 | Washington, DC | 348.6 | 224.6 | 273.7 | 16 | 13 |
| 15 | Houston, TX | 356.2 | 216.3 | 273.2 | 14 | 16 |
| 16 | Fort Worth, TX | 356.0 | 210.4 | 270.2 | 15 | 21 |
| 17 | Pittsburgh, PA | 357.4 | 207.7 | 268.4 | 13 | 22 |
| 18 | Oklahoma City, OK | 348.2 | 212.7 | 266.5 | 17 | 18 |
| 19 | Philadelphia, PA | 347.1 | 213.0 | 265.9 | 18 | 17 |
| 20 | San Antonio, TX | 334.7 | 217.5 | 265.8 | 23 | 15 |
| 21 | Tulsa, OK | 341.0 | 212.2 | 263.6 | 19 | 19 |
| 22 | Jacksonville, FL | 334.1 | 211.7 | 262.3 | 24 | 20 |
| 23 | Chicago, IL | 338.3 | 203.1 | 258.3 | 21 | 24 |
| 24 | Louisville/Jefferson Co., KY | 326.0 | 205.6 | 253.5 | 26 | 23 |
| 25 | Los Angeles, CA | 314.9 | 202.1 | 250.8 | 30 | 25 |
| 26 | Columbus, OH | 329.3 | 200.6 | 250.4 | 25 | 26 |
| 27 | Cincinnati, OH | 335.3 | 191.9 | 248.8 | 22 | 30 |
| 28 | Mesa, AZ | 307.8 | 196.4 | 243.8 | 33 | 27 |
| 29 | Milwaukee, WI | 318.2 | 191.1 | 243.6 | 29 | 31 |
| 30 | New Orleans, LA | 311.9 | 192.3 | 243.5 | 31 | 29 |
| 31 | Dallas, TX | 320.9 | 183.0 | 239.8 | 28 | 34 |
| 32 | Nashville-Davidson, TN | 306.8 | 193.5 | 239.7 | 34 | 28 |
| 33 | Indianapolis, IN | 321.0 | 185.0 | 238.6 | 27 | 32 |
| 34 | Atlanta, GA | 292.5 | 183.9 | 230.2 | 39 | 33 |
| 35 | Wichita, KS | 310.1 | 167.1 | 227.0 | 32 | 40 |
| 36 | Virginia Beach, VA | 302.3 | 180.9 | 226.8 | 36 | 35 |
| 37 | Kansas City, MO | 305.4 | 171.5 | 224.8 | 35 | 37 |
| 38 | Phoenix, AZ | 285.4 | 168.5 | 215.8 | 40 | 38 |
| 39 | Albuquerque, NM | 299.4 | 157.2 | 214.5 | 38 | 44 |
| 40 | El Paso, TX | 279.5 | 166.8 | 212.9 | 41 | 41 |
| 41 | Oakland, CA | 263.4 | 172.5 | 211.9 | 44 | 36 |
| 42 | San Diego, CA | 277.5 | 163.0 | 210.5 | 42 | 42 |
| 43 | Charlotte, NC | 301.0 | 154.3 | 210.1 | 37 | 45 |
| 44 | Portland, OR | 259.6 | 167.8 | 204.1 | 45 | 39 |
| 45 | Omaha, NB | 265.7 | 162.9 | 203.3 | 43 | 43 |
| 46 | Austin, TX | 257.4 | 146.6 | 188.7 | 46 | 47 |
| 47 | Boston, MA | 250.2 | 136.3 | 184.6 | 47 | 48 |
| 48 | San Jose, CA | 223.7 | 151.6 | 184.0 | 53 | 46 |
| 49 | Colorado Springs, CO | 244.2 | 133.7 | 177.5 | 49 | 49 |
| 49 | Honolulu, HI | 233.4 | 132.5 | 177.5 | 51 | 50 |
| 51 | Denver, CO | 246.4 | 128.9 | 175.4 | 48 | 52 |
| 52 | San Francisco, CA | 231.3 | 131.0 | 174.5 | 52 | 51 |
| 53 | Seattle, WA | 235.3 | 127.2 | 171.7 | 50 | 53 |
| 54 | Minneapolis, MN | 192.3 | 102.0 | 140.7 | 54 | 54 |
| | City Average | 330.5 | 198.4 | 252.6 | | |
| | United States, 2004 | --- | --- | 217.5 | | |
| | 2010 Goal | | | --- | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
 ‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
 "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.

TABLE 1.11: ALL CANCER MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 401.4 | 322.1 | 354.6 | 1 | 1 |
| 2 | Sacramento, CA | 399.9 | 276.0 | 324.2 | 2 | 2 |
| 3 | Tucson, AZ | 398.7 | 253.0 | 311.1 | 3 | 3 |
| 4 | Miami, FL | 333.5 | 204.1 | 258.5 | 7 | 8 |
| 5 | Cleveland, OH | 339.9 | 207.2 | 258.1 | 4 | 6 |
| 6 | Cincinnati, OH | 310.0 | 223.6 | 254.6 | 8 | 4 |
| 7 | Columbus, OH | 336.4 | 194.1 | 247.4 | 5 | 12 |
| 8 | Fresno, CA | 299.1 | 213.6 | 246.0 | 13 | 5 |
| 9 | New Orleans, LA | 335.0 | 186.9 | 244.1 | 6 | 20 |
| 10 | Jacksonville, FL | 304.4 | 201.1 | 240.7 | 12 | 9 |
| 11 | Arlington, TX | 296.0 | 207.1 | 238.2 | 16 | 7 |
| 12 | St. Louis, MO | 308.6 | 189.3 | 234.4 | 9 | 18 |
| 13 | Indianapolis, IN | 298.1 | 193.6 | 233.4 | 15 | 13 |
| 14 | Philadelphia, PA | 287.2 | 200.1 | 232.2 | 20 | 10 |
| 15 | Baltimore, MD | 298.6 | 190.1 | 231.0 | 14 | 16 |
| 16 | Detroit, MI | 306.2 | 182.4 | 230.4 | 10 | 21 |
| 17 | Milwaukee, WI | 304.6 | 181.6 | 227.3 | 11 | 22 |
| 17 | Pittsburgh, PA | 290.7 | 190.0 | 227.3 | 19 | 17 |
| 19 | Memphis, TN | 282.9 | 192.4 | 226.0 | 22 | 14 |
| 20 | Louisville/Jefferson Co., KY | 280.0 | 195.6 | 224.8 | 23 | 11 |
| 21 | Fort Worth, TX | 294.4 | 175.2 | 222.0 | 17 | 27 |
| 22 | Wichita, KS | 277.9 | 187.3 | 221.9 | 24 | 19 |
| 23 | Houston, TX | 283.2 | 173.1 | 217.3 | 21 | 33 |
| 24 | Virginia Beach, VA | 291.4 | 178.1 | 215.8 | 18 | 24 |
| 25 | Charlotte, NC | 263.2 | 191.0 | 214.9 | 32 | 15 |
| 26 | Albuquerque, NM | 273.5 | 175.2 | 213.9 | 26 | 27 |
| 27 | Kansas City, MO | 269.7 | 180.6 | 212.0 | 28 | 23 |
| 28 | Portland, OR | 270.2 | 174.1 | 211.4 | 27 | 31 |
| 29 | Atlanta, GA | 276.4 | 174.8 | 211.3 | 25 | 30 |
| 30 | Mesa, AZ | 254.9 | 175.2 | 207.5 | 35 | 27 |
| 30 | San Antonio, TX | 265.0 | 171.2 | 207.5 | 30 | 35 |
| 32 | Omaha, NB | 256.7 | 175.6 | 206.2 | 33 | 26 |
| 33 | Boston, MA | 263.9 | 172.3 | 205.7 | 31 | 34 |
| 34 | Washington, DC | 268.3 | 167.5 | 205.6 | 29 | 37 |
| 35 | Chicago, IL | 251.2 | 177.1 | 204.8 | 40 | 25 |
| 36 | Colorado Springs, CO | 252.9 | 173.6 | 201.2 | 38 | 32 |
| 37 | Nashville-Davidson, TN | 249.9 | 170.0 | 199.7 | 41 | 36 |
| 38 | Minneapolis, MN | 253.4 | 165.4 | 198.6 | 37 | 39 |
| 39 | Austin, TX | 255.5 | 158.3 | 196.4 | 34 | 43 |
| 40 | Dallas, TX | 252.6 | 160.7 | 195.7 | 39 | 41 |
| 41 | Oklahoma City, OK | 236.6 | 167.2 | 194.2 | 45 | 38 |
| 42 | Oakland, CA | 237.7 | 162.9 | 193.6 | 44 | 40 |
| 43 | Long Beach, CA | 242.1 | 157.3 | 191.6 | 42 | 44 |
| 44 | Tulsa, OK | 253.5 | 153.5 | 190.6 | 36 | 47 |
| 45 | Denver, CO | 238.4 | 153.5 | 185.8 | 43 | 47 |
| 46 | El Paso, TX | 227.8 | 155.5 | 183.7 | 46 | 45 |
| 47 | Los Angeles, CA | 216.8 | 160.1 | 182.3 | 50 | 42 |
| 48 | Seattle, WA | 221.7 | 154.1 | 180.6 | 48 | 46 |
| 49 | San Diego, CA | 218.0 | 153.4 | 178.3 | 49 | 49 |
| 50 | Phoenix, AZ | 222.6 | 149.5 | 177.4 | 47 | 51 |
| 51 | San Francisco, CA | 210.5 | 151.9 | 175.3 | 53 | 50 |
| 52 | San Jose, CA | 212.0 | 149.2 | 174.5 | 51 | 52 |
| 53 | New York, NY | 210.9 | 146.1 | 170.2 | 52 | 53 |
| 54 | Honolulu, HI | 191.5 | 119.9 | 150.9 | 54 | 54 |
| | City Average | 275.5 | 181.7 | 217.5 | | |
| | United States, 2004 | --- | --- | 184.6 | | |
| | 2010 Goal | | | 158.6 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.12: LUNG CANCER MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 120.6 | 94.7 | 106.9 | 1 | 1 |
| 2 | Tucson, AZ | 117.3 | 69.6 | 89.5 | 2 | 3 |
| 3 | Columbus, OH | 116.9 | 61.5 | 83.7 | 3 | 7 |
| 4 | Cleveland, OH | 115.9 | 58.0 | 81.0 | 4 | 9 |
| 5 | Sacramento, CA | 92.6 | 69.9 | 79.3 | 18 | 2 |
| 6 | Indianapolis, IN | 99.2 | 62.4 | 77.6 | 11 | 5 |
| 7 | Louisville/Jefferson Co., KY | 100.7 | 61.9 | 76.4 | 9 | 6 |
| 8 | St. Louis, MO | 103.1 | 57.8 | 75.5 | 7 | 10 |
| 9 | Cincinnati, OH | 88.2 | 67.6 | 75.0 | 21 | 4 |
| 10 | Jacksonville, FL | 98.4 | 57.2 | 73.6 | 12 | 12 |
| 11 | Virginia Beach, VA | 105.1 | 56.1 | 73.1 | 5 | 13 |
| 12 | Arlington, TX | 102.5 | 54.5 | 72.4 | 8 | 15 |
| 13 | Pittsburgh, PA | 91.6 | 57.8 | 71.9 | 19 | 10 |
| 13 | Wichita, KS | 100.3 | 52.4 | 71.9 | 10 | 20 |
| 15 | Baltimore, MD | 95.8 | 54.3 | 70.6 | 13 | 16 |
| 16 | Kansas City, MO | 93.4 | 53.8 | 68.7 | 16 | 17 |
| 17 | New Orleans, LA | 103.6 | 43.8 | 67.5 | 6 | 28 |
| 18 | Philadelphia, PA | 86.9 | 55.2 | 67.4 | 23 | 14 |
| 19 | Detroit, MI | 95.8 | 47.4 | 67.0 | 13 | 25 |
| 20 | Nashville-Davidson, TN | 86.4 | 53.2 | 66.5 | 24 | 18 |
| 21 | Fresno, CA | 78.2 | 58.1 | 66.2 | 31 | 8 |
| 22 | Charlotte, NC | 84.8 | 52.6 | 65.5 | 26 | 19 |
| 23 | Fort Worth, TX | 90.1 | 47.4 | 65.1 | 20 | 25 |
| 23 | Milwaukee, WI | 92.7 | 48.8 | 65.1 | 17 | 23 |
| 25 | Memphis, TN | 94.4 | 42.7 | 62.7 | 15 | 31 |
| 25 | Oklahoma City, OK | 80.7 | 51.3 | 62.7 | 29 | 21 |
| 27 | Omaha, NB | 81.2 | 49.1 | 61.6 | 28 | 22 |
| 28 | Tulsa, OK | 85.5 | 43.7 | 60.2 | 25 | 29 |
| 29 | Portland, OR | 74.3 | 48.6 | 59.6 | 33 | 24 |
| 30 | Houston, TX | 81.4 | 42.5 | 59.4 | 27 | 32 |
| 31 | Miami, FL | 87.0 | 31.8 | 55.7 | 22 | 50 |
| 32 | Minneapolis, MN | 70.8 | 44.4 | 54.9 | 39 | 27 |
| 33 | Chicago, IL | 74.1 | 40.9 | 54.1 | 34 | 33 |
| 34 | Boston, MA | 75.3 | 40.1 | 53.3 | 32 | 34 |
| 35 | Colorado Springs, CO | 78.6 | 36.5 | 51.8 | 30 | 42 |
| 36 | Mesa, AZ | 63.4 | 43.2 | 51.7 | 42 | 30 |
| 37 | Atlanta, GA | 71.5 | 38.5 | 51.5 | 37 | 38 |
| 38 | Austin, TX | 72.8 | 36.6 | 51.0 | 36 | 41 |
| 39 | Washington, DC | 73.9 | 34.8 | 50.6 | 35 | 44 |
| 40 | Dallas, TX | 70.9 | 36.1 | 50.3 | 38 | 43 |
| 41 | Phoenix, AZ | 64.0 | 38.9 | 49.1 | 41 | 37 |
| 42 | San Antonio, TX | 66.5 | 37.5 | 49.0 | 40 | 40 |
| 43 | Albuquerque, NM | 63.3 | 39.2 | 48.9 | 44 | 35 |
| 44 | Long Beach, CA | 63.4 | 34.0 | 47.2 | 42 | 47 |
| 45 | Seattle, WA | 58.6 | 39.0 | 46.8 | 46 | 36 |
| 46 | San Diego, CA | 55.3 | 38.4 | 45.5 | 48 | 39 |
| 47 | Denver, CO | 60.3 | 33.8 | 44.3 | 45 | 49 |
| 48 | Oakland, CA | 57.6 | 34.0 | 44.0 | 47 | 47 |
| 49 | San Francisco, CA | 55.1 | 34.1 | 43.4 | 49 | 45 |
| 50 | San Jose, CA | 52.7 | 34.1 | 41.8 | 52 | 45 |
| 51 | Los Angeles, CA | 53.1 | 30.5 | 40.1 | 51 | 51 |
| 52 | New York, NY | 54.5 | 28.3 | 38.6 | 50 | 52 |
| 53 | Honolulu, HI | 50.8 | 26.9 | 37.4 | 53 | 54 |
| 54 | El Paso, TX | 42.0 | 27.7 | 33.8 | 54 | 53 |
| | City Average | 81.4 | 46.9 | 60.7 | | |
| | United States, 2004 | --- | --- | 52.9 | | |
| | 2010 Goal | | | 43.3 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.13: FEMALE BREAST CANCER MORTALITY RATE, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | --- | 53.3 | --- | --- | 1 |
| 2 | Sacramento, CA | --- | 42.3 | --- | --- | 2 |
| 3 | Miami, FL | --- | 41.8 | --- | --- | 3 |
| 4 | Tucson, AZ | --- | 41.7 | --- | --- | 4 |
| 5 | Cleveland, OH | --- | 38.3 | --- | --- | 5 |
| 6 | Cincinnati, OH | --- | 36.4 | --- | --- | 6 |
| 7 | Colorado Springs, CO | --- | 36.1 | --- | --- | 7 |
| 8 | Memphis, TN | --- | 35.3 | --- | --- | 8 |
| 8 | New Orleans, LA | --- | 35.3 | --- | --- | 8 |
| 10 | Mesa, AZ | --- | 34.7 | --- | --- | 10 |
| 11 | Baltimore, MD | --- | 33.2 | --- | --- | 11 |
| 12 | Philadelphia, PA | --- | 31.7 | --- | --- | 12 |
| 13 | Wichita, KS | --- | 31.2 | --- | --- | 13 |
| 14 | Detroit, MI | --- | 30.7 | --- | --- | 14 |
| 14 | Fresno, CA | --- | 30.7 | --- | --- | 14 |
| 16 | Jacksonville, FL | --- | 30.6 | --- | --- | 16 |
| 17 | Charlotte, NC | --- | 30.3 | --- | --- | 17 |
| 18 | Chicago, IL | --- | 29.9 | --- | --- | 18 |
| 18 | Houston, TX | --- | 29.9 | --- | --- | 18 |
| 20 | Omaha, NB | --- | 29.7 | --- | --- | 20 |
| 21 | Albuquerque, NM | --- | 29.6 | --- | --- | 21 |
| 22 | Atlanta, GA | --- | 29.4 | --- | --- | 22 |
| 23 | Louisville/Jefferson Co., KY | --- | 29.2 | --- | --- | 23 |
| 24 | El Paso, TX | --- | 29.0 | --- | --- | 24 |
| 25 | St. Louis, MO | --- | 28.8 | --- | --- | 25 |
| 26 | Fort Worth, TX | --- | 28.4 | --- | --- | 26 |
| 26 | Los Angeles, CA | --- | 28.4 | --- | --- | 26 |
| 28 | Columbus, OH | --- | 28.1 | --- | --- | 28 |
| 29 | Pittsburgh, PA | --- | 27.5 | --- | --- | 29 |
| 30 | Austin, TX | --- | 27.4 | --- | --- | 30 |
| 31 | San Antonio, TX | --- | 27.3 | --- | --- | 31 |
| 32 | Kansas City, MO | --- | 27.2 | --- | --- | 32 |
| 33 | Washington, DC | --- | 27.1 | --- | --- | 33 |
| 34 | New York, NY | --- | 26.8 | --- | --- | 34 |
| 35 | Boston, MA | --- | 26.7 | --- | --- | 35 |
| 36 | Arlington, TX | --- | 26.4 | --- | --- | 36 |
| 37 | Long Beach, CA | --- | 25.3 | --- | --- | 37 |
| 38 | Oklahoma City, OK | --- | 24.8 | --- | --- | 38 |
| 39 | Dallas, TX | --- | 24.6 | --- | --- | 39 |
| 39 | Virginia Beach, VA | --- | 24.6 | --- | --- | 39 |
| 41 | San Francisco, CA | --- | 24.5 | --- | --- | 41 |
| 42 | Oakland, CA | --- | 24.0 | --- | --- | 42 |
| 42 | Tulsa, OK | --- | 24.0 | --- | --- | 42 |
| 44 | Denver, CO | --- | 23.5 | --- | --- | 44 |
| 45 | Seattle, WA | --- | 23.3 | --- | --- | 45 |
| 46 | Portland, OR | --- | 23.1 | --- | --- | 46 |
| 46 | San Diego, CA | --- | 23.1 | --- | --- | 46 |
| 48 | Nashville-Davidson, TN | --- | 22.9 | --- | --- | 48 |
| 49 | Milwaukee, WI | --- | 22.4 | --- | --- | 49 |
| 49 | Phoenix, AZ | --- | 22.4 | --- | --- | 49 |
| 51 | San Jose, CA | --- | 21.5 | --- | --- | 51 |
| 52 | Indianapolis, IN | --- | 20.1 | --- | --- | 52 |
| 53 | Minneapolis, MN | --- | 19.1 | --- | --- | 53 |
| 54 | Honolulu, HI | --- | 14.9 | --- | --- | 54 |
| | City Average | --- | 28.9 | --- | | |
| | United States, 2004 | --- | --- | --- | | |
| | 2010 Goal | --- | 21.3 | --- | | |

† Per 100,000 female population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.14: MOTOR VEHICLE INJURY MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|---------------------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 49.8 | 18.2 | 33.9 | 2 | 1 |
| 2 | Miami, FL | 50.9 | 14.1 | 32.5 | 1 | 3 |
| 3 | Tucson, AZ | 29.2 | 17.5 | 23.1 | 7 | 2 |
| 4 | Sacramento, CA | 34.4 | 12.9 | 23.0 | 4 | 6 |
| 5 | Fresno, CA | 30.6 | 14.1 | 22.4 | 5 | 3 |
| 6 | Albuquerque, NM | 36.5 | 9.7 | 22.2 | 3 | 11 |
| 7 | Jacksonville, FL | 27.0 | 13.0 | 19.6 | 9 | 5 |
| 8 | Phoenix, AZ | 27.5 | 11.8 | 19.5 | 8 | 7 |
| 9 | Mesa, AZ | 26.9 | --- | 17.7 | 10 | --- |
| 10 | Memphis, TN | 29.6 | 7.0 | 17.3 | 6 | 22 |
| 11 | San Antonio, TX | 26.3 | 9.1 | 17.1 | 11 | 15 |
| 12 | Nashville-Davidson, TN | 25.2 | 8.2 | 16.3 | 13 | 18 |
| 13 | Houston, TX | 24.9 | 7.9 | 16.1 | 14 | 20 |
| 14 | Dallas, TX | 22.0 | 9.6 | 15.8 | 18 | 12 |
| 15 | El Paso, TX | 22.1 | 9.0 | 15.2 | 17 | 17 |
| 15 | Oklahoma City, OK | 22.3 | 8.1 | 15.2 | 16 | 19 |
| 17 | Fort Worth, TX | 25.4 | --- | 15.1 | 12 | --- |
| 18 | Arlington, TX | 18.2 | --- | 15.0 | 27 | --- |
| 19 | Atlanta, GA | 18.6 | 10.2 | 14.5 | 25 | 9 |
| 20 | Tulsa, OK | 18.0 | 10.2 | 14.3 | 28 | 9 |
| 21 | Detroit, MI | 23.2 | 6.9 | 14.2 | 15 | 24 |
| 21 | Wichita, KS | 19.8 | --- | 14.2 | 23 | --- |
| 23 | St. Louis, MO | 21.9 | --- | 14.1 | 19 | --- |
| 24 | Louisville/Jefferson Co., KY | 20.0 | 9.0 | 14.0 | 22 | 16 |
| 25 | Milwaukee, WI | 15.4 | 11.8 | 13.7 | 33 | 7 |
| 26 | Indianapolis, IN | 21.5 | 7.0 | 13.6 | 21 | 22 |
| 27 | New Orleans, LA | 21.9 | --- | 13.4 | 19 | --- |
| 28 | Austin, TX | 17.4 | 9.6 | 13.2 | 30 | 12 |
| 29 | Kansas City, MO | 17.7 | --- | 12.8 | 29 | --- |
| 30 | Oakland, CA | 18.4 | --- | 12.7 | 26 | --- |
| 31 | Denver, CO | 19.7 | --- | 12.5 | 24 | --- |
| 32 | Colorado Springs, CO | 14.7 | --- | 12.2 | 36 | --- |
| 33 | Cincinnati, OH | 15.5 | --- | 12.0 | 32 | --- |
| 34 | Long Beach, CA | 13.2 | 9.4 | 11.2 | 42 | 14 |
| 35 | Charlotte, NC | 16.9 | --- | 11.1 | 31 | --- |
| 36 | Portland, OR | 14.3 | 7.7 | 10.9 | 39 | 21 |
| 37 | Los Angeles, CA | 15.1 | 6.6 | 10.7 | 34 | 25 |
| 38 | San Diego, CA | 14.9 | 5.1 | 10.0 | 35 | 29 |
| 39 | Philadelphia, PA | 14.6 | 5.8 | 9.8 | 37 | 26 |
| 40 | Baltimore, MD | 14.4 | --- | 9.5 | 38 | --- |
| 41 | Chicago, IL | 13.7 | 5.3 | 9.3 | 40 | 27 |
| 42 | Columbus, OH | 12.8 | 5.2 | 8.8 | 43 | 28 |
| 43 | Pittsburgh, PA | --- | --- | 8.1 | --- | --- |
| 43 | San Jose, CA | 12.3 | --- | 8.1 | 45 | --- |
| 45 | Omaha, NB | --- | --- | 7.7 | --- | --- |
| 45 | Virginia Beach, VA | 10.0 | --- | 7.7 | 47 | --- |
| 45 | Washington, DC | 13.5 | --- | 7.7 | 41 | --- |
| 48 | Cleveland, OH | 12.6 | --- | 7.3 | 44 | --- |
| 49 | Minneapolis, MN | 11.8 | --- | 7.1 | 46 | --- |
| 50 | Seattle, WA | 9.4 | --- | 6.8 | 48 | --- |
| 51 | San Francisco, CA | 6.7 | 4.9 | 5.8 | 50 | 30 |
| 52 | Honolulu, HI | --- | --- | 5.7 | --- | --- |
| 53 | New York, NY | 7.1 | 3.0 | 4.9 | 49 | 31 |
| 54 | Boston, MA | --- | --- | 4.8 | --- | --- |
| City Average | | 20.5 | 9.3 | 13.5 | | |
| United States, 2004 | | --- | --- | 14.8 | | |
| 2010 Goal | | | | 8.0 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
 ‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
 "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.

TABLE 1.15: HOMICIDE RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|------------------------------|-------------|------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | New Orleans, LA | 91.7 | 8.4 | 47.9 | 1 | 4 |
| 2 | Baltimore, MD | 73.5 | 8.7 | 39.5 | 2 | 3 |
| 3 | Detroit, MI | 68.5 | 8.9 | 36.8 | 3 | 2 |
| 4 | Washington, DC | 51.4 | --- | 27.7 | 4 | --- |
| 5 | St. Louis, MO | 45.0 | --- | 25.4 | 5 | --- |
| 6 | Miami, FL | 36.0 | --- | 22.5 | 7 | --- |
| 7 | Atlanta, GA | 35.1 | --- | 21.9 | 8 | --- |
| 8 | Philadelphia, PA | 39.2 | 5.3 | 21.4 | 6 | 7 |
| 9 | Las Vegas, NV | 31.3 | --- | 19.9 | 9 | --- |
| 10 | Memphis, TN | 31.0 | --- | 17.6 | 11 | --- |
| 10 | Oakland, CA | 31.2 | --- | 17.6 | 10 | --- |
| 10 | Sacramento, CA | 27.8 | --- | 17.6 | 13 | --- |
| 13 | Kansas City, MO | 25.8 | 9.6 | 17.5 | 16 | 1 |
| 14 | Dallas, TX | 26.5 | 5.4 | 16.1 | 14 | 5 |
| 15 | Tucson, AZ | 25.7 | --- | 16.0 | 17 | --- |
| 16 | Cleveland, OH | 28.2 | --- | 15.9 | 12 | --- |
| 17 | Cincinnati, OH | 26.4 | --- | 15.8 | 15 | --- |
| 18 | Chicago, IL | 24.9 | 4.2 | 14.5 | 18 | 10 |
| 19 | Jacksonville, FL | 23.7 | 5.4 | 14.3 | 20 | 5 |
| 20 | Denver, CO | 21.7 | --- | 14.2 | 25 | --- |
| 21 | Houston, TX | 23.5 | 4.2 | 14.0 | 21 | 10 |
| 22 | Phoenix, AZ | 22.8 | 4.2 | 13.9 | 23 | 10 |
| 23 | Los Angeles, CA | 23.8 | 2.9 | 13.5 | 19 | 14 |
| 24 | Milwaukee, WI | 23.1 | --- | 13.4 | 22 | --- |
| 25 | Tulsa, OK | 17.9 | --- | 12.9 | 30 | --- |
| 26 | Indianapolis, IN | 20.9 | 4.7 | 12.7 | 26 | 9 |
| 27 | Long Beach, CA | 22.5 | --- | 12.5 | 24 | --- |
| 28 | Columbus, OH | 20.0 | --- | 12.3 | 27 | --- |
| 29 | Pittsburgh, PA | 18.7 | --- | 12.1 | 29 | --- |
| 30 | Fresno, CA | 15.4 | --- | 12.0 | 33 | --- |
| 31 | Charlotte, NC | 19.6 | --- | 11.7 | 28 | --- |
| 32 | Minneapolis, MN | 17.0 | --- | 10.5 | 31 | --- |
| 33 | Oklahoma City, OK | 16.0 | --- | 10.2 | 32 | --- |
| 34 | Fort Worth, TX | 14.4 | --- | 9.8 | 38 | --- |
| 34 | Louisville/Jefferson Co., KY | 15.0 | 4.9 | 9.8 | 36 | 8 |
| 36 | Nashville-Davidson, TN | 14.7 | --- | 9.6 | 37 | --- |
| 37 | Wichita, KS | 12.5 | --- | 8.7 | 40 | --- |
| 38 | San Francisco, CA | 15.1 | --- | 8.6 | 35 | --- |
| 39 | Boston, MA | 15.2 | --- | 8.3 | 34 | --- |
| 40 | Albuquerque, NM | 11.4 | --- | 8.2 | 42 | --- |
| 40 | San Antonio, TX | 12.7 | 4.0 | 8.2 | 39 | 13 |
| 42 | New York, NY | 11.8 | 2.0 | 6.7 | 41 | 15 |
| 43 | Mesa, AZ | 9.2 | --- | 6.0 | 43 | --- |
| 44 | San Diego, CA | 8.0 | --- | 5.4 | 44 | --- |
| 45 | Portland, OR | 6.9 | --- | 4.7 | 45 | --- |
| 46 | Seattle, WA | 6.8 | --- | 4.4 | 46 | --- |
| 46 | Virginia Beach, VA | --- | --- | 4.4 | --- | --- |
| 48 | Austin, TX | 6.0 | --- | 4.0 | 48 | --- |
| 49 | San Jose, CA | 6.3 | --- | 3.5 | 47 | --- |
| --- | Arlington, TX | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- |
| --- | Honolulu, HI | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- |
| City Average | | 24.8 | 5.5 | 14.5 | | |
| United States, 2004 | | --- | --- | 5.6 | | |
| 2010 Goal | | | | 2.8 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.16: FIREARM-RELATED MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|------------------------------|-------------|------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | New Orleans, LA | 100.2 | 8.7 | 51.6 | 1 | 1 |
| 2 | Detroit, MI | 64.0 | 6.7 | 33.5 | 3 | 3 |
| 2 | Las Vegas, NV | 58.9 | 8.4 | 33.5 | 4 | 2 |
| 4 | Baltimore, MD | 64.7 | --- | 32.0 | 2 | --- |
| 5 | St. Louis, MO | 48.3 | --- | 26.2 | 5 | --- |
| 6 | Miami, FL | 41.9 | --- | 25.2 | 9 | --- |
| 7 | Tucson, AZ | 44.5 | --- | 24.3 | 6 | --- |
| 8 | Washington, DC | 43.6 | --- | 22.3 | 7 | --- |
| 9 | Philadelphia, PA | 42.6 | 3.4 | 21.8 | 8 | 9 |
| 10 | Sacramento, CA | 39.0 | --- | 20.9 | 10 | --- |
| 11 | Atlanta, GA | 34.2 | --- | 20.8 | 13 | --- |
| 12 | Phoenix, AZ | 34.7 | 4.6 | 19.5 | 12 | 7 |
| 13 | Kansas City, MO | 34.2 | --- | 19.4 | 13 | --- |
| 14 | Memphis, TN | 36.0 | --- | 19.0 | 11 | --- |
| 15 | Colorado Springs, CO | 34.1 | --- | 18.6 | 15 | --- |
| 15 | Tulsa, OK | 32.7 | --- | 18.6 | 17 | --- |
| 17 | Jacksonville, FL | 33.3 | --- | 18.1 | 16 | --- |
| 18 | Fresno, CA | 28.3 | --- | 17.4 | 24 | --- |
| 19 | Dallas, TX | 28.9 | 5.0 | 17.2 | 23 | 4 |
| 20 | Houston, TX | 29.5 | 4.8 | 17.0 | 20 | 6 |
| 21 | Charlotte, NC | 29.2 | --- | 16.8 | 21 | --- |
| 22 | Albuquerque, NM | 31.8 | --- | 16.7 | 19 | --- |
| 23 | Cincinnati, OH | 28.3 | --- | 16.5 | 24 | --- |
| 24 | Indianapolis, IN | 29.0 | 4.9 | 16.2 | 22 | 5 |
| 25 | Oakland, CA | 27.7 | --- | 15.8 | 27 | --- |
| 26 | Nashville-Davidson, TN | 26.9 | --- | 15.4 | 32 | --- |
| 27 | Louisville/Jefferson Co., KY | 27.9 | 4.3 | 15.3 | 26 | 8 |
| 28 | Long Beach, CA | 32.1 | --- | 15.0 | 18 | --- |
| 29 | Pittsburgh, PA | 27.4 | --- | 14.9 | 28 | --- |
| 30 | Milwaukee, WI | 27.4 | --- | 14.7 | 28 | --- |
| 31 | Denver, CO | 24.9 | --- | 14.5 | 34 | --- |
| 31 | Mesa, AZ | 27.0 | --- | 14.5 | 31 | --- |
| 33 | Cleveland, OH | 27.4 | --- | 14.2 | 28 | --- |
| 34 | Los Angeles, CA | 25.5 | 2.1 | 13.8 | 33 | 10 |
| 35 | Oklahoma City, OK | 24.1 | --- | 13.4 | 35 | --- |
| 35 | Wichita, KS | 22.3 | --- | 13.4 | 38 | --- |
| 37 | Columbus, OH | 23.4 | --- | 13.1 | 36 | --- |
| 38 | Chicago, IL | 23.2 | 1.8 | 12.2 | 37 | 11 |
| 39 | Fort Worth, TX | 17.5 | --- | 11.3 | 43 | --- |
| 40 | Minneapolis, MN | 19.7 | --- | 10.8 | 39 | --- |
| 41 | Virginia Beach, VA | 18.4 | --- | 10.5 | 40 | --- |
| 42 | San Antonio, TX | 17.8 | --- | 9.4 | 41 | --- |
| 43 | Portland, OR | 17.6 | --- | 9.2 | 42 | --- |
| 44 | San Francisco, CA | 16.6 | --- | 8.6 | 44 | --- |
| 45 | Austin, TX | 14.4 | --- | 7.7 | 46 | --- |
| 46 | Omaha, NB | 15.0 | --- | 7.2 | 45 | --- |
| 47 | Boston, MA | 14.1 | --- | 7.1 | 47 | --- |
| 48 | Arlington, TX | --- | --- | 7.0 | --- | --- |
| 49 | Seattle, WA | 11.8 | --- | 6.9 | 48 | --- |
| 50 | San Diego, CA | 10.8 | --- | 6.6 | 49 | --- |
| 51 | San Jose, CA | 9.9 | --- | 5.3 | 52 | --- |
| 52 | El Paso, TX | 10.2 | --- | 5.2 | 50 | --- |
| 53 | New York, NY | 10.0 | 0.6 | 5.1 | 51 | 12 |
| --- | Honolulu, HI | --- | --- | --- | --- | --- |
| City Average | | 30.1 | 4.6 | 16.2 | | |
| United States, 2004 | | --- | --- | 9.8 | | |
| 2010 Goal | | | | 3.6 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.17: SUICIDE RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|----------------------------|------------------------------|-------------|------------|-------------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Las Vegas, NV | 55.5 | 15.0 | 34.5 | 1 | 1 |
| 2 | Colorado Springs, CO | 45.0 | --- | 26.1 | 2 | --- |
| 3 | Tucson, AZ | 39.7 | 12.3 | 25.0 | 3 | 2 |
| 4 | Sacramento, CA | 36.6 | 10.9 | 22.7 | 5 | 3 |
| 5 | Albuquerque, NM | 37.8 | --- | 21.0 | 4 | --- |
| 6 | Mesa, AZ | 32.0 | --- | 19.6 | 6 | --- |
| 7 | Miami, FL | 26.6 | --- | 17.1 | 9 | --- |
| 8 | Denver, CO | 23.4 | 10.0 | 16.2 | 13 | 5 |
| 9 | Jacksonville, FL | 28.1 | 5.9 | 15.6 | 7 | 11 |
| 10 | Pittsburgh, PA | 26.2 | --- | 15.2 | 11 | --- |
| 10 | Wichita, KS | 25.6 | --- | 15.2 | 12 | --- |
| 12 | Portland, OR | 21.4 | 10.1 | 15.1 | 20 | 4 |
| 13 | Fresno, CA | 27.4 | --- | 14.8 | 8 | --- |
| 14 | Phoenix, AZ | 23.4 | 7.0 | 14.7 | 13 | 9 |
| 15 | Tulsa, OK | 26.4 | --- | 14.5 | 10 | --- |
| 16 | Milwaukee, WI | 21.6 | 7.8 | 14.2 | 18 | 7 |
| 17 | Oklahoma City, OK | 22.3 | --- | 14.1 | 16 | --- |
| 18 | Atlanta, GA | 21.3 | --- | 13.8 | 21 | --- |
| 19 | Austin, TX | 21.1 | --- | 13.6 | 22 | --- |
| 20 | Cincinnati, OH | 16.8 | --- | 13.3 | 35 | --- |
| 21 | Charlotte, NC | 20.9 | --- | 13.2 | 23 | --- |
| 22 | St. Louis, MO | 18.9 | --- | 13.0 | 26 | --- |
| 23 | Indianapolis, IN | 18.5 | 8.6 | 12.9 | 29 | 6 |
| 24 | Louisville/Jefferson Co., KY | 22.3 | 4.7 | 12.8 | 17 | 15 |
| 24 | Virginia Beach, VA | 21.6 | --- | 12.8 | 18 | --- |
| 26 | Nashville-Davidson, TN | 20.8 | --- | 12.6 | 24 | --- |
| 27 | Cleveland, OH | 19.7 | --- | 12.2 | 25 | --- |
| 27 | Seattle, WA | 18.3 | --- | 12.2 | 30 | --- |
| 29 | Kansas City, MO | 22.9 | --- | 12.1 | 15 | --- |
| 30 | Houston, TX | 17.9 | 6.5 | 12.0 | 32 | 10 |
| 31 | San Francisco, CA | 18.3 | 5.1 | 11.6 | 30 | 13 |
| 32 | Fort Worth, TX | 16.0 | --- | 10.9 | 38 | --- |
| 32 | Honolulu, HI | 13.5 | --- | 10.9 | 46 | --- |
| 34 | Columbus, OH | 17.3 | --- | 10.8 | 34 | --- |
| 35 | Philadelphia, PA | 18.8 | 4.3 | 10.7 | 27 | 16 |
| 36 | Omaha, NB | 16.8 | --- | 10.5 | 35 | --- |
| 37 | San Diego, CA | 14.0 | 7.2 | 10.4 | 44 | 8 |
| 38 | Dallas, TX | 15.5 | 5.2 | 10.3 | 40 | 12 |
| 39 | San Antonio, TX | 17.6 | 3.8 | 10.2 | 33 | 17 |
| 40 | Arlington, TX | 15.4 | --- | 9.4 | 41 | --- |
| 41 | Long Beach, CA | 18.6 | --- | 9.3 | 28 | --- |
| 42 | San Jose, CA | 14.0 | 4.8 | 9.2 | 44 | 14 |
| 43 | New Orleans, LA | 15.8 | --- | 8.9 | 39 | --- |
| 44 | Minneapolis, MN | 15.1 | --- | 8.8 | 43 | --- |
| 45 | Memphis, TN | 15.2 | --- | 8.6 | 42 | --- |
| 46 | Oakland, CA | 12.6 | --- | 8.4 | 47 | --- |
| 47 | El Paso, TX | 16.6 | --- | 8.3 | 37 | --- |
| 48 | Los Angeles, CA | 11.9 | 3.0 | 7.1 | 48 | 18 |
| 49 | Chicago, IL | 10.5 | 2.7 | 6.3 | 51 | 19 |
| 50 | Detroit, MI | 10.8 | --- | 6.1 | 50 | --- |
| 51 | New York, NY | 9.9 | 2.7 | 6.0 | 52 | 19 |
| 52 | Baltimore, MD | 11.9 | --- | 5.6 | 48 | --- |
| 52 | Washington, DC | 9.7 | --- | 5.6 | 53 | --- |
| 54 | Boston, MA | 6.9 | --- | 4.2 | 54 | --- |
| City Average | | 20.8 | 6.9 | 12.8 | | |
| United States, 2004 | | --- | --- | 10.7 | | |
| 2010 Goal | | | | 4.8 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.18: HIV-RELATED MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|---------------------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Miami, FL | 79.4 | 37.9 | 58.4 | 1 | 1 |
| 2 | Baltimore, MD | 68.8 | 35.0 | 50.5 | 2 | 2 |
| 3 | Atlanta, GA | 57.5 | 26.1 | 42.1 | 3 | 4 |
| 4 | Washington, DC | 57.3 | 27.1 | 41.1 | 4 | 3 |
| 5 | New Orleans, LA | 41.0 | 15.3 | 27.2 | 5 | 5 |
| 6 | San Francisco, CA | 38.0 | --- | 21.7 | 6 | --- |
| 7 | New York, NY | 25.5 | 12.1 | 18.2 | 7 | 7 |
| 8 | Memphis, TN | 24.3 | 12.6 | 18.0 | 8 | 6 |
| 9 | Philadelphia, PA | 24.3 | 9.1 | 16.1 | 8 | 9 |
| 10 | Charlotte, NC | 21.8 | 9.4 | 15.3 | 12 | 8 |
| 11 | Houston, TX | 20.4 | 8.0 | 14.1 | 14 | 10 |
| 11 | Nashville-Davidson, TN | 22.1 | 7.1 | 14.1 | 11 | 13 |
| 13 | Dallas, TX | 23.3 | 3.8 | 13.4 | 10 | 15 |
| 14 | Detroit, MI | 16.9 | 7.7 | 12.0 | 19 | 12 |
| 15 | Long Beach, CA | 21.1 | --- | 11.1 | 13 | --- |
| 16 | Jacksonville, FL | 14.5 | 7.8 | 11.0 | 23 | 11 |
| 17 | St. Louis, MO | 19.5 | --- | 10.3 | 15 | --- |
| 18 | Denver, CO | 19.1 | --- | 10.0 | 16 | --- |
| 19 | Oakland, CA | 17.0 | --- | 9.9 | 18 | --- |
| 20 | Boston, MA | 15.3 | --- | 9.7 | 21 | --- |
| 20 | Chicago, IL | 14.3 | 5.5 | 9.7 | 24 | 14 |
| 22 | Fort Worth, TX | 14.7 | --- | 9.6 | 22 | --- |
| 23 | Kansas City, MO | 17.5 | --- | 9.4 | 17 | --- |
| 24 | Los Angeles, CA | 16.0 | 2.0 | 8.9 | 20 | 16 |
| 25 | Las Vegas, NV | 13.5 | --- | 8.2 | 26 | --- |
| 26 | Cleveland, OH | 11.5 | --- | 7.9 | 30 | --- |
| 27 | Seattle, WA | 13.3 | --- | 7.8 | 27 | --- |
| 28 | San Diego, CA | 13.9 | --- | 7.6 | 25 | --- |
| 29 | Sacramento, CA | 11.6 | --- | 7.0 | 29 | --- |
| 30 | San Antonio, TX | 11.9 | --- | 6.8 | 28 | --- |
| 31 | El Paso, TX | 11.0 | --- | 6.2 | 31 | --- |
| 32 | Austin, TX | 9.3 | --- | 5.8 | 34 | --- |
| 33 | Milwaukee, WI | 9.1 | --- | 5.6 | 35 | --- |
| 33 | Phoenix, AZ | 9.9 | --- | 5.6 | 32 | --- |
| 35 | Indianapolis, IN | 9.7 | --- | 5.5 | 33 | --- |
| 36 | Tucson, AZ | --- | --- | 5.3 | --- | --- |
| 37 | Oklahoma City, OK | 8.8 | --- | 4.9 | 36 | --- |
| 38 | Portland, OR | 8.0 | --- | 4.4 | 37 | --- |
| 39 | Louisville/Jefferson Co., KY | 7.3 | 1.1 | 4.1 | 38 | 17 |
| 40 | Columbus, OH | --- | --- | 3.5 | --- | --- |
| 41 | San Jose, CA | --- | --- | 2.3 | --- | --- |
| --- | Albuquerque, NM | --- | --- | --- | --- | --- |
| --- | Arlington, TX | --- | --- | --- | --- | --- |
| --- | Cincinnati, OH | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO | --- | --- | --- | --- | --- |
| --- | Fresno, CA | --- | --- | --- | --- | --- |
| --- | Honolulu, HI | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- |
| --- | Minneapolis, MN | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- |
| --- | Wichita, KS | --- | --- | --- | --- | --- |
| City Average | | 22.1 | 13.4 | 13.7 | | |
| United States, 2004 | | --- | --- | 4.4 | | |
| 2010 Goal | | | | 0.7 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.19: PNEUMONIA AND INFLUENZA MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|---------------------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | Sacramento, CA | 58.5 | 38.8 | 45.7 | 2 | 1 |
| 2 | Tucson, AZ | 58.6 | 30.4 | 41.2 | 1 | 4 |
| 3 | Las Vegas, NV | 52.0 | 30.0 | 39.6 | 3 | 5 |
| 4 | New York, NY | 47.4 | 30.9 | 37.1 | 4 | 2 |
| 5 | Fresno, CA | 42.3 | 30.5 | 34.7 | 5 | 3 |
| 6 | Los Angeles, CA | 40.9 | 29.3 | 33.7 | 6 | 6 |
| 7 | San Francisco, CA | 37.8 | 21.3 | 28.3 | 7 | 15 |
| 8 | Miami, FL | 36.7 | 22.7 | 28.0 | 10 | 12 |
| 9 | Boston, MA | 33.4 | 23.7 | 27.1 | 15 | 8 |
| 10 | San Jose, CA | 30.9 | 24.5 | 27.0 | 17 | 7 |
| 11 | Baltimore, MD | 37.1 | 20.9 | 26.9 | 8 | 17 |
| 12 | Oakland, CA | 32.7 | 23.3 | 26.7 | 16 | 9 |
| 13 | Columbus, OH | 37.1 | 22.0 | 26.5 | 8 | 13 |
| 13 | Jacksonville, FL | 34.5 | 22.9 | 26.5 | 13 | 10 |
| 15 | Virginia Beach, VA | 35.0 | 21.1 | 25.9 | 12 | 16 |
| 16 | Memphis, TN | 36.5 | 20.6 | 25.8 | 11 | 18 |
| 17 | Long Beach, CA | 23.9 | 22.9 | 23.3 | 32 | 10 |
| 18 | Detroit, MI | 29.8 | 18.7 | 22.9 | 19 | 21 |
| 19 | Chicago, IL | 30.6 | 17.2 | 22.4 | 18 | 28 |
| 19 | Phoenix, AZ | 29.8 | 18.6 | 22.4 | 19 | 23 |
| 21 | St. Louis, MO | 33.7 | 16.9 | 22.1 | 14 | 29 |
| 22 | Denver, CO | 24.6 | 19.5 | 21.9 | 29 | 19 |
| 23 | Tulsa, OK | 25.5 | 18.8 | 21.5 | 27 | 20 |
| 24 | Albuquerque, NM | 27.2 | 18.3 | 21.4 | 24 | 25 |
| 24 | Oklahoma City, OK | 27.6 | 18.7 | 21.4 | 22 | 21 |
| 26 | Nashville-Davidson, TN | 28.9 | 16.4 | 21.0 | 21 | 31 |
| 27 | Omaha, NB | 21.3 | 21.4 | 20.7 | 40 | 14 |
| 28 | Houston, TX | 22.9 | 18.0 | 20.0 | 35 | 26 |
| 29 | Cincinnati, OH | 26.8 | 16.9 | 19.5 | 25 | 29 |
| 30 | Indianapolis, IN | 20.7 | 18.5 | 19.3 | 43 | 24 |
| 31 | Colorado Springs, CO | 21.2 | 17.5 | 19.1 | 41 | 27 |
| 31 | Mesa, AZ | 24.1 | 15.7 | 19.1 | 31 | 32 |
| 33 | Pittsburgh, PA | 26.3 | 14.3 | 18.7 | 26 | 38 |
| 34 | Atlanta, GA | 27.4 | 13.1 | 18.4 | 23 | 44 |
| 35 | Louisville/Jefferson Co., KY | 22.4 | 15.1 | 18.0 | 37 | 34 |
| 36 | Arlington, TX | --- | --- | 17.8 | --- | --- |
| 37 | Honolulu, HI | 21.1 | 14.6 | 17.5 | 42 | 37 |
| 38 | El Paso, TX | 19.3 | 15.7 | 17.2 | 45 | 32 |
| 39 | Charlotte, NC | 23.0 | 13.9 | 17.1 | 34 | 40 |
| 40 | Milwaukee, WI | 23.4 | 13.8 | 17.0 | 33 | 41 |
| 41 | San Diego, CA | 22.4 | 13.4 | 16.8 | 36 | 42 |
| 42 | New Orleans, LA | 18.5 | 15.0 | 16.7 | 48 | 35 |
| 43 | Cleveland, OH | 20.3 | 13.4 | 16.2 | 44 | 42 |
| 43 | Dallas, TX | 24.6 | 11.1 | 16.2 | 29 | 50 |
| 43 | Philadelphia, PA | 21.9 | 13.0 | 16.2 | 39 | 45 |
| 43 | Washington, DC | 19.3 | 14.9 | 16.2 | 45 | 36 |
| 47 | Fort Worth, TX | 25.1 | 11.3 | 15.9 | 28 | 49 |
| 48 | San Antonio, TX | 19.2 | 12.6 | 15.3 | 47 | 47 |
| 49 | Wichita, KS | 17.9 | 14.3 | 15.1 | 50 | 38 |
| 50 | Kansas City, MO | 17.4 | 13.0 | 14.5 | 52 | 45 |
| 51 | Minneapolis, MN | 17.9 | 11.6 | 13.9 | 50 | 48 |
| 51 | Seattle, WA | 22.3 | 9.0 | 13.9 | 38 | 53 |
| 53 | Austin, TX | 16.8 | 10.6 | 13.2 | 53 | 52 |
| 53 | Portland, OR | 18.5 | 10.9 | 13.2 | 48 | 51 |
| City Average | | 28.6 | 18.5 | 22.1 | | |
| United States, 2004 | | --- | --- | 20.4 | | |
| 2010 Goal | | | | --- | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.20: DIABETES MORTALITY RATE BY GENDER, 2004

| Rank | City* | Rate† | | | Rank‡ | |
|------|------------------------------|-------|--------|-------|-------|--------|
| | | Male | Female | Total | Male | Female |
| 1 | New Orleans, LA | 77.9 | 60.5 | 66.3 | 1 | 1 |
| 2 | San Antonio, TX | 55.3 | 46.1 | 49.8 | 4 | 2 |
| 3 | El Paso, TX | 57.5 | 38.3 | 45.8 | 2 | 4 |
| 4 | Sacramento, CA | 55.0 | 34.0 | 42.5 | 5 | 10 |
| 5 | Cincinnati, OH | 56.8 | 35.0 | 42.2 | 3 | 7 |
| 6 | Fresno, CA | 51.3 | 34.2 | 41.2 | 7 | 9 |
| 7 | Tucson, AZ | 42.4 | 39.1 | 40.7 | 12 | 3 |
| 8 | Miami, FL | 52.0 | 31.9 | 39.8 | 6 | 14 |
| 8 | Washington, DC | 45.5 | 36.1 | 39.8 | 9 | 6 |
| 10 | Columbus, OH | 48.7 | 32.7 | 38.9 | 8 | 13 |
| 11 | Baltimore, MD | 41.4 | 36.4 | 38.5 | 13 | 5 |
| 12 | Jacksonville, FL | 39.2 | 34.5 | 37.1 | 16 | 8 |
| 13 | St. Louis, MO | 37.7 | 33.4 | 35.6 | 21 | 12 |
| 14 | Fort Worth, TX | 38.0 | 33.7 | 35.0 | 19 | 11 |
| 15 | Memphis, TN | 40.9 | 31.9 | 34.8 | 15 | 14 |
| 16 | Portland, OR | 41.0 | 28.8 | 34.1 | 14 | 19 |
| 17 | Milwaukee, WI | 44.3 | 26.5 | 33.3 | 10 | 24 |
| 18 | Detroit, MI | 36.7 | 29.2 | 32.4 | 23 | 18 |
| 19 | Nashville-Davidson, TN | 37.5 | 28.8 | 32.1 | 22 | 19 |
| 20 | Houston, TX | 33.5 | 30.5 | 31.9 | 29 | 17 |
| 21 | Louisville/Jefferson Co., KY | 42.6 | 22.5 | 31.7 | 11 | 38 |
| 22 | Cleveland, OH | 31.0 | 31.0 | 31.4 | 37 | 16 |
| 23 | Wichita, KS | 35.5 | 27.3 | 30.5 | 26 | 23 |
| 24 | Los Angeles, CA | 35.9 | 26.3 | 30.4 | 25 | 25 |
| 25 | Oakland, CA | 36.3 | 25.7 | 30.1 | 24 | 27 |
| 26 | Albuquerque, NM | 38.0 | 23.3 | 30.0 | 19 | 33 |
| 27 | Austin, TX | 33.8 | 27.9 | 29.9 | 28 | 21 |
| 28 | Indianapolis, IN | 38.1 | 23.1 | 28.9 | 18 | 35 |
| 29 | Chicago, IL | 32.8 | 25.0 | 28.4 | 30 | 30 |
| 30 | San Jose, CA | 32.0 | 25.8 | 28.0 | 32 | 26 |
| 31 | Omaha, NB | 32.1 | 25.3 | 27.7 | 31 | 28 |
| 32 | Arlington, TX | 38.2 | 21.2 | 27.6 | 17 | 41 |
| 33 | Tulsa, OK | 29.4 | 25.3 | 27.3 | 38 | 28 |
| 34 | Long Beach, CA | 25.7 | 27.7 | 26.7 | 46 | 22 |
| 35 | Philadelphia, PA | 31.3 | 22.9 | 26.6 | 35 | 36 |
| 36 | Oklahoma City, OK | 31.5 | 24.5 | 26.2 | 34 | 31 |
| 37 | Kansas City, MO | 28.5 | 24.0 | 25.9 | 41 | 32 |
| 38 | Charlotte, NC | 31.8 | 20.8 | 25.8 | 33 | 43 |
| 39 | Dallas, TX | 28.9 | 22.9 | 25.2 | 40 | 36 |
| 40 | Seattle, WA | 31.1 | 19.6 | 24.6 | 36 | 46 |
| 41 | Pittsburgh, PA | 34.5 | 18.0 | 24.2 | 27 | 50 |
| 42 | Las Vegas, NV | 25.8 | 22.1 | 24.1 | 45 | 39 |
| 42 | Mesa, AZ | 27.3 | 21.9 | 24.1 | 42 | 40 |
| 44 | Minneapolis, MN | 24.3 | 23.2 | 23.0 | 48 | 34 |
| 45 | Phoenix, AZ | 26.4 | 20.1 | 22.9 | 44 | 45 |
| 46 | New York, NY | 27.3 | 19.6 | 22.8 | 42 | 46 |
| 47 | San Diego, CA | 25.4 | 18.7 | 21.7 | 47 | 49 |
| 48 | Boston, MA | 23.6 | 19.6 | 21.6 | 49 | 46 |
| 49 | Denver, CO | 29.2 | 15.7 | 21.5 | 39 | 51 |
| 50 | Virginia Beach, VA | 22.3 | 20.3 | 21.4 | 50 | 44 |
| 51 | Atlanta, GA | 19.1 | 21.1 | 20.4 | 52 | 42 |
| 52 | San Francisco, CA | 20.0 | 13.7 | 17.0 | 51 | 53 |
| 53 | Colorado Springs, CO | 17.8 | 15.5 | 16.2 | 53 | 52 |
| 54 | Honolulu, HI | 17.2 | 10.3 | 13.5 | 54 | 54 |
| | City Average | 35.9 | 26.9 | 30.5 | | |
| | United States, 2004 | --- | --- | 24.4 | | |
| | 2010 Goal | | | 46.0 | | |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.21: INFANT MORTALITY RATE, 2003

| Rank | City* | Rate† |
|----------------------------|------------------------------|------------|
| 1 | Memphis, TN | 17.3 |
| 2 | Detroit, MI | 16.4 |
| 3 | Pittsburgh, PA | 14.5 |
| 4 | Baltimore, MD | 12.8 |
| 5 | St. Louis, MO | 12.7 |
| 6 | Tucson, AZ | 12.1 |
| 7 | Milwaukee, WI | 11.4 |
| 8 | New Orleans, LA | 11.3 |
| 9 | Philadelphia, PA | 10.6 |
| 10 | Washington, DC | 10.5 |
| 11 | Cincinnati, OH | 10.3 |
| 11 | Oklahoma City, OK | 10.3 |
| 13 | Jacksonville, FL | 10.2 |
| 14 | Chicago, IL | 10.0 |
| 14 | Cleveland, OH | 10.0 |
| 16 | Columbus, OH | 9.8 |
| 17 | Indianapolis, IN | 9.4 |
| 18 | Fort Worth, TX | 8.8 |
| 19 | Kansas City, MO | 8.3 |
| 20 | Dallas, TX | 8.1 |
| 21 | Honolulu, HI | 8.0 |
| 22 | San Antonio, TX | 7.5 |
| 23 | Nashville-Davidson, TN | 7.4 |
| 24 | Omaha, NB | 7.3 |
| 25 | Charlotte, NC | 7.2 |
| 25 | Colorado Springs, CO | 7.2 |
| 27 | Fresno, CA | 7.0 |
| 27 | Long Beach, CA | 7.0 |
| 29 | Denver, CO | 6.9 |
| 29 | Houston, TX | 6.9 |
| 31 | Phoenix, AZ | 6.8 |
| 32 | Virginia Beach, VA | 6.7 |
| 33 | Oakland, CA | 6.5 |
| 34 | Louisville/Jefferson Co., KY | 6.4 |
| 35 | Wichita, KS | 6.3 |
| 36 | Arlington, TX | 6.2 |
| 36 | Austin, TX | 6.2 |
| 36 | New York, NY | 6.2 |
| 39 | Boston, MA | 6.1 |
| 40 | Mesa, AZ | 6.0 |
| 41 | Sacramento, CA | 5.9 |
| 42 | Seattle, WA | 5.6 |
| 43 | Los Angeles, CA | 5.5 |
| 44 | Minneapolis, MN | 5.4 |
| 45 | Miami, FL | 5.0 |
| 46 | Albuquerque, NM | 4.5 |
| 46 | San Diego, CA | 4.5 |
| 46 | Tulsa, OK | 4.5 |
| 49 | San Jose, CA | 4.0 |
| 50 | El Paso, TX | 3.9 |
| 50 | Portland, OR | 3.9 |
| 52 | Las Vegas, NV | 3.7 |
| 53 | San Francisco, CA | 3.1 |
| --- | Atlanta, GA | --- |
| City Average | | 7.9 |
| United States, 2003 | | 6.8 |
| 2010 Goal | | 4.5 |

TABLE 1.22: FERTILITY RATE, 2003

| Rank | City* | Rate† |
|----------------------------|------------------------------|-------------|
| 1 | Miami, FL | 182.9 |
| 2 | Las Vegas, NV | 173.0 |
| 3 | Tulsa, OK | 138.0 |
| 4 | Sacramento, CA | 129.9 |
| 5 | Fresno, CA | 101.5 |
| 6 | El Paso, TX | 99.6 |
| 7 | Houston, TX | 97.7 |
| 8 | Mesa, AZ | 97.1 |
| 9 | Fort Worth, TX | 91.8 |
| 10 | Atlanta, GA | 90.1 |
| 11 | Denver, CO | 88.5 |
| 12 | San Antonio, TX | 85.8 |
| 13 | Phoenix, AZ | 85.3 |
| 14 | Wichita, KS | 84.9 |
| 15 | Dallas, TX | 83.7 |
| 16 | Charlotte, NC | 82.2 |
| 17 | Albuquerque, NM | 81.7 |
| 18 | Colorado Springs, CO | 79.5 |
| 19 | Omaha, NB | 77.9 |
| 20 | Milwaukee, WI | 77.8 |
| 21 | Arlington, TX | 77.3 |
| 22 | Indianapolis, IN | 76.2 |
| 23 | San Jose, CA | 76.0 |
| 24 | Oklahoma City, OK | 73.6 |
| 25 | Austin, TX | 73.2 |
| 26 | Long Beach, CA | 72.2 |
| 27 | Los Angeles, CA | 72.0 |
| 28 | Kansas City, MO | 71.5 |
| 29 | Memphis, TN | 71.4 |
| 30 | Cincinnati, OH | 71.1 |
| 31 | Cleveland, OH | 70.4 |
| 32 | Portland, OR | 69.1 |
| 33 | Chicago, IL | 68.5 |
| 34 | Jacksonville, FL | 68.2 |
| 35 | San Diego, CA | 65.6 |
| 36 | St. Louis, MO | 65.0 |
| 37 | Minneapolis, MN | 64.8 |
| 38 | Detroit, MI | 64.7 |
| 39 | Oakland, CA | 64.5 |
| 40 | Louisville/Jefferson Co., KY | 64.2 |
| 41 | Honolulu, HI | 63.6 |
| 42 | Philadelphia, PA | 63.0 |
| 42 | Virginia Beach, VA | 63.0 |
| 44 | Nashville-Davidson, TN | 62.7 |
| 45 | New York, NY | 62.5 |
| 46 | Baltimore, MD | 62.2 |
| 47 | New Orleans, LA | 60.1 |
| 48 | Columbus, OH | 57.9 |
| 49 | Tucson, AZ | 57.2 |
| 50 | Washington, DC | 53.0 |
| 51 | Boston, MA | 47.6 |
| 52 | Pittsburgh, PA | 47.1 |
| 53 | Seattle, WA | 46.2 |
| 54 | San Francisco, CA | 45.7 |
| City Average | | 78.2 |
| United States, 2003 | | 66.1 |
| 2010 Goal | | --- |

† Rate per 1,000 live births.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

† Rate per 1,000 women age 15-44 calculated using 2000 U.S. Census figures as the denominator.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.23: PERCENT LOW BIRTHWEIGHT[‡], 2003

| Rank | City* | Percent |
|----------------------------|------------------------------|------------|
| 1 | Detroit, MI | 13.5 |
| 1 | New Orleans, LA | 13.5 |
| 3 | Baltimore, MD | 13.2 |
| 4 | Memphis, TN | 12.0 |
| 5 | Philadelphia, PA | 11.7 |
| 6 | Cleveland, OH | 11.4 |
| 6 | St. Louis, MO | 11.4 |
| 8 | Cincinnati, OH | 11.2 |
| 8 | Pittsburgh, PA | 11.2 |
| 10 | Washington, DC | 10.9 |
| 11 | Atlanta, GA | 10.4 |
| 12 | Colorado Springs, CO | 10.3 |
| 12 | Miami, FL | 10.3 |
| 14 | Chicago, IL | 10.1 |
| 15 | Columbus, OH | 9.8 |
| 15 | Jacksonville, FL | 9.8 |
| 15 | Milwaukee, WI | 9.8 |
| 18 | Nashville-Davidson, TN | 9.5 |
| 19 | Denver, CO | 9.3 |
| 20 | Albuquerque, NM | 9.1 |
| 20 | Charlotte, NC | 9.1 |
| 22 | Boston, MA | 8.9 |
| 22 | Louisville/Jefferson Co., KY | 8.9 |
| 22 | San Antonio, TX | 8.9 |
| 25 | Indianapolis, IN | 8.8 |
| 26 | Honolulu, HI | 8.6 |
| 27 | New York, NY | 8.5 |
| 28 | Fort Worth, TX | 8.4 |
| 28 | Oklahoma City, OK | 8.4 |
| 30 | Kansas City, MO | 8.3 |
| 30 | Tucson, AZ | 8.3 |
| 30 | Wichita, KS | 8.3 |
| 33 | Dallas, TX | 8.2 |
| 33 | Houston, TX | 8.2 |
| 35 | Las Vegas, NV | 8.1 |
| 36 | Arlington, TX | 8.0 |
| 37 | El Paso, TX | 7.9 |
| 38 | Omaha, NB | 7.8 |
| 39 | Tulsa, OK | 7.7 |
| 40 | Virginia Beach, VA | 7.6 |
| 41 | Minneapolis, MN | 7.5 |
| 42 | Long Beach, CA | 7.4 |
| 42 | Oakland, CA | 7.4 |
| 44 | San Francisco, CA | 7.3 |
| 45 | Los Angeles, CA | 7.2 |
| 46 | Austin, TX | 7.1 |
| 46 | Fresno, CA | 7.1 |
| 46 | Phoenix, AZ | 7.1 |
| 49 | Sacramento, CA | 6.9 |
| 50 | San Diego, CA | 6.7 |
| 51 | Seattle, WA | 6.6 |
| 52 | Portland, OR | 6.5 |
| 53 | San Jose, CA | 6.3 |
| 54 | Mesa, AZ | 6.2 |
| City Average | | 8.9 |
| United States, 2003 | | 7.9 |
| 2010 Goal | | 5.0 |

TABLE 1.24: PERCENT OF MOTHERS UNDER AGE TWENTY, 2003

| Rank | City* | Percent |
|----------------------------|------------------------------|-------------|
| 1 | Baltimore, MD | 18.3 |
| 2 | Cleveland, OH | 17.8 |
| 2 | Memphis, TN | 17.8 |
| 4 | St. Louis, MO | 17.7 |
| 5 | Detroit, MI | 17.6 |
| 6 | New Orleans, LA | 17.5 |
| 7 | Milwaukee, WI | 17.4 |
| 8 | Cincinnati, OH | 16.6 |
| 9 | El Paso, TX | 16.1 |
| 10 | Philadelphia, PA | 16.0 |
| 11 | Fresno, CA | 15.5 |
| 12 | Phoenix, AZ | 15.3 |
| 12 | San Antonio, TX | 15.3 |
| 14 | Dallas, TX | 15.0 |
| 15 | Fort Worth, TX | 14.7 |
| 16 | Oklahoma City, OK | 14.6 |
| 17 | Albuquerque, NM | 13.9 |
| 17 | Tucson, AZ | 13.9 |
| 19 | Tulsa, OK | 13.8 |
| 20 | Chicago, IL | 13.6 |
| 21 | Kansas City, MO | 13.3 |
| 22 | Indianapolis, IN | 13.1 |
| 23 | Houston, TX | 13.0 |
| 24 | Jacksonville, FL | 12.7 |
| 25 | Atlanta, GA | 12.3 |
| 25 | Denver, CO | 12.3 |
| 27 | Wichita, KS | 12.2 |
| 28 | Pittsburgh, PA | 11.9 |
| 29 | Columbus, OH | 11.7 |
| 30 | Nashville-Davidson, TN | 11.6 |
| 31 | Sacramento, CA | 11.4 |
| 31 | Washington, DC | 11.4 |
| 33 | Louisville/Jefferson Co., KY | 11.0 |
| 33 | Las Vegas, NV | 11.0 |
| 33 | Miami, FL | 11.0 |
| 36 | Arlington, TX | 10.8 |
| 36 | Austin, TX | 10.8 |
| 38 | Mesa, AZ | 10.7 |
| 39 | Colorado Springs, CO | 10.5 |
| 40 | Long Beach, CA | 10.4 |
| 41 | Minneapolis, MN | 10.3 |
| 42 | Los Angeles, CA | 10.2 |
| 42 | Omaha, NB | 10.2 |
| 44 | Oakland, CA | 9.8 |
| 45 | Charlotte, NC | 8.7 |
| 46 | San Diego, CA | 7.9 |
| 47 | Virginia Beach, VA | 7.8 |
| 48 | Boston, MA | 7.5 |
| 49 | New York, NY | 7.4 |
| 50 | Portland, OR | 7.0 |
| 51 | San Jose, CA | 6.0 |
| 52 | Honolulu, HI | 5.2 |
| 53 | San Francisco, CA | 4.3 |
| 54 | Seattle, WA | 3.8 |
| City Average | | 12.2 |
| United States, 2003 | | 10.3 |
| 2010 Goal | | --- |

‡ Under 2,500 gms.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

TABLE 1.25: PERCENT OF MOTHERS WHO SMOKE, 2003

| Rank | City* | Percent |
|------|------------------------------|-------------|
| 1 | Louisville/Jefferson Co., KY | 18.2 |
| 2 | Philadelphia, PA | 17.7 |
| 3 | Indianapolis, IN | 17.6 |
| 4 | Cleveland, OH | 17.3 |
| 5 | St. Louis, MO | 16.0 |
| 6 | Columbus, OH | 15.7 |
| 7 | Cincinnati, OH | 15.6 |
| 8 | Oklahoma City, OK | 15.1 |
| 9 | Wichita, KS | 14.7 |
| 10 | Detroit, MI | 13.8 |
| 11 | Omaha, NB | 13.2 |
| 12 | Baltimore, MD | 13.1 |
| 13 | Kansas City, MO | 13.0 |
| 14 | Milwaukee, WI | 12.4 |
| 15 | Portland, OR | 11.1 |
| 15 | Tucson, AZ | 11.1 |
| 17 | Albuquerque, NM | 11.0 |
| 18 | Jacksonville, FL | 9.6 |
| 19 | Colorado Springs, CO | 9.5 |
| 20 | Nashville-Davidson, TN | 9.2 |
| 21 | Las Vegas, NV | 8.3 |
| 22 | Denver, CO | 7.0 |
| 23 | Memphis, TN | 6.9 |
| 24 | Mesa, AZ | 6.6 |
| 25 | Virginia Beach, VA | 6.5 |
| 26 | Charlotte, NC | 6.2 |
| 26 | Chicago, IL | 6.2 |
| 26 | Minneapolis, MN | 6.2 |
| 29 | Phoenix, AZ | 5.8 |
| 30 | Arlington, TX | 5.6 |
| 31 | Tulsa, OK | 4.9 |
| 32 | Fort Worth, TX | 4.4 |
| 33 | Honolulu, HI | 4.1 |
| 34 | Boston, MA | 4.0 |
| 35 | Washington, DC | 3.7 |
| 36 | Austin, TX | 3.6 |
| 37 | San Antonio, TX | 3.2 |
| 38 | Atlanta, GA | 3.0 |
| 39 | Dallas, TX | 2.8 |
| 40 | New Orleans, LA | 2.5 |
| 41 | Houston, TX | 2.3 |
| 42 | El Paso, TX | 1.9 |
| 42 | New York, NY | 1.9 |
| 44 | Miami, FL | 0.7 |
| --- | Fresno, CA | --- |
| --- | Long Beach, CA | --- |
| --- | Los Angeles, CA | --- |
| --- | Oakland, CA | --- |
| --- | Pittsburgh, PA | --- |
| --- | Sacramento, CA | --- |
| --- | San Diego, CA | --- |
| --- | San Francisco, CA | --- |
| --- | San Jose, CA | --- |
| --- | Seattle, WA | --- |
| | City Average | 8.7 |
| | United States, 2003 | 10.7 |
| | 2010 Goal | 1.0 |

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Section 2

TABLE 2.1: HIV (NOT AIDS) PREVALENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|---------------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|---------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Washington, DC | 657.8 | 636.4 | 4,344.2 | 4,268.9 | 2,177.8 | 2,951.6 |
| 2 | Miami, FL | 2,846.4 | 2,768.4 | 5,826.3 | 5,444.9 | 1,350.9 | 2,407.4 |
| 3 | Baltimore, MD | 368.1 | 358.6 | 1,570.0 | 1,551.4 | 307.4 | 1,343.3 |
| 4 | San Francisco, CA | 1,150.5 | 1,094.1 | 1,534.2 | 1,407.8 | 751.6 | 792.2 |
| 5 | Kansas City, MO | 486.5 | 474.9 | 723.8 | 701.9 | 398.6 | 538.3 |
| 6 | Denver, CO | 651.7 | 634.0 | 834.4 | 776.8 | 293.7 | 535.3 |
| 7 | Mesa, AZ | 418.0 | 410.7 | 1,695.6 | 1,432.0 | 514.8 | 482.6 |
| 8 | New York, NY | 286.8 | 275.8 | 801.3 | 766.6 | 482.9 | 440.8 |
| 9 | New Orleans, LA | 467.1 | 455.6 | 410.0 | 406.7 | 323.8 | 412.6 |
| 10 | Charlotte, NC | 143.4 | 141.2 | 956.4 | 940.1 | 138.2 | 403.1 |
| 11 | Dallas, TX | 510.7 | 499.5 | 628.6 | 617.7 | 165.6 | 402.1 |
| 11 | Memphis, TN | 178.1 | 174.8 | 550.6 | 546.7 | 129.4 | 402.1 |
| 13 | Seattle, WA | 407.5 | 391.3 | 715.4 | 618.2 | 588.8 | 389.8 |
| 14 | Boston, MA | 326.5 | 317.2 | 517.4 | 480.0 | 411.3 | 353.9 |
| 15 | Houston, TX | 282.5 | 274.9 | 772.6 | 760.9 | 165.1 | 346.3 |
| 16 | Chicago, IL | 318.0 | 305.8 | 500.7 | 494.0 | 191.9 | 342.6 |
| 17 | Minneapolis, MN | 297.8 | 287.3 | 616.5 | 546.5 | 233.1 | 326.7 |
| 18 | Nashville-Davidson, TN | 206.7 | 202.5 | 586.0 | 572.2 | 203.1 | 296.9 |
| 19 | Cincinnati, OH | 228.4 | 223.7 | 337.7 | 330.2 | --- | 269.0 |
| 20 | Fort Worth, TX | 191.9 | 187.7 | 630.9 | 617.1 | 138.0 | 261.3 |
| 21 | Oakland, CA | 274.6 | 253.0 | 408.9 | 391.1 | 131.5 | 253.3 |
| 22 | Los Angeles, CA | 285.8 | 269.2 | 574.4 | 546.1 | 186.2 | 250.7 |
| 23 | Milwaukee, WI | 135.8 | 131.8 | 342.5 | 333.0 | 237.3 | 218.3 |
| 24 | Cleveland, OH | 119.6 | 115.8 | 245.5 | 241.2 | 368.6 | 213.6 |
| 25 | Jacksonville, FL | 79.1 | 77.5 | 511.7 | 501.7 | 104.6 | 203.9 |
| 26 | Phoenix, AZ | 209.3 | 204.5 | 566.2 | 513.9 | 122.0 | 195.6 |
| 27 | Tucson, AZ | 218.8 | 213.0 | 464.8 | 407.8 | 128.8 | 194.2 |
| 28 | Columbus, OH | 158.2 | 154.4 | 325.9 | 307.3 | 246.1 | 192.3 |
| 29 | Indianapolis, IN (Marion County) | 122.0 | 120.0 | 280.1 | 271.2 | 159.2 | 159.7 |
| 30 | Portland, OR (Multnomah County) | 158.9 | 153.2 | 273.3 | 231.8 | 131.0 | 150.6 |
| 31 | Oklahoma City, OK | 107.9 | 103.6 | 194.8 | 183.6 | 58.4 | 140.7 |
| 32 | Virginia Beach, VA | 69.4 | 67.6 | 365.4 | 348.3 | 135.1 | 124.4 |
| 33 | San Antonio, TX | 113.1 | 110.0 | 314.3 | 299.2 | 111.4 | 123.5 |
| 34 | Omaha, NB | 69.4 | 68.3 | 252.8 | 238.6 | 95.2 | 97.4 |
| 35 | Arlington, TX | 63.4 | 61.8 | 310.7 | 297.1 | 59.2 | 93.1 |
| 36 | Fresno, CA (Fresno County) | 77.2 | 74.0 | 357.4 | 331.4 | 65.1 | 84.4 |
| 37 | San Jose, CA | 94.3 | 88.6 | 244.1 | 214.5 | 97.8 | 76.8 |
| 38 | Albuquerque, NM (Bernalillo County) | 78.4 | --- | 167.9 | --- | 68.1 | 75.1 |
| 39 | Colorado Springs, CO (El Paso County) | 62.7 | --- | 225.4 | --- | 71.9 | 71.8 |
| 40 | Long Beach, CA | 66.7 | 63.1 | --- | --- | 42.4 | 47.9 |
| 41 | El Paso, TX | --- | --- | --- | --- | 10.9 | 9.8 |
| --- | Atlanta, GA | --- | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Louisville/Jefferson Co., KY | --- | --- | --- | --- | --- | --- |
| --- | Philadelphia, PA | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- | --- |
| --- | San Diego, CA (San Diego County) | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- |
| City Average | | 324.7 | 327.5 | 794.3 | 782.1 | 289.9 | 406.7 |
| United States, 2005 | | | | | | | --- |
| 2010 Goal | | | | | | | --- |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† People living with HIV (not AIDS) at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.2: AIDS PREVALENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|---------------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|---------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Miami, FL | 3,555.0 | 3,457.7 | 8,312.8 | 7,768.6 | 1,876.6 | 3,353.4 |
| 2 | Washington, DC | 1,242.6 | 1,202.3 | 2,624.9 | 2,579.4 | 1,187.9 | 2,015.2 |
| 3 | Atlanta, GA | 1,131.9 | 1,111.2 | 1,553.2 | 1,537.8 | 817.3 | 1,346.5 |
| 4 | San Francisco, CA | 1,685.7 | 1,603.1 | 2,075.1 | 1,904.2 | 1,208.2 | 1,123.0 |
| 5 | Baltimore, MD | 316.0 | 307.8 | 1,356.3 | 1,340.3 | 560.5 | 978.6 |
| 6 | New York, NY | 424.7 | 408.4 | 1,383.7 | 1,323.9 | 919.3 | 748.4 |
| 7 | Philadelphia, PA | 319.1 | 312.1 | 979.7 | 960.2 | --- | 630.2 |
| 8 | Denver, CO | 790.6 | 769.1 | 924.6 | 860.6 | 344.9 | 629.8 |
| 9 | Dallas, TX | 753.9 | 737.3 | 789.0 | 775.3 | 264.1 | 563.4 |
| 10 | Fort Worth, TX | 515.6 | 504.4 | 934.7 | 914.3 | 195.8 | 485.5 |
| 11 | Mesa, AZ | 412.5 | 405.3 | 1,653.0 | 1,396.0 | 550.6 | 481.4 |
| 12 | Houston, TX | 475.5 | 462.7 | 907.0 | 893.3 | 268.3 | 477.6 |
| 13 | Seattle, WA | 485.2 | 465.9 | 818.6 | 707.3 | 821.0 | 461.0 |
| 14 | Boston, MA | 334.1 | 324.5 | 818.2 | 759.0 | 528.9 | 442.8 |
| 15 | Oakland, CA | 424.7 | 391.2 | 712.2 | 681.2 | 205.8 | 408.5 |
| 16 | New Orleans, LA | 558.7 | 544.9 | 345.1 | 342.3 | 411.4 | 394.5 |
| 17 | Chicago, IL | 271.4 | 261.0 | 540.7 | 533.5 | 221.9 | 345.0 |
| 18 | Jacksonville, FL | 160.4 | 157.1 | 751.7 | 736.9 | 232.1 | 330.6 |
| 19 | Memphis, TN | 166.5 | 163.5 | 408.8 | 405.9 | 150.1 | 311.6 |
| 20 | Cleveland, OH | 203.6 | 197.1 | 355.3 | 348.9 | 535.6 | 302.0 |
| 21 | Los Angeles, CA | 342.5 | 322.6 | 609.0 | 579.0 | 262.1 | 300.6 |
| 22 | Kansas City, MO | 276.3 | 269.7 | 365.9 | 354.9 | 215.7 | 291.0 |
| 23 | Nashville-Davidson, TN | 203.7 | 199.5 | 566.2 | 552.9 | 168.6 | 288.3 |
| 24 | Detroit, MI | 202.2 | 179.4 | 295.6 | 291.5 | 148.4 | 270.4 |
| 25 | Minneapolis, MN | 220.8 | 213.0 | 487.0 | 431.7 | 229.6 | 250.9 |
| 26 | Cincinnati, OH | 202.6 | 198.3 | 303.1 | 296.3 | --- | 240.3 |
| 27 | Portland, OR (Multnomah County) | 246.7 | 237.9 | 360.7 | 306.0 | 247.9 | 234.4 |
| 28 | Milwaukee, WI | 147.6 | 143.3 | 325.3 | 316.2 | 269.4 | 221.1 |
| 29 | Indianapolis, IN (Marion County) | 169.4 | 166.6 | 380.7 | 368.7 | 249.3 | 220.2 |
| 30 | Arlington, TX | 217.0 | 211.4 | 415.0 | 396.9 | 136.5 | 213.2 |
| 31 | San Diego, CA (San Diego County) | 209.6 | 201.2 | 515.9 | 456.9 | 224.8 | 210.1 |
| 32 | San Antonio, TX | 185.5 | 180.5 | 393.2 | 374.3 | 188.1 | 196.7 |
| 33 | Charlotte, NC | 78.9 | 77.7 | 413.9 | 406.8 | --- | 184.3 |
| 34 | Tucson, AZ | 204.4 | 198.9 | 419.3 | 367.9 | 140.3 | 184.1 |
| 35 | Phoenix, AZ | 183.2 | 179.0 | 437.6 | 397.2 | 109.1 | 167.2 |
| 36 | Louisville/Jefferson Co., KY | 100.2 | --- | 336.1 | --- | --- | 142.7 |
| 37 | Oklahoma City, OK | 108.5 | 104.2 | 170.1 | 160.3 | 64.2 | 128.2 |
| 38 | Columbus, OH | 111.2 | 108.5 | 182.9 | 172.5 | 143.1 | 124.2 |
| 39 | Sacramento, CA (Sacramento County) | 123.7 | 117.3 | 293.0 | 261.1 | 96.0 | 121.0 |
| 40 | San Jose, CA | 133.9 | 125.9 | 447.5 | 393.2 | 145.2 | 114.3 |
| 41 | Albuquerque, NM (Bernalillo County) | 114.9 | --- | 226.3 | --- | 110.9 | 112.1 |
| 42 | Omaha, NB | 76.9 | 75.7 | 250.8 | 236.8 | 204.1 | 109.2 |
| 43 | Virginia Beach, VA | 59.9 | 58.4 | 268.0 | 255.5 | --- | 96.9 |
| 44 | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | 85.1 |
| 45 | Fresno, CA (Fresno County) | 70.2 | 67.4 | 325.1 | 301.5 | 73.4 | 78.7 |
| 46 | Colorado Springs, CO (El Paso County) | 41.4 | --- | 132.7 | --- | 56.5 | 47.2 |
| 47 | Long Beach, CA | 34.7 | 32.8 | --- | --- | 21.8 | 29.5 |
| 48 | El Paso, TX | --- | --- | --- | --- | 10.4 | 8.9 |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- |
| City Average | | 397.7 | 405.9 | 825.9 | 820.2 | 352.8 | 427.1 |
| United States, 2005 | | | | | | | --- |
| 2010 Goal | | | | | | | --- |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† People living with AIDS at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.3: HIV (NOT AIDS) INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|------|---------------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|-------------|-------------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Miami, FL | 892.8 | 868.4 | 476.5 | 445.3 | 206.8 | 339.6 |
| 2 | Baltimore, MD | 43.7 | 42.5 | 184.9 | 182.7 | --- | 164.0 |
| 3 | San Francisco, CA | 90.3 | 85.9 | 161.6 | 148.3 | 105.9 | 76.0 |
| 4 | Dallas, TX | 75.2 | 73.6 | 102.4 | 100.6 | 24.6 | 61.7 |
| 5 | Memphis, TN | 12.5 | 12.3 | 64.6 | 64.2 | --- | 44.8 |
| 6 | Denver, CO | 47.6 | 46.3 | 58.4 | 54.4 | 32.4 | 42.0 |
| 7 | Chicago, IL | 31.2 | 30.0 | 61.0 | 60.2 | 19.0 | 38.5 |
| 8 | Charlotte, NC | 15.1 | 14.9 | 84.3 | 82.8 | --- | 38.1 |
| 9 | Fort Worth, TX | 24.9 | 24.4 | 84.1 | 82.3 | 27.0 | 37.2 |
| 10 | Jacksonville, FL | 13.1 | 12.8 | 94.2 | 92.4 | --- | 37.1 |
| 11 | Houston, TX | 22.6 | 22.0 | 77.1 | 75.9 | 25.3 | 36.7 |
| 12 | New York, NY | 17.2 | 16.6 | 73.8 | 70.6 | 35.6 | 34.7 |
| 13 | New Orleans, LA | 27.2 | 26.5 | 35.3 | 35.0 | --- | 32.8 |
| 14 | Seattle, WA | 30.1 | 28.9 | 64.5 | 55.7 | --- | 31.8 |
| 15 | Long Beach, CA | 44.5 | 42.1 | --- | --- | 29.7 | 31.4 |
| 16 | Kansas City, MO | 25.2 | 24.6 | 42.4 | 41.1 | --- | 29.7 |
| 17 | Boston, MA | 20.6 | 20.0 | 45.6 | 42.3 | 51.7 | 29.4 |
| 18 | Los Angeles, CA | --- | --- | --- | --- | --- | 26.1 |
| 19 | Minneapolis, MN | 22.2 | 21.4 | 45.6 | 40.4 | --- | 24.6 |
| 20 | Cleveland, OH | 14.0 | 13.6 | 30.2 | 29.7 | --- | 24.0 |
| 21 | Nashville-Davidson, TN | 16.7 | 16.4 | 40.2 | 39.2 | --- | 22.1 |
| 22 | Cincinnati, OH | 16.1 | 15.8 | 29.7 | 29.0 | --- | 21.7 |
| 23 | San Antonio, TX | 13.2 | 12.8 | 69.5 | 66.2 | 20.9 | 21.5 |
| 24 | Columbus, OH | 13.7 | 13.3 | 45.2 | 42.6 | --- | 20.8 |
| 25 | Oakland, CA | --- | --- | 32.1 | 30.7 | --- | 20.0 |
| 26 | Phoenix, AZ | 18.0 | 17.6 | 54.9 | 49.8 | 16.9 | 18.9 |
| 27 | Portland, OR (Multnomah County) | 17.8 | 17.2 | --- | --- | --- | 17.7 |
| 28 | Arlington, TX | --- | --- | 68.8 | 65.8 | --- | 17.1 |
| 29 | Tucson, AZ | 17.4 | 17.0 | --- | --- | --- | 15.8 |
| 30 | Indianapolis, IN (Marion County) | 7.9 | 7.8 | 34.3 | 33.3 | --- | 15.0 |
| 31 | Milwaukee, WI | 8.9 | 8.6 | 18.6 | 18.1 | --- | 12.7 |
| 32 | Oklahoma City, OK | 8.6 | 8.2 | --- | --- | --- | 11.5 |
| 33 | Omaha, NB | --- | --- | --- | --- | --- | 10.8 |
| 34 | El Paso, TX | --- | --- | --- | --- | 11.1 | 9.9 |
| 35 | Virginia Beach, VA | --- | --- | 27.8 | 26.5 | --- | 9.4 |
| 36 | Mesa, AZ | --- | --- | --- | --- | --- | 9.3 |
| 37 | Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | --- | 6.1 |
| 38 | Fresno, CA (Fresno County) | --- | --- | --- | --- | 6.3 | 5.8 |
| 39 | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | 5.0 |
| --- | Atlanta, GA | --- | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Louisville/Jefferson Co., KY | --- | --- | --- | --- | --- | --- |
| --- | Philadelphia, PA | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- | --- |
| --- | San Diego, CA (San Diego County) | --- | --- | --- | --- | --- | --- |
| --- | San Jose, CA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Washington, DC | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- |
| | City Average | 55.5 | 53.8 | 78.8 | 75.2 | 43.8 | 37.2 |
| | United States, 2005 | | | | | | --- |
| | 2010 Goal | | | | | | --- |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† HIV (not AIDS) cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.4: AIDS INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | | Total |
|----------------------------|---------------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|-------------|-------------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | Hispanic | |
| 1 | Miami, FL | 256.4 | 249.4 | 850.5 | 794.9 | 150.2 | 301.5 |
| 2 | Washington, DC | 30.2 | 29.2 | 192.6 | 189.3 | 117.9 | 133.2 |
| 3 | Baltimore, MD | 20.3 | 19.8 | 135.5 | 133.9 | --- | 94.4 |
| 4 | Atlanta, GA | 38.4 | 37.7 | 95.3 | 94.3 | --- | 72.8 |
| 5 | San Francisco, CA | 68.2 | 64.8 | 127.6 | 117.1 | 68.5 | 52.5 |
| 6 | Memphis, TN | 17.6 | 17.3 | 71.9 | 71.4 | --- | 51.1 |
| 6 | New York, NY | 22.9 | 22.0 | 107.6 | 102.9 | 58.6 | 51.1 |
| 8 | Dallas, TX | 49.9 | 48.8 | 76.1 | 74.8 | 30.1 | 48.0 |
| 9 | Philadelphia, PA | 15.4 | 15.0 | 74.3 | 72.8 | --- | 43.7 |
| 10 | Houston, TX | 20.6 | 20.0 | 91.4 | 90.0 | 28.6 | 40.3 |
| 10 | Long Beach, CA | 49.7 | 47.0 | --- | --- | 29.7 | 40.3 |
| 12 | New Orleans, LA | 32.6 | 31.8 | 45.1 | 44.8 | --- | 39.8 |
| 13 | Jacksonville, FL | 15.1 | 14.8 | 84.7 | 83.1 | --- | 36.3 |
| 14 | Nashville-Davidson, TN | 17.2 | 16.9 | 70.8 | 69.1 | --- | 31.6 |
| 15 | Chicago, IL | 20.8 | 20.0 | 49.3 | 48.6 | 20.6 | 30.4 |
| 16 | Denver, CO | 28.8 | 28.0 | 46.7 | 43.5 | 29.0 | 30.3 |
| 17 | Seattle, WA | 28.5 | 27.4 | 55.9 | 48.3 | --- | 29.5 |
| 18 | Detroit, MI | --- | --- | 32.4 | 31.9 | --- | 29.3 |
| 19 | Charlotte, NC | 9.4 | 9.3 | 58.6 | 57.6 | --- | 27.0 |
| 20 | Boston, MA | 14.4 | 14.0 | 52.7 | 48.9 | 28.2 | 24.1 |
| 21 | Cincinnati, OH | 12.1 | 11.8 | 35.3 | 34.5 | --- | 22.0 |
| 22 | Oakland, CA | --- | --- | 39.2 | 37.5 | --- | 21.3 |
| 23 | Indianapolis, IN (Marion County) | 12.0 | 11.8 | 29.0 | 28.1 | --- | 16.7 |
| 24 | San Antonio, TX | 14.0 | 13.6 | 28.1 | 26.7 | 16.2 | 15.8 |
| 25 | Fort Worth, TX | --- | --- | --- | --- | --- | 15.5 |
| 26 | Phoenix, AZ | 13.7 | 13.4 | 47.1 | 42.7 | 13.6 | 15.4 |
| 27 | Los Angeles, CA | 10.1 | 9.5 | 36.8 | 35.0 | 16.5 | 15.0 |
| 28 | Kansas City, MO | 9.4 | 9.2 | 24.8 | 24.1 | --- | 14.3 |
| 29 | San Diego, CA (San Diego County) | 12.7 | 12.1 | 26.5 | 23.5 | 18.2 | 13.7 |
| 30 | Tucson, AZ | 12.9 | 12.5 | --- | --- | 14.4 | 13.6 |
| 31 | Minneapolis, MN | 9.2 | 8.9 | 29.4 | 26.1 | --- | 13.1 |
| 32 | Columbus, OH | 7.8 | 7.6 | 24.9 | 23.5 | --- | 11.9 |
| 33 | Omaha, NB | 7.8 | 7.7 | --- | --- | --- | 11.0 |
| 34 | Louisville/Jefferson Co., KY | --- | --- | 26.2 | --- | --- | 10.8 |
| 35 | El Paso, TX | --- | --- | --- | --- | 12.3 | 10.6 |
| 36 | Cleveland, OH | --- | --- | 14.1 | 13.8 | --- | 9.8 |
| 37 | Oklahoma City, OK | 7.6 | 7.3 | --- | --- | --- | 9.7 |
| 38 | Arlington, TX | --- | --- | --- | --- | --- | 9.0 |
| 39 | Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | 10.7 | 8.1 |
| 40 | Mesa, AZ | --- | --- | --- | --- | --- | 6.8 |
| 40 | Portland, OR (Multnomah County) | 6.3 | 6.1 | --- | --- | --- | 6.8 |
| 42 | Sacramento, CA (Sacramento County) | 4.8 | 4.6 | 22.9 | 20.4 | --- | 6.5 |
| 43 | Milwaukee, WI | --- | --- | 11.3 | 11.0 | --- | 6.2 |
| 44 | Fresno, CA (Fresno County) | --- | --- | --- | --- | 6.3 | 6.0 |
| 45 | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | 5.3 |
| 46 | San Jose, CA | --- | --- | --- | --- | --- | 4.2 |
| 47 | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | 3.9 |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- |
| City Average | | 27.2 | 26.3 | 82.3 | 80.1 | 37.2 | 32.1 |
| United States, 2005 | | 5.9 | | 54.1 | | 18.0 | 13.7 |
| 2010 Goal | | | | | | | --- |

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† AIDS cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.5: PRIMARY AND SECONDARY SYPHILIS INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|---------------------------------------|-----------------|------------------------------|-----------------|------------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | | |
| 1 | Miami, FL | 74.6 | 72.6 | 97.0 | 90.6 | 26.4 | 46.3 |
| 2 | Atlanta, GA (Fulton County) | --- | --- | --- | --- | --- | 38.0 |
| 3 | San Francisco, CA | 48.7 | 46.3 | --- | --- | 36.5 | 32.1 |
| 4 | Baltimore, MD | 18.4 | 17.9 | 35.0 | 34.6 | --- | 29.9 |
| 5 | Washington, DC | 23.9 | 23.1 | 19.7 | 19.4 | --- | 19.9 |
| 6 | Memphis, TN | --- | --- | 27.4 | 27.2 | --- | 19.5 |
| 7 | Charlotte, NC | 10.1 | 9.9 | 25.6 | 25.2 | --- | 14.6 |
| 8 | Chicago, IL | 20.7 | 19.9 | 16.1 | 15.9 | 5.8 | 14.4 |
| 9 | Kansas City, MO | 13.0 | 12.7 | 18.3 | 17.7 | --- | 13.8 |
| 10 | Columbus, OH | 10.7 | 10.5 | 26.0 | 24.6 | --- | 13.5 |
| 11 | Houston, TX | 11.1 | 10.8 | 20.9 | 20.6 | 8.2 | 11.8 |
| 12 | Minneapolis, MN | 11.7 | 11.3 | --- | --- | --- | 11.0 |
| 13 | Boston, MA | --- | --- | --- | --- | --- | 10.9 |
| 13 | Dallas, TX | 6.1 | 6.0 | 29.9 | 29.3 | --- | 10.9 |
| 13 | Los Angeles, CA | 15.2 | 14.3 | 21.1 | 20.1 | 8.8 | 10.9 |
| 16 | Fort Worth, TX | --- | --- | --- | --- | --- | 10.8 |
| 17 | San Antonio, TX | --- | --- | --- | --- | --- | 10.7 |
| 18 | Arlington, TX | --- | --- | 46.6 | 44.6 | --- | 9.0 |
| 19 | New York, NY | 3.3 | 3.2 | 9.2 | 8.8 | 3.6 | 7.7 |
| 20 | San Diego, CA (San Diego County) | 7.1 | 6.8 | --- | --- | 7.5 | 6.9 |
| 21 | Jacksonville, FL | --- | --- | 18.0 | 17.6 | --- | 6.7 |
| 22 | Denver, CO | 6.9 | 6.8 | --- | --- | --- | 6.3 |
| 23 | Phoenix, AZ | 4.5 | 4.4 | --- | --- | 7.8 | 5.9 |
| 24 | Oakland, CA | --- | --- | --- | --- | --- | 5.8 |
| 25 | Philadelphia, PA | 3.9 | 3.8 | 8.2 | 8.0 | --- | 5.7 |
| 26 | Louisville/Jefferson Co., KY | 5.7 | --- | --- | --- | --- | 5.6 |
| 27 | Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | --- | 5.0 |
| 28 | San Jose, CA | --- | --- | --- | --- | --- | 4.6 |
| 29 | Nashville-Davidson, TN | --- | --- | --- | --- | --- | 4.2 |
| 30 | Oklahoma City, OK | --- | --- | --- | --- | --- | 4.1 |
| 30 | Portland, OR (Multnomah County) | --- | --- | --- | --- | --- | 4.1 |
| 32 | Indianapolis, IN (Marion County) | --- | --- | --- | --- | --- | 3.6 |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Cincinnati, OH | --- | --- | --- | --- | --- | --- |
| --- | Cleveland, OH | --- | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- | --- |
| --- | Fresno, CA (Fresno County) | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- | --- |
| --- | Milwaukee, WI | --- | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- |
| City Average | | 16.4 | 16.5 | 27.9 | 26.9 | 13.1 | 12.6 |
| United States, 2005 | | 1.8 | | 9.8 | | 3.3 | 3.0 |
| 2010 Goal | | | | | | | 0.2 |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of “Other/Unknown Race/Ethnicity” presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.6: CHLAMYDIA INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|----------------------------|---------------------------------------|-----------------|------------------------------|-----------------|------------------------------|--------------|--------------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | | |
| 1 | Milwaukee, WI | 116.6 | 113.2 | 1,956.2 | 1,901.7 | 552.7 | 1,565.9 |
| 2 | Cincinnati, OH | 123.1 | 120.6 | 734.8 | 718.4 | 1,040.2 | 1,386.7 |
| 3 | Miami, FL | 741.3 | 721.0 | 3,413.2 | 3,189.8 | 354.9 | 1,073.7 |
| 4 | Memphis, TN | 53.7 | 52.7 | 595.1 | 590.8 | 196.7 | 1,040.9 |
| 5 | Philadelphia, PA | 87.8 | 85.9 | 1,364.0 | 1,336.8 | 4,045.7 | 1,027.3 |
| 6 | Baltimore, MD | 288.2 | 280.8 | 1,118.2 | 1,105.0 | 587.7 | 979.8 |
| 7 | Cleveland, OH | 190.7 | 184.6 | 1,204.9 | 1,183.5 | 466.5 | 972.6 |
| 8 | Kansas City, MO | 203.6 | 198.7 | 2,041.3 | 1,979.7 | 526.1 | 959.8 |
| 9 | Denver, CO | 183.0 | 178.0 | 1,435.2 | 1,336.0 | 972.7 | 889.2 |
| 10 | Indianapolis, IN (Marion County) | 296.4 | 291.4 | 2,144.0 | 2,076.2 | 1,297.7 | 840.0 |
| 11 | Chicago, IL | 102.1 | 98.2 | 1,395.7 | 1,377.0 | 283.3 | 789.2 |
| 12 | Omaha, NB | 297.7 | 293.1 | 2,385.9 | 2,252.0 | 850.4 | 711.0 |
| 13 | Minneapolis, MN | 187.4 | 180.8 | 1,770.0 | 1,569.0 | 822.6 | 669.6 |
| 14 | Albuquerque, NM (Bernalillo County) | 408.6 | --- | 802.9 | --- | 954.3 | 662.1 |
| 15 | Washington, DC | 37.7 | 36.5 | 430.5 | 423.0 | 129.0 | 643.3 |
| 16 | Boston, MA | 137.2 | 133.3 | 1,128.3 | 1,046.6 | 678.1 | 641.4 |
| 17 | Jacksonville, FL | 229.5 | 224.8 | 1,465.1 | 1,436.3 | 552.4 | 628.7 |
| 18 | San Antonio, TX | 152.0 | 147.9 | 1,108.6 | 1,055.5 | 717.5 | 618.7 |
| 19 | Fresno, CA (Fresno County) | 158.4 | 151.9 | 1,511.5 | 1,401.5 | 735.7 | 607.5 |
| 20 | Oakland, CA | 50.0 | 46.1 | 669.3 | 640.2 | 299.5 | 604.8 |
| 21 | Charlotte, NC | 120.2 | 118.4 | 1,364.6 | 1,341.4 | 846.7 | 591.7 |
| 22 | Columbus, OH | 133.2 | 130.0 | 931.4 | 878.2 | 475.1 | 589.2 |
| 23 | Fort Worth, TX | 191.0 | 186.9 | 1,417.0 | 1,386.0 | 560.3 | 585.6 |
| 24 | Sacramento, CA (Sacramento County) | 129.6 | 122.9 | 1,076.5 | 959.1 | 382.9 | 569.1 |
| 25 | Oklahoma City, OK | 220.0 | 211.3 | 1,817.0 | 1,712.1 | 607.4 | 517.1 |
| 26 | Phoenix, AZ | 171.4 | 167.5 | 1,135.6 | 1,030.7 | 698.7 | 509.4 |
| 27 | Nashville-Davidson, TN | 139.8 | 137.0 | 1,156.3 | 1,129.0 | 505.9 | 494.7 |
| 28 | New York, NY | 19.0 | 18.2 | 454.6 | 434.9 | 199.1 | 489.7 |
| 29 | Houston, TX | 107.3 | 104.4 | 866.0 | 853.0 | 383.5 | 481.6 |
| 30 | San Francisco, CA | 282.1 | 268.3 | 1,425.4 | 1,307.9 | 545.2 | 477.4 |
| 31 | Colorado Springs, CO (El Paso County) | 219.1 | --- | 1,583.7 | --- | 703.8 | 464.3 |
| 32 | Atlanta, GA (Fulton County) | --- | --- | --- | --- | --- | 464.1 |
| 33 | Dallas, TX | 65.5 | 64.0 | 857.9 | 843.0 | 381.2 | 444.3 |
| 34 | Portland, OR (Multnomah County) | 268.8 | 259.3 | 1,664.3 | 1,411.6 | 782.1 | 434.4 |
| 35 | Wichita, KS (Sedgwick County) | 161.9 | 158.2 | 1,366.9 | 1,261.5 | 618.2 | 424.6 |
| 36 | El Paso, TX | 142.1 | 137.4 | 596.1 | 550.7 | 451.1 | 414.1 |
| 37 | Mesa, AZ | 164.7 | 161.8 | 1,109.1 | 936.7 | 714.1 | 394.6 |
| 38 | San Diego, CA (San Diego County) | 86.2 | 82.7 | 548.3 | 485.6 | 283.8 | 391.0 |
| 39 | Los Angeles, CA | 103.0 | 97.0 | 1,098.8 | 1,044.7 | 500.3 | 382.9 |
| 40 | Virginia Beach, VA | 159.8 | 155.6 | 1,036.8 | 988.2 | 309.5 | 373.9 |
| 41 | Louisville/Jefferson Co., KY | 108.5 | --- | 1,030.7 | --- | 331.4 | 359.6 |
| 42 | San Jose, CA | 71.3 | 67.0 | 440.8 | 387.2 | 289.6 | 343.5 |
| 43 | Arlington, TX | 128.9 | 125.6 | 978.7 | 936.0 | 470.3 | 332.5 |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| City Average | | 172.3 | 161.9 | 1,253.1 | 1,192.2 | 645.3 | 647.5 |
| United States, 2005 | | 152.1 | | 1,247.0 | | 459.0 | 332.5 |
| 2010 Goal | | | | | | | --- |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of “Other/Unknown Race/Ethnicity” presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.7: GONORRHEA INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|---------------------------------------|-----------------|------------------------------|-----------------|------------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | | |
| 1 | Cincinnati, OH | 53.5 | 52.4 | 706.5 | 690.8 | --- | 829.5 |
| 2 | Cleveland, OH | 88.9 | 86.1 | 939.9 | 923.2 | 149.7 | 683.3 |
| 3 | Milwaukee, WI | 28.8 | 27.9 | 1,031.6 | 1,002.9 | 94.9 | 643.6 |
| 4 | Kansas City, MO | 77.0 | 75.2 | 1,408.1 | 1,365.6 | 111.1 | 550.6 |
| 5 | Baltimore, MD | 84.8 | 82.6 | 737.2 | 728.4 | 198.9 | 534.0 |
| 6 | Miami, FL | 279.7 | 272.1 | 1,572.2 | 1,469.3 | 134.7 | 458.2 |
| 7 | Indianapolis, IN (Marion County) | 114.6 | 112.7 | 1,388.4 | 1,344.5 | 252.3 | 455.1 |
| 8 | Memphis, TN | 14.3 | 14.1 | 364.3 | 361.7 | --- | 449.9 |
| 9 | Washington, DC | 41.5 | 40.1 | 430.5 | 423.0 | 48.9 | 375.1 |
| 10 | Charlotte, NC | 50.7 | 49.9 | 998.5 | 981.5 | 110.6 | 367.6 |
| 11 | Oklahoma City, OK | 103.6 | 99.5 | 1,623.5 | 1,529.7 | 149.9 | 345.0 |
| 12 | Chicago, IL | 41.0 | 39.4 | 694.2 | 684.9 | 39.5 | 341.5 |
| 13 | Fort Worth, TX | 83.3 | 81.5 | 1,274.0 | 1,246.1 | 85.3 | 336.3 |
| 14 | Philadelphia, PA | 34.0 | 33.2 | 478.1 | 468.6 | 1,215.4 | 333.2 |
| 15 | Jacksonville, FL | 78.3 | 76.6 | 873.4 | 856.2 | 127.5 | 318.5 |
| 16 | Atlanta, GA (Fulton County) | --- | --- | --- | --- | --- | 318.1 |
| 17 | Minneapolis, MN | 101.2 | 97.6 | 931.3 | 825.6 | 140.5 | 313.9 |
| 18 | San Francisco, CA | 313.9 | 298.6 | 876.0 | 803.8 | 299.5 | 310.7 |
| 19 | Oakland, CA | 34.1 | 31.4 | 394.6 | 377.4 | 65.2 | 294.6 |
| 20 | Columbus, OH | 86.4 | 84.3 | 824.3 | 777.2 | 257.6 | 293.3 |
| 21 | Denver, CO | 100.3 | 97.6 | 814.4 | 758.1 | 215.7 | 277.3 |
| 22 | Dallas, TX | 51.9 | 50.7 | 737.5 | 724.7 | 62.0 | 264.3 |
| 23 | Houston, TX | 31.1 | 30.2 | 554.3 | 545.9 | 64.4 | 202.3 |
| 24 | Louisville/Jefferson Co., KY | 49.1 | --- | 700.0 | --- | --- | 200.0 |
| 25 | Nashville-Davidson, TN | 46.1 | 45.1 | 526.1 | 513.7 | 149.5 | 195.8 |
| 26 | Omaha, NB | 57.5 | 56.6 | 838.1 | 791.1 | 112.3 | 193.3 |
| 27 | Sacramento, CA (Sacramento County) | 39.6 | 37.6 | 514.1 | 458.0 | 82.7 | 186.3 |
| 28 | San Antonio, TX | 50.0 | 48.6 | 735.5 | 700.3 | 163.7 | 183.7 |
| 29 | Fresno, CA (Fresno County) | 52.6 | 50.4 | 704.9 | 653.6 | 157.3 | 162.6 |
| 30 | Phoenix, AZ | 67.2 | 65.6 | 660.3 | 599.3 | 151.3 | 152.5 |
| 31 | Wichita, KS (Sedgwick County) | 35.3 | 34.5 | 812.3 | 749.6 | 101.7 | 144.9 |
| 32 | Boston, MA | 53.8 | 52.3 | 290.1 | 269.1 | 74.0 | 143.8 |
| 33 | Portland, OR (Multnomah County) | 90.4 | 87.2 | 601.2 | 509.9 | 272.1 | 134.1 |
| 34 | New York, NY | 10.5 | 10.1 | 161.0 | 154.0 | 36.5 | 132.3 |
| 35 | Arlington, TX | 40.8 | 39.7 | 577.0 | 551.8 | 75.6 | 124.9 |
| 36 | Albuquerque, NM (Bernalillo County) | 81.0 | --- | 394.2 | --- | 149.4 | 118.6 |
| 37 | Colorado Springs, CO (El Paso County) | 39.9 | --- | 694.6 | --- | 172.9 | 116.3 |
| 38 | Virginia Beach, VA | 28.1 | 27.4 | 409.6 | 390.5 | --- | 111.7 |
| 39 | Los Angeles, CA | 55.7 | 52.4 | 552.5 | 525.3 | 71.4 | 109.9 |
| 40 | San Diego, CA (San Diego County) | 20.5 | 19.6 | 199.4 | 176.6 | 38.1 | 92.6 |
| 41 | Mesa, AZ | 40.7 | 39.9 | 565.2 | 477.3 | 104.8 | 81.7 |
| 42 | San Jose, CA | 19.2 | 18.1 | 111.9 | 98.3 | 54.1 | 63.9 |
| 43 | El Paso, TX | 28.0 | 27.1 | 336.1 | 310.5 | 40.1 | 51.3 |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| City Average | | 66.6 | 65.3 | 715.2 | 687.6 | 153.5 | 279.0 |
| United States, 2005 | | 35.2 | | 626.4 | | 74.8 | 115.6 |
| 2010 Goal | | | | | | | 19.0 |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of “Other/Unknown Race/Ethnicity” presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.8: TUBERCULOSIS INCIDENCE RATE BY RACE/ETHNICITY, 2005**

| Rank | City* | Rate† | | | | Hispanic | Total |
|------|---------------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|-------------|-------------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Miami, FL | --- | --- | 131.6 | 123.0 | 45.7 | 63.2 |
| 2 | San Francisco, CA | --- | --- | --- | --- | --- | 17.0 |
| 3 | Fort Worth, TX | --- | --- | --- | --- | --- | 15.1 |
| 4 | Minneapolis, MN | --- | --- | 54.4 | 48.3 | --- | 14.1 |
| 5 | Memphis, TN | --- | --- | 18.1 | 18.0 | --- | 12.8 |
| 6 | Dallas, TX | 4.9 | 4.8 | 23.9 | 23.5 | 11.1 | 12.4 |
| 6 | Houston, TX | 5.0 | 4.9 | 19.7 | 19.4 | 16.0 | 12.4 |
| 8 | New York, NY | 3.3 | 3.2 | 15.5 | 14.9 | 12.9 | 12.3 |
| 9 | Nashville-Davidson, TN | --- | --- | 23.8 | 23.3 | --- | 11.6 |
| 10 | Chicago, IL | 2.8 | 2.7 | 16.2 | 16.0 | 10.5 | 11.4 |
| 11 | Oakland, CA | --- | --- | --- | --- | --- | 11.3 |
| 12 | Jacksonville, FL | --- | --- | 22.7 | 22.3 | --- | 11.0 |
| 13 | San Diego, CA (San Diego County) | 2.0 | 1.9 | --- | --- | 21.4 | 10.8 |
| 13 | Seattle, WA | --- | --- | 43.0 | 37.1 | --- | 10.8 |
| 15 | Atlanta, GA (Fulton County) | --- | --- | --- | --- | --- | 10.7 |
| 16 | Sacramento, CA (Sacramento County) | 2.8 | 2.7 | 16.9 | 15.1 | 12.3 | 10.6 |
| 17 | Columbus, OH | --- | --- | 22.6 | 21.3 | --- | 10.5 |
| 18 | Washington, DC | --- | --- | 13.2 | 13.0 | --- | 9.8 |
| 19 | Boston, MA | --- | --- | 20.7 | 19.2 | --- | 9.7 |
| 20 | Los Angeles, CA | --- | --- | 15.7 | 14.9 | 11.2 | 9.3 |
| 21 | Cleveland, OH | --- | --- | 12.8 | 12.6 | --- | 9.2 |
| 22 | Arlington, TX | --- | --- | --- | --- | --- | 9.0 |
| 23 | Fresno, CA (Fresno County) | --- | --- | --- | --- | 11.4 | 8.6 |
| 24 | Charlotte, NC | --- | --- | 13.1 | 12.9 | --- | 8.5 |
| 25 | Denver, CO | --- | --- | --- | --- | 13.1 | 7.9 |
| 26 | Philadelphia, PA | --- | --- | 9.0 | 8.8 | --- | 7.6 |
| 26 | Phoenix, AZ | --- | --- | --- | --- | 15.8 | 7.6 |
| 28 | Oklahoma City, OK | --- | --- | --- | --- | --- | 6.5 |
| 29 | San Antonio, TX | --- | --- | --- | --- | 8.3 | 6.4 |
| 30 | Portland, OR (Multnomah County) | --- | --- | --- | --- | --- | 6.1 |
| 31 | Cincinnati, OH | --- | --- | --- | --- | --- | 6.0 |
| 32 | Kansas City, MO | --- | --- | --- | --- | --- | 5.4 |
| 33 | Indianapolis, IN (Marion County) | --- | --- | --- | --- | --- | 5.2 |
| 34 | Louisville/Jefferson Co., KY | 3.8 | --- | --- | --- | --- | 4.5 |
| 35 | Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | 4.4 |
| 36 | Milwaukee, WI | --- | --- | --- | --- | --- | 3.7 |
| --- | Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | --- | --- |
| --- | Austin, TX | --- | --- | --- | --- | --- | --- |
| --- | Baltimore, MD | --- | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- |
| --- | Detroit, MI | --- | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- |
| --- | Las Vegas, NV | --- | --- | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- | --- |
| --- | New Orleans, LA | --- | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | San Jose, CA | --- | --- | --- | --- | --- | --- |
| --- | St. Louis, MO | --- | --- | --- | --- | --- | --- |
| --- | Tucson, AZ | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- | --- |
| | City Average | 3.5 | 3.4 | 27.4 | 25.8 | 15.8 | 10.9 |
| | United States, 2005 | 1.3 | | 10.9 | | 9.5 | 4.8 |
| | 2010 Goal | | | | | | 1.0 |

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.

‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.

“---” Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of “Other/Unknown Race/Ethnicity” presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

TABLE 2.9: OVERALL MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | | Total |
|---------------------|--------------------------------|-----------------|------------------------------|-----------------|------------------------------|----------|---------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | Hispanic | |
| 1 | Las Vegas, NV | 1,710.2 | 1,685.4 | 1,912.3 | 1,836.6 | 1,371.8 | 1,660.3 |
| 2 | Sacramento, CA | 1,611.2 | 1,568.0 | 1,768.7 | 1,687.1 | 1,203.9 | 1,449.6 |
| 3 | Tucson, AZ | 1,468.4 | 1,452.2 | 1,487.9 | 1,407.1 | 1,168.7 | 1,398.2 |
| 4 | Miami, FL | 1,984.5 | 1,949.5 | 2,128.8 | 2,013.7 | 1,013.2 | 1,288.4 |
| 5 | Baltimore, MD | 933.4 | 920.5 | 1,309.3 | 1,298.5 | 384.5 | 1,139.6 |
| 6 | Fresno, CA | 1,190.8 | 1,164.4 | 1,390.4 | 1,348.4 | 1,006.2 | 1,135.0 |
| 7 | Cleveland, OH | 1,061.9 | 1,043.5 | 1,273.3 | 1,259.3 | 685.6 | 1,131.0 |
| 8 | Detroit, MI | 966.3 | 916.7 | 1,176.6 | 1,165.4 | 780.7 | 1,103.4 |
| 9 | New Orleans, LA | 862.6 | 850.3 | 1,319.7 | 1,308.0 | 360.3 | 1,095.1 |
| 10 | Cincinnati, OH | 938.7 | 930.1 | 1,351.1 | 1,333.4 | --- | 1,072.9 |
| 11 | Jacksonville, FL | 1,042.5 | 1,033.0 | 1,216.2 | 1,203.1 | 775.1 | 1,061.2 |
| 12 | Columbus, OH | 996.8 | 986.9 | 1,314.8 | 1,277.7 | 1,023.9 | 1,051.0 |
| 13 | Memphis, TN | 844.3 | 837.5 | 1,262.2 | 1,255.9 | 534.9 | 1,045.7 |
| 14 | St. Louis, MO | 882.6 | 871.0 | 1,201.9 | 1,188.7 | 552.2 | 1,013.2 |
| 15 | Indianapolis, IN | 974.8 | 968.1 | 1,170.6 | 1,154.1 | 631.7 | 1,009.1 |
| 16 | Philadelphia, PA | 898.7 | 888.4 | 1,212.8 | 1,195.6 | 889.1 | 1,006.1 |
| 17 | Arlington, TX | 999.2 | 989.3 | 1,590.2 | 1,533.2 | 930.8 | 1,004.5 |
| 18 | Houston, TX | 916.3 | 904.6 | 1,318.6 | 1,305.7 | 893.6 | 997.9 |
| 19 | San Antonio, TX | 989.6 | 977.6 | 1,308.0 | 1,281.3 | 947.2 | 983.5 |
| 20 | Albuquerque, NM | 900.6 | 889.9 | 1,218.0 | 1,149.3 | 1,162.9 | 976.2 |
| 21 | Atlanta, GA | 736.0 | 728.5 | 1,141.9 | 1,134.4 | 671.3 | 974.3 |
| 22 | Charlotte, NC | 866.1 | 861.4 | 1,300.1 | 1,287.4 | 548.2 | 973.0 |
| 23 | Fort Worth, TX | 919.0 | 909.8 | 1,286.8 | 1,274.0 | 850.1 | 969.2 |
| 24 | Washington, DC | 669.1 | 654.4 | 1,193.8 | 1,176.9 | 196.0 | 966.4 |
| 25 | Milwaukee, WI | 886.5 | 878.1 | 1,237.7 | 1,220.6 | 581.4 | 965.4 |
| 26 | Pittsburgh, PA | 883.3 | 877.3 | 1,232.4 | 1,208.8 | --- | 950.5 |
| 26 | Wichita, KS | 933.7 | 924.2 | 1,329.9 | 1,290.2 | 983.1 | 950.5 |
| 28 | Mesa, AZ | 925.4 | 919.1 | 1,701.5 | 1,607.6 | 1,025.9 | 943.1 |
| 29 | Louisville/Jefferson Co., KY** | 904.2 | --- | 1,196.3 | --- | 840.5 | 942.7 |
| 30 | Oklahoma City, OK | 909.4 | 890.7 | 1,278.7 | 1,242.7 | 814.6 | 936.2 |
| 31 | Tulsa, OK | 919.2 | 894.4 | 1,281.9 | 1,242.7 | 547.1 | 933.6 |
| 32 | Kansas City, MO | 829.1 | 819.5 | 1,199.1 | 1,181.0 | 849.6 | 912.6 |
| 33 | Colorado Springs, CO | 902.5 | 893.4 | 1,205.3 | 1,123.3 | 1,030.2 | 911.7 |
| 34 | Portland, OR | 910.2 | 897.1 | 1,183.2 | 1,114.7 | 603.0 | 902.7 |
| 35 | Nashville-Davidson, TN | 843.8 | 837.0 | 1,188.8 | 1,175.7 | 331.8 | 899.7 |
| 36 | Virginia Beach, VA | 868.7 | 861.2 | 1,228.5 | 1,207.7 | 854.4 | 888.2 |
| 37 | Dallas, TX | 768.3 | 761.0 | 1,256.1 | 1,243.3 | 763.2 | 881.6 |
| 38 | Chicago, IL | 756.0 | 738.5 | 1,176.0 | 1,164.3 | 611.1 | 868.1 |
| 39 | Omaha, NB | 819.1 | 814.8 | 1,252.4 | 1,225.3 | 769.6 | 859.5 |
| 40 | El Paso, TX | 954.2 | 939.2 | 1,175.8 | 1,148.5 | 811.4 | 854.4 |
| 41 | Long Beach, CA | 864.0 | 847.5 | 1,343.2 | 1,294.3 | 639.5 | 853.5 |
| 42 | Phoenix, AZ | 810.4 | 802.6 | 1,150.5 | 1,103.5 | 1,036.1 | 852.2 |
| 43 | Denver, CO | 803.1 | 793.4 | 1,074.1 | 1,035.0 | 940.1 | 841.9 |
| 44 | Austin, TX | 804.2 | 796.2 | 1,058.8 | 1,039.7 | 829.6 | 826.5 |
| 45 | Oakland, CA | 709.8 | 686.4 | 1,133.7 | 1,105.8 | 709.8 | 822.8 |
| 46 | Boston, MA | 829.6 | 817.6 | 1,025.2 | 970.5 | 578.5 | 820.9 |
| 47 | Los Angeles, CA | 768.8 | 745.6 | 1,322.6 | 1,282.4 | 784.5 | 806.5 |
| 48 | Minneapolis, MN | 767.1 | 758.8 | 1,164.9 | 1,093.8 | 523.5 | 799.5 |
| 49 | San Diego, CA | 760.3 | 748.4 | 1,190.5 | 1,132.4 | 748.7 | 762.0 |
| 50 | New York, NY | 713.9 | 698.7 | 984.0 | 951.1 | 724.6 | 748.9 |
| 51 | Seattle, WA | 732.7 | 722.5 | 1,047.6 | 980.4 | 500.2 | 729.5 |
| 52 | San Jose, CA | 772.1 | 750.8 | 970.3 | 884.7 | 800.2 | 708.9 |
| 53 | San Francisco, CA | 737.4 | 717.7 | 1,315.5 | 1,249.5 | 608.8 | 699.3 |
| 54 | Honolulu, HI | 749.7 | 615.7 | 1,349.9 | 852.7 | 1,570.6 | 669.9 |
| City Average | | 929.6 | 913.7 | 1,279.8 | 1,234.8 | 788.3 | 963.8 |
| United States, 2004 | | | | | | | 801.0 |
| 2010 Goal | | | | | | | --- |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

“---” Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.10: HEART DISEASE MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Las Vegas, NV | 483.4 | 477.4 | 573.8 | 553.0 | 338.6 | 465.0 |
| 2 | Miami, FL | 569.9 | 560.7 | 606.9 | 578.0 | 325.1 | 388.2 |
| 3 | Sacramento, CA | 426.6 | 417.6 | 446.7 | 428.5 | 290.4 | 383.4 |
| 4 | Detroit, MI | 331.2 | 316.7 | 394.5 | 391.1 | 242.3 | 370.0 |
| 5 | Cleveland, OH | 347.0 | 341.6 | 402.2 | 398.2 | --- | 362.8 |
| 6 | Tucson, AZ | 363.0 | 359.5 | 306.7 | 294.7 | 273.4 | 340.8 |
| 7 | Memphis, TN | 248.9 | 247.3 | 369.0 | 367.2 | --- | 304.7 |
| 8 | Fresno, CA | 323.8 | 317.8 | 396.0 | 386.8 | 242.9 | 301.0 |
| 9 | New York, NY | 306.2 | 300.6 | 358.7 | 347.5 | 255.0 | 300.6 |
| 10 | Baltimore, MD | 247.6 | 244.7 | 324.2 | 321.8 | --- | 287.2 |
| 11 | Long Beach, CA | 293.0 | 288.2 | 475.4 | 458.6 | 199.1 | 285.1 |
| 12 | St. Louis, MO | 264.8 | 261.7 | 316.8 | 313.6 | --- | 284.7 |
| 13 | Arlington, TX | 283.9 | 281.4 | 368.3 | 357.0 | --- | 279.0 |
| 14 | Washington, DC | 181.9 | 178.6 | 333.8 | 329.5 | --- | 273.7 |
| 15 | Houston, TX | 252.1 | 249.4 | 369.8 | 366.5 | 226.3 | 273.2 |
| 16 | Fort Worth, TX | 264.2 | 261.9 | 351.8 | 348.8 | 199.8 | 270.2 |
| 17 | Pittsburgh, PA | 253.2 | 251.7 | 332.7 | 326.9 | --- | 268.4 |
| 18 | Oklahoma City, OK | 257.9 | 253.2 | 387.0 | 377.8 | --- | 266.5 |
| 19 | Philadelphia, PA | 253.0 | 250.5 | 302.1 | 298.2 | 188.6 | 265.9 |
| 20 | San Antonio, TX | 273.7 | 271.0 | 391.2 | 384.6 | 244.1 | 265.8 |
| 21 | Tulsa, OK | 263.8 | 257.4 | 353.9 | 343.5 | --- | 263.6 |
| 22 | Jacksonville, FL | 262.4 | 260.4 | 289.3 | 286.4 | --- | 262.3 |
| 23 | Chicago, IL | 238.5 | 233.6 | 333.3 | 330.1 | 154.4 | 258.3 |
| 24 | Louisville/Jefferson Co., KY** | 245.3 | --- | 320.3 | --- | 173.9 | 253.5 |
| 25 | Los Angeles, CA | 246.7 | 240.3 | 405.5 | 394.5 | 232.3 | 250.8 |
| 26 | Columbus, OH | 243.7 | 241.5 | 287.7 | 280.6 | --- | 250.4 |
| 27 | Cincinnati, OH | 219.9 | 218.2 | 308.1 | 304.5 | --- | 248.8 |
| 28 | Mesa, AZ | 241.1 | 239.8 | --- | --- | 280.2 | 243.8 |
| 29 | Milwaukee, WI | 233.6 | 232.0 | 287.6 | 284.2 | 100.1 | 243.6 |
| 30 | New Orleans, LA | 202.0 | 199.5 | 287.2 | 284.6 | --- | 243.5 |
| 31 | Dallas, TX | 206.5 | 204.8 | 354.6 | 351.4 | 210.4 | 239.8 |
| 32 | Nashville-Davidson, TN | 220.6 | 219.1 | 338.3 | 334.9 | --- | 239.7 |
| 33 | Indianapolis, IN | 230.3 | 228.9 | 288.0 | 284.7 | --- | 238.6 |
| 34 | Atlanta, GA | 154.6 | 153.2 | 280.0 | 278.2 | --- | 230.2 |
| 35 | Wichita, KS | 225.2 | 223.3 | 356.5 | 348.5 | --- | 227.0 |
| 36 | Virginia Beach, VA | 221.8 | 220.2 | 293.9 | 289.6 | --- | 226.8 |
| 37 | Kansas City, MO | 208.4 | 206.3 | 289.3 | 285.4 | --- | 224.8 |
| 38 | Phoenix, AZ | 210.7 | 209.0 | 317.6 | 307.1 | 237.9 | 215.8 |
| 39 | Albuquerque, NM | 200.8 | 198.9 | 263.1 | 250.2 | 255.1 | 214.5 |
| 40 | El Paso, TX | 250.2 | 246.8 | 326.8 | 321.7 | 193.4 | 212.9 |
| 41 | Oakland, CA | 192.4 | 187.7 | 288.7 | 282.3 | 162.5 | 211.9 |
| 42 | San Diego, CA | 209.1 | 206.6 | 362.1 | 346.2 | 220.3 | 210.5 |
| 43 | Charlotte, NC | 194.5 | 193.6 | 257.7 | 255.5 | --- | 210.1 |
| 44 | Portland, OR | 204.8 | 202.5 | 286.6 | 272.7 | --- | 204.1 |
| 45 | Omaha, NB | 200.0 | 199.1 | 249.5 | 244.9 | --- | 203.3 |
| 46 | Austin, TX | 185.7 | 184.0 | 231.0 | 227.5 | 191.6 | 188.7 |
| 47 | Boston, MA | 196.0 | 193.3 | 213.3 | 202.4 | 114.7 | 184.6 |
| 48 | San Jose, CA | 209.2 | 204.1 | 221.6 | 202.1 | 183.7 | 184.0 |
| 49 | Colorado Springs, CO | 174.7 | 173.3 | 329.4 | 308.6 | 186.3 | 177.5 |
| 49 | Honolulu, HI | 164.2 | 139.7 | --- | --- | 507.4 | 177.5 |
| 51 | Denver, CO | 176.1 | 174.4 | 204.6 | 198.5 | 165.0 | 175.4 |
| 52 | San Francisco, CA | 190.3 | 185.9 | 284.3 | 272.9 | 149.6 | 174.5 |
| 53 | Seattle, WA | 175.1 | 173.2 | 233.6 | 220.2 | --- | 171.7 |
| 54 | Minneapolis, MN | 137.4 | 136.1 | 230.8 | 218.1 | --- | 140.7 |
| City Average | | 247.4 | 243.7 | 330.4 | 322.4 | 224.8 | 252.6 |
| United States, 2004 | | --- | --- | --- | --- | --- | 217.5 |
| 2010 Goal | | | | | | | --- |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.11: ALL CANCER MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | | Total |
|---------------------|--------------------------------|-----------------|------------------------------|-----------------|------------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | Hispanic | |
| 1 | Las Vegas, NV | 365.9 | 361.1 | 387.9 | 375.0 | 245.3 | 354.6 |
| 2 | Sacramento, CA | 382.2 | 372.6 | 333.9 | 320.1 | 235.9 | 324.2 |
| 3 | Tucson, AZ | 336.4 | 333.0 | 327.8 | 314.1 | 255.8 | 311.1 |
| 4 | Miami, FL | 376.6 | 370.0 | 376.7 | 356.3 | 223.0 | 258.5 |
| 5 | Cleveland, OH | 243.7 | 239.7 | 294.0 | 291.0 | 106.9 | 258.1 |
| 6 | Cincinnati, OH | 221.2 | 219.4 | 331.9 | 328.3 | --- | 254.6 |
| 7 | Columbus, OH | 238.1 | 235.9 | 307.2 | 299.9 | --- | 247.4 |
| 8 | Fresno, CA | 267.5 | 262.1 | 340.5 | 331.0 | 183.3 | 246.0 |
| 9 | New Orleans, LA | 187.0 | 184.5 | 303.0 | 300.3 | --- | 244.1 |
| 10 | Jacksonville, FL | 243.6 | 241.5 | 253.5 | 251.3 | 216.4 | 240.7 |
| 11 | Arlington, TX | 235.1 | 232.6 | 396.4 | 380.6 | 298.4 | 238.2 |
| 12 | St. Louis, MO | 209.0 | 206.5 | 279.5 | 276.8 | --- | 234.4 |
| 13 | Indianapolis, IN | 226.9 | 225.5 | 274.5 | 271.5 | --- | 233.4 |
| 14 | Philadelphia, PA | 218.1 | 215.8 | 270.1 | 266.6 | 196.1 | 232.2 |
| 15 | Baltimore, MD | 204.3 | 201.7 | 260.2 | 258.2 | --- | 231.0 |
| 16 | Detroit, MI | 200.2 | 190.1 | 247.1 | 244.8 | 157.2 | 230.4 |
| 17 | Milwaukee, WI | 212.9 | 211.2 | 309.3 | 305.6 | 98.5 | 227.3 |
| 17 | Pittsburgh, PA | 214.3 | 213.0 | 289.0 | 284.1 | --- | 227.3 |
| 19 | Memphis, TN | 170.3 | 169.1 | 289.8 | 288.4 | --- | 226.0 |
| 20 | Louisville/Jefferson Co., KY** | 216.6 | --- | 288.8 | --- | 296.6 | 224.8 |
| 21 | Fort Worth, TX | 209.3 | 207.2 | 307.9 | 305.4 | 212.7 | 222.0 |
| 22 | Wichita, KS | 223.0 | 221.0 | 286.3 | 280.1 | 219.5 | 221.9 |
| 23 | Houston, TX | 209.4 | 206.9 | 285.8 | 283.2 | 165.8 | 217.3 |
| 24 | Virginia Beach, VA | 215.0 | 213.5 | 272.2 | 268.1 | --- | 215.8 |
| 25 | Charlotte, NC | 193.2 | 192.2 | 295.7 | 293.3 | --- | 214.9 |
| 26 | Albuquerque, NM | 202.4 | 200.1 | 271.3 | 257.7 | 256.4 | 213.9 |
| 27 | Kansas City, MO | 199.9 | 197.7 | 260.1 | 256.7 | 197.8 | 212.0 |
| 28 | Portland, OR | 211.1 | 208.2 | 263.6 | 250.9 | --- | 211.4 |
| 29 | Atlanta, GA | 191.8 | 189.8 | 229.0 | 227.6 | --- | 211.3 |
| 30 | Mesa, AZ | 205.9 | 204.5 | --- | --- | 193.8 | 207.5 |
| 30 | San Antonio, TX | 219.0 | 216.4 | 257.5 | 253.2 | 192.1 | 207.5 |
| 32 | Omaha, NB | 199.1 | 198.3 | 286.6 | 281.4 | --- | 206.2 |
| 33 | Boston, MA | 213.1 | 210.0 | 232.0 | 219.9 | 129.7 | 205.7 |
| 34 | Washington, DC | 160.6 | 157.3 | 240.2 | 237.1 | --- | 205.6 |
| 35 | Chicago, IL | 188.0 | 183.6 | 270.4 | 267.9 | 133.7 | 204.8 |
| 36 | Colorado Springs, CO | 201.5 | 199.7 | 230.1 | 216.6 | 179.4 | 201.2 |
| 37 | Nashville-Davidson, TN | 195.2 | 193.8 | 239.9 | 237.7 | --- | 199.7 |
| 38 | Minneapolis, MN | 198.9 | 196.9 | 237.0 | 224.0 | --- | 198.6 |
| 39 | Austin, TX | 191.4 | 189.5 | 254.6 | 250.7 | 194.9 | 196.4 |
| 40 | Dallas, TX | 174.2 | 172.7 | 287.0 | 284.5 | 151.0 | 195.7 |
| 41 | Oklahoma City, OK | 192.6 | 188.8 | 259.7 | 253.9 | --- | 194.2 |
| 42 | Oakland, CA | 166.9 | 161.8 | 249.8 | 244.1 | 176.9 | 193.6 |
| 43 | Long Beach, CA | 196.1 | 192.6 | 309.4 | 298.8 | 120.7 | 191.6 |
| 44 | Tulsa, OK | 190.8 | 185.8 | 250.5 | 243.4 | --- | 190.6 |
| 45 | Denver, CO | 176.0 | 174.1 | 251.1 | 243.9 | 209.2 | 185.8 |
| 46 | El Paso, TX | 209.3 | 206.1 | 278.0 | 271.4 | 173.1 | 183.7 |
| 47 | Los Angeles, CA | 180.0 | 174.5 | 290.8 | 282.5 | 163.7 | 182.3 |
| 48 | Seattle, WA | 183.8 | 181.4 | 247.6 | 234.8 | --- | 180.6 |
| 49 | San Diego, CA | 183.4 | 180.6 | 242.7 | 232.3 | 149.7 | 178.3 |
| 50 | Phoenix, AZ | 172.8 | 171.2 | 247.5 | 239.5 | 192.7 | 177.4 |
| 51 | San Francisco, CA | 192.4 | 187.1 | 283.0 | 271.2 | 128.2 | 175.3 |
| 52 | San Jose, CA | 194.6 | 189.3 | 254.1 | 233.6 | 174.2 | 174.5 |
| 53 | New York, NY | 173.0 | 169.3 | 211.0 | 204.0 | 150.1 | 170.2 |
| 54 | Honolulu, HI | 166.1 | 139.9 | --- | --- | 253.0 | 150.9 |
| City Average | | 213.9 | 210.3 | 279.7 | 272.4 | 189.5 | 217.5 |
| United States, 2004 | | --- | --- | --- | --- | --- | 184.6 |
| 2010 Goal | | | | | | | 158.6 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

“---” Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.12: LUNG CANCER MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Las Vegas, NV | 113.5 | 112.0 | 91.2 | 88.2 | 71.7 | 106.9 |
| 2 | Tucson, AZ | 104.8 | 103.8 | --- | --- | 53.0 | 89.5 |
| 3 | Columbus, OH | 83.6 | 82.8 | 95.0 | 92.9 | --- | 83.7 |
| 4 | Cleveland, OH | 80.2 | 78.9 | 88.6 | 87.7 | --- | 81.0 |
| 5 | Sacramento, CA | 104.0 | 101.5 | 66.7 | 63.9 | --- | 79.3 |
| 6 | Indianapolis, IN | 76.1 | 75.7 | 90.4 | 89.4 | --- | 77.6 |
| 7 | Louisville/Jefferson Co., KY** | 74.4 | --- | 92.0 | --- | 156.6 | 76.4 |
| 8 | St. Louis, MO | 65.6 | 64.8 | 92.5 | 91.6 | --- | 75.5 |
| 9 | Cincinnati, OH | 60.2 | 59.7 | 104.7 | 103.6 | --- | 75.0 |
| 10 | Jacksonville, FL | 79.4 | 78.7 | 63.4 | 62.9 | --- | 73.6 |
| 11 | Virginia Beach, VA | 77.3 | 76.8 | 64.7 | 63.6 | --- | 73.1 |
| 12 | Arlington, TX | 73.7 | 72.9 | --- | --- | --- | 72.4 |
| 13 | Pittsburgh, PA | 68.2 | 67.8 | 89.3 | 87.9 | --- | 71.9 |
| 13 | Wichita, KS | 74.7 | 74.0 | 86.5 | 84.6 | --- | 71.9 |
| 15 | Baltimore, MD | 68.0 | 67.1 | 76.0 | 75.4 | --- | 70.6 |
| 16 | Kansas City, MO | 64.3 | 63.6 | 89.4 | 88.2 | --- | 68.7 |
| 17 | New Orleans, LA | 51.4 | 50.8 | 82.4 | 81.7 | --- | 67.5 |
| 18 | Philadelphia, PA | 62.1 | 61.4 | 83.2 | 82.2 | --- | 67.4 |
| 19 | Detroit, MI | 61.1 | 58.2 | 71.2 | 70.5 | --- | 67.0 |
| 20 | Nashville-Davidson, TN | 67.7 | 67.2 | 66.6 | 66.0 | --- | 66.5 |
| 21 | Fresno, CA | 79.2 | 77.6 | --- | --- | 36.8 | 66.2 |
| 22 | Charlotte, NC | 62.6 | 62.3 | 75.2 | 74.5 | --- | 65.5 |
| 23 | Fort Worth, TX | 67.5 | 66.8 | 88.0 | 87.3 | --- | 65.1 |
| 23 | Milwaukee, WI | 54.8 | 54.4 | 104.3 | 103.0 | --- | 65.1 |
| 25 | Memphis, TN | 51.8 | 51.4 | 76.6 | 76.2 | --- | 62.7 |
| 25 | Oklahoma City, OK | 64.9 | 63.6 | 75.2 | 73.6 | --- | 62.7 |
| 27 | Omaha, NB | 59.8 | 59.5 | 84.1 | 82.8 | --- | 61.6 |
| 28 | Tulsa, OK | 63.8 | 62.1 | 66.0 | 64.4 | --- | 60.2 |
| 29 | Portland, OR | 59.8 | 59.0 | 86.9 | 82.5 | --- | 59.6 |
| 30 | Houston, TX | 61.0 | 60.3 | 79.9 | 79.2 | 32.9 | 59.4 |
| 31 | Miami, FL | 90.3 | 88.8 | 78.4 | 74.2 | 48.4 | 55.7 |
| 32 | Minneapolis, MN | 57.6 | 57.1 | --- | --- | --- | 54.9 |
| 33 | Chicago, IL | 51.2 | 50.0 | 72.4 | 71.7 | 28.8 | 54.1 |
| 34 | Boston, MA | 57.4 | 56.6 | 57.7 | 54.8 | --- | 53.3 |
| 35 | Colorado Springs, CO | 52.5 | 52.1 | --- | --- | --- | 51.8 |
| 36 | Mesa, AZ | 53.7 | 53.4 | --- | --- | --- | 51.7 |
| 37 | Atlanta, GA | 49.4 | 48.9 | 54.9 | 54.6 | --- | 51.5 |
| 38 | Austin, TX | 53.8 | 53.3 | 76.7 | 75.6 | --- | 51.0 |
| 39 | Washington, DC | 39.4 | 38.6 | 59.7 | 59.0 | --- | 50.6 |
| 40 | Dallas, TX | 44.6 | 44.2 | 79.8 | 79.1 | 31.4 | 50.3 |
| 41 | Phoenix, AZ | 51.0 | 50.5 | 87.4 | 84.5 | 35.2 | 49.1 |
| 42 | San Antonio, TX | 66.7 | 65.9 | 75.2 | 74.0 | 27.1 | 49.0 |
| 43 | Albuquerque, NM | 54.7 | 54.1 | --- | --- | 40.8 | 48.9 |
| 44 | Long Beach, CA | 51.5 | 50.5 | 91.7 | 88.8 | --- | 47.2 |
| 45 | Seattle, WA | 49.8 | 49.2 | 70.0 | 66.6 | --- | 46.8 |
| 46 | San Diego, CA | 49.4 | 48.7 | 54.4 | 52.1 | 29.9 | 45.5 |
| 47 | Denver, CO | 43.1 | 42.6 | 67.3 | 65.5 | 45.2 | 44.3 |
| 48 | Oakland, CA | 37.6 | 36.5 | 66.9 | 65.4 | --- | 44.0 |
| 49 | San Francisco, CA | 48.3 | 47.1 | 55.7 | 53.5 | --- | 43.4 |
| 50 | San Jose, CA | 51.8 | 50.5 | --- | --- | 30.2 | 41.8 |
| 51 | Los Angeles, CA | 41.9 | 40.6 | 72.9 | 70.9 | 25.7 | 40.1 |
| 52 | New York, NY | 42.9 | 42.0 | 43.4 | 42.0 | 26.5 | 38.6 |
| 53 | Honolulu, HI | 40.7 | 34.5 | --- | --- | --- | 37.4 |
| 54 | El Paso, TX | 49.6 | 48.9 | --- | --- | 23.0 | 33.8 |
| City Average | | 62.3 | 61.1 | 77.1 | 75.3 | 43.7 | 60.7 |
| United States, 2004 | | --- | --- | --- | --- | --- | 52.9 |
| 2010 Goal | | | | | | | 43.3 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £ Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.13: FEMALE BREAST CANCER MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | | Total |
|---------------------|--------------------------------|-----------------|------------------------------|-----------------|------------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | Hispanic | |
| 1 | Las Vegas, NV | 57.3 | 56.5 | --- | --- | --- | 53.3 |
| 2 | Sacramento, CA | 49.9 | 48.5 | --- | --- | --- | 42.3 |
| 3 | Miami, FL | 98.6 | 96.7 | 75.3 | 70.5 | 27.4 | 41.8 |
| 4 | Tucson, AZ | 43.5 | 43.1 | --- | --- | --- | 41.7 |
| 5 | Cleveland, OH | 39.3 | 38.6 | 39.6 | 39.1 | --- | 38.3 |
| 6 | Cincinnati, OH | 32.1 | 31.8 | 47.7 | 47.2 | --- | 36.4 |
| 7 | Colorado Springs, CO | 35.2 | 34.9 | --- | --- | --- | 36.1 |
| 8 | Memphis, TN | 21.9 | 21.8 | 47.2 | 46.9 | --- | 35.3 |
| 8 | New Orleans, LA | 18.0 | 17.7 | 47.6 | 47.2 | --- | 35.3 |
| 10 | Mesa, AZ | 32.9 | 32.7 | --- | --- | --- | 34.7 |
| 11 | Baltimore, MD | 23.3 | 23.0 | 39.9 | 39.6 | --- | 33.2 |
| 12 | Philadelphia, PA | 33.7 | 33.3 | 31.7 | 31.3 | --- | 31.7 |
| 13 | Wichita, KS | 30.7 | 30.5 | --- | --- | --- | 31.2 |
| 14 | Detroit, MI | --- | --- | 34.4 | 34.1 | --- | 30.7 |
| 14 | Fresno, CA | 34.9 | 34.2 | --- | --- | --- | 30.7 |
| 16 | Jacksonville, FL | 28.7 | 28.5 | 40.2 | 39.8 | --- | 30.6 |
| 17 | Charlotte, NC | 27.2 | 27.0 | 41.3 | 40.9 | --- | 30.3 |
| 18 | Chicago, IL | 25.6 | 24.9 | 40.8 | 40.4 | 14.8 | 29.9 |
| 18 | Houston, TX | 28.8 | 28.4 | 41.3 | 40.9 | 19.6 | 29.9 |
| 20 | Omaha, NB | 28.0 | 27.9 | --- | --- | --- | 29.7 |
| 21 | Albuquerque, NM | 31.7 | 31.2 | --- | --- | 30.2 | 29.6 |
| 22 | Atlanta, GA | 34.2 | 33.8 | 29.0 | 28.8 | --- | 29.4 |
| 23 | Louisville/Jefferson Co., KY** | 15.9 | --- | 28.0 | --- | 19.0 | 29.2 |
| 24 | El Paso, TX | 40.1 | 39.4 | --- | --- | 25.1 | 29.0 |
| 25 | St. Louis, MO | 27.3 | 27.0 | 31.6 | 31.2 | --- | 28.8 |
| 26 | Fort Worth, TX | 24.4 | 24.1 | --- | --- | --- | 28.4 |
| 26 | Los Angeles, CA | 31.4 | 30.4 | 47.1 | 45.6 | 18.5 | 28.4 |
| 28 | Columbus, OH | 24.0 | 23.7 | 44.6 | 43.5 | --- | 28.1 |
| 29 | Pittsburgh, PA | 26.1 | 25.9 | --- | --- | --- | 27.5 |
| 30 | Austin, TX | 31.3 | 30.9 | --- | --- | --- | 27.4 |
| 31 | San Antonio, TX | 30.8 | 30.4 | --- | --- | 24.4 | 27.3 |
| 32 | Kansas City, MO | 27.1 | 26.8 | --- | --- | --- | 27.2 |
| 33 | Washington, DC | 28.1 | 27.5 | 29.6 | 29.2 | --- | 27.1 |
| 34 | New York, NY | 28.7 | 28.1 | 32.7 | 31.6 | 20.0 | 26.8 |
| 35 | Boston, MA | 28.8 | 28.3 | 30.4 | 28.7 | --- | 26.7 |
| 36 | Arlington, TX | 27.7 | 27.3 | --- | --- | --- | 26.4 |
| 37 | Long Beach, CA | 22.5 | 22.1 | --- | --- | --- | 25.3 |
| 38 | Oklahoma City, OK | 23.4 | 22.9 | --- | --- | --- | 24.8 |
| 39 | Dallas, TX | 21.4 | 21.2 | 39.8 | 39.4 | --- | 24.6 |
| 39 | Virginia Beach, VA | 23.4 | 23.2 | --- | --- | --- | 24.6 |
| 41 | San Francisco, CA | 32.1 | 31.2 | 59.5 | 56.6 | --- | 24.5 |
| 42 | Oakland, CA | --- | --- | 30.5 | 29.7 | --- | 24.0 |
| 42 | Tulsa, OK | 19.2 | 18.6 | --- | --- | --- | 24.0 |
| 44 | Denver, CO | 24.4 | 24.2 | --- | --- | --- | 23.5 |
| 45 | Seattle, WA | 23.5 | 23.2 | --- | --- | --- | 23.3 |
| 46 | Portland, OR | 23.1 | 22.7 | --- | --- | --- | 23.1 |
| 46 | San Diego, CA | 23.6 | 23.2 | --- | --- | 24.2 | 23.1 |
| 48 | Nashville-Davidson, TN | 20.6 | 20.4 | --- | --- | --- | 22.9 |
| 49 | Milwaukee, WI | 22.8 | 22.6 | 27.3 | 27.0 | --- | 22.4 |
| 49 | Phoenix, AZ | 22.0 | 21.7 | --- | --- | --- | 22.4 |
| 51 | San Jose, CA | 25.9 | 25.2 | --- | --- | --- | 21.5 |
| 52 | Indianapolis, IN | 20.0 | 19.9 | --- | --- | --- | 20.1 |
| 53 | Minneapolis, MN | 19.9 | 19.7 | --- | --- | --- | 19.1 |
| 54 | Honolulu, HI | --- | --- | --- | --- | --- | 14.9 |
| City Average | | 29.7 | 29.5 | 39.9 | 39.5 | 22.3 | 28.9 |
| United States, 2004 | | --- | --- | --- | --- | --- | --- |
| 2010 Goal | | | | | | | 21.3 |

† Per 100,000 female population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.14: MOTOR VEHICLE INJURY MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Las Vegas, NV | 33.2 | 32.2 | --- | --- | 37.1 | 33.9 |
| 2 | Miami, FL | --- | --- | 47.6 | 44.5 | 28.6 | 32.5 |
| 3 | Tucson, AZ | 23.2 | 22.7 | --- | --- | 24.4 | 23.1 |
| 4 | Sacramento, CA | 21.8 | 20.7 | --- | --- | 23.6 | 23.0 |
| 5 | Fresno, CA | 22.6 | 21.7 | --- | --- | 22.0 | 22.4 |
| 6 | Albuquerque, NM | 17.7 | 17.4 | --- | --- | 27.6 | 22.2 |
| 7 | Jacksonville, FL | 20.3 | 20.0 | 18.2 | 18.0 | --- | 19.6 |
| 8 | Phoenix, AZ | 14.5 | 14.2 | --- | --- | 31.3 | 19.5 |
| 9 | Mesa, AZ | 16.6 | 16.4 | --- | --- | --- | 17.7 |
| 10 | Memphis, TN | 17.3 | 17.0 | 16.6 | 16.5 | --- | 17.3 |
| 11 | San Antonio, TX | 15.3 | 14.9 | 33.6 | 32.4 | 17.7 | 17.1 |
| 12 | Nashville-Davidson, TN | 15.6 | 15.4 | 15.4 | 15.1 | --- | 16.3 |
| 13 | Houston, TX | 14.2 | 13.8 | 15.4 | 15.2 | 23.8 | 16.1 |
| 14 | Dallas, TX | 10.2 | 10.0 | 14.8 | 14.6 | 24.5 | 15.8 |
| 15 | El Paso, TX | 18.9 | 18.3 | --- | --- | 14.3 | 15.2 |
| 15 | Oklahoma City, OK | 12.5 | 12.1 | --- | --- | --- | 15.2 |
| 17 | Fort Worth, TX | 13.0 | 12.8 | --- | --- | 26.1 | 15.1 |
| 18 | Arlington, TX | 11.2 | 11.0 | --- | --- | --- | 15.0 |
| 19 | Atlanta, GA | --- | --- | 14.6 | 14.5 | --- | 14.5 |
| 20 | Tulsa, OK | 13.8 | 13.1 | --- | --- | --- | 14.3 |
| 21 | Detroit, MI | --- | --- | 14.2 | 14.0 | --- | 14.2 |
| 21 | Wichita, KS | 16.0 | 15.7 | --- | --- | --- | 14.2 |
| 23 | St. Louis, MO | 15.9 | 15.5 | 12.4 | 12.1 | --- | 14.1 |
| 24 | Louisville/Jefferson Co., KY** | 12.5 | --- | 17.1 | --- | 54.2 | 14.0 |
| 25 | Milwaukee, WI | 10.0 | 9.8 | 20.5 | 20.1 | --- | 13.7 |
| 26 | Indianapolis, IN | 13.5 | 13.4 | 13.6 | 13.3 | --- | 13.6 |
| 27 | New Orleans, LA | --- | --- | 14.1 | 14.0 | --- | 13.4 |
| 28 | Austin, TX | 11.0 | 10.8 | --- | --- | 17.7 | 13.2 |
| 29 | Kansas City, MO | 13.2 | 12.9 | --- | --- | --- | 12.8 |
| 30 | Oakland, CA | --- | --- | 15.3 | 14.7 | --- | 12.7 |
| 31 | Denver, CO | 11.6 | 11.4 | --- | --- | 16.0 | 12.5 |
| 32 | Colorado Springs, CO | 12.0 | 11.7 | --- | --- | --- | 12.2 |
| 33 | Cincinnati, OH | --- | --- | 14.3 | 14.1 | --- | 12.0 |
| 34 | Long Beach, CA | 13.0 | 12.4 | --- | --- | --- | 11.2 |
| 35 | Charlotte, NC | --- | --- | 19.8 | 19.5 | --- | 11.1 |
| 36 | Portland, OR | 10.6 | 10.2 | --- | --- | --- | 10.9 |
| 37 | Los Angeles, CA | 10.3 | 9.7 | 17.2 | 16.4 | 10.9 | 10.7 |
| 38 | San Diego, CA | 9.2 | 8.8 | --- | --- | 11.7 | 10.0 |
| 39 | Philadelphia, PA | 11.4 | 11.1 | 8.5 | 8.3 | --- | 9.8 |
| 40 | Baltimore, MD | 9.6 | 9.4 | 9.8 | 9.7 | --- | 9.5 |
| 41 | Chicago, IL | 7.9 | 7.6 | 12.4 | 12.2 | 8.5 | 9.3 |
| 42 | Columbus, OH | 8.7 | 8.6 | --- | --- | --- | 8.8 |
| 43 | Pittsburgh, PA | --- | --- | --- | --- | --- | 8.1 |
| 43 | San Jose, CA | 10.0 | 9.4 | --- | --- | 13.6 | 8.1 |
| 45 | Omaha, NB | 8.0 | 7.9 | --- | --- | --- | 7.7 |
| 45 | Virginia Beach, VA | 7.1 | 7.0 | --- | --- | --- | 7.7 |
| 45 | Washington, DC | --- | --- | 8.8 | 8.7 | --- | 7.7 |
| 48 | Cleveland, OH | --- | --- | --- | --- | --- | 7.3 |
| 49 | Minneapolis, MN | --- | --- | --- | --- | --- | 7.1 |
| 50 | Seattle, WA | 6.2 | 6.0 | --- | --- | --- | 6.8 |
| 51 | San Francisco, CA | --- | --- | --- | --- | --- | 5.8 |
| 52 | Honolulu, HI | --- | --- | --- | --- | --- | 5.7 |
| 53 | New York, NY | 4.8 | 4.6 | 5.5 | 5.3 | 4.4 | 4.9 |
| 54 | Boston, MA | --- | --- | --- | --- | --- | 4.8 |
| City Average | | 13.6 | 13.3 | 16.5 | 16.1 | 21.9 | 13.5 |
| United States, 2004 | | --- | --- | --- | --- | --- | 14.8 |
| 2010 Goal | | | | | | | 8.0 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £ Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.15: HOMICIDE RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|----------------------------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|-------------|-------------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | New Orleans, LA | --- | --- | 68.5 | 68.0 | --- | 47.9 |
| 2 | Baltimore, MD | --- | --- | 56.6 | 55.9 | --- | 39.5 |
| 3 | Detroit, MI | --- | --- | 41.7 | 41.2 | --- | 36.8 |
| 4 | Washington, DC | --- | --- | 51.1 | 50.1 | --- | 27.7 |
| 5 | St. Louis, MO | --- | --- | 46.7 | 46.0 | --- | 25.4 |
| 6 | Miami, FL | --- | --- | 67.6 | 62.9 | 8.8 | 22.5 |
| 7 | Atlanta, GA | --- | --- | 33.8 | 33.5 | --- | 21.9 |
| 8 | Philadelphia, PA | 5.6 | 5.5 | 40.6 | 39.7 | 18.9 | 21.4 |
| 9 | Las Vegas, NV | 11.0 | 10.6 | 60.6 | 57.3 | 24.0 | 19.9 |
| 10 | Memphis, TN | --- | --- | 23.9 | 23.7 | --- | 17.6 |
| 10 | Oakland, CA | --- | --- | 41.0 | 39.1 | --- | 17.6 |
| 10 | Sacramento, CA | 14.0 | 13.0 | 33.9 | 31.1 | --- | 17.6 |
| 13 | Kansas City, MO | --- | --- | 42.4 | 41.3 | --- | 17.5 |
| 14 | Dallas, TX | 5.3 | 5.2 | 32.1 | 31.6 | 15.5 | 16.1 |
| 15 | Tucson, AZ | 10.5 | 10.3 | --- | --- | 21.7 | 16.0 |
| 16 | Cleveland, OH | --- | --- | 22.6 | 22.3 | --- | 15.9 |
| 17 | Cincinnati, OH | --- | --- | 32.4 | 31.7 | --- | 15.8 |
| 18 | Chicago, IL | 3.5 | 3.3 | 31.6 | 31.1 | 9.3 | 14.5 |
| 19 | Jacksonville, FL | 6.1 | 6.0 | 34.2 | 33.6 | --- | 14.3 |
| 20 | Denver, CO | 9.1 | 8.8 | --- | --- | 19.1 | 14.2 |
| 21 | Houston, TX | 5.1 | 4.9 | 26.2 | 25.8 | 15.1 | 14.0 |
| 22 | Phoenix, AZ | 6.9 | 6.8 | 32.7 | 30.4 | 23.9 | 13.9 |
| 23 | Los Angeles, CA | 3.9 | 3.6 | 52.5 | 49.8 | 13.3 | 13.5 |
| 24 | Milwaukee, WI | --- | --- | 22.6 | 22.1 | --- | 13.4 |
| 25 | Tulsa, OK | 8.5 | 8.2 | 37.5 | 35.7 | --- | 12.9 |
| 26 | Indianapolis, IN | 4.9 | 4.8 | 33.2 | 32.5 | --- | 12.7 |
| 27 | Long Beach, CA | --- | --- | 33.0 | 31.3 | 11.9 | 12.5 |
| 28 | Columbus, OH | 5.6 | 5.5 | 30.5 | 29.1 | --- | 12.3 |
| 29 | Pittsburgh, PA | --- | --- | 37.9 | 36.8 | --- | 12.1 |
| 30 | Fresno, CA | --- | --- | --- | --- | 14.6 | 12.0 |
| 31 | Charlotte, NC | --- | --- | 25.3 | 25.0 | --- | 11.7 |
| 32 | Minneapolis, MN | --- | --- | 41.5 | 37.2 | --- | 10.5 |
| 33 | Oklahoma City, OK | 6.5 | 6.2 | --- | --- | --- | 10.2 |
| 34 | Fort Worth, TX | --- | --- | 19.8 | 19.4 | --- | 9.8 |
| 35 | Louisville/Jefferson Co., KY** | 3.9 | --- | 33.5 | --- | 28.2 | 9.8 |
| 36 | Nashville-Davidson, TN | --- | --- | 23.6 | 23.2 | --- | 9.6 |
| 37 | Wichita, KS | --- | --- | --- | --- | --- | 8.7 |
| 38 | San Francisco, CA | --- | --- | 72.5 | 65.1 | --- | 8.6 |
| 39 | Boston, MA | --- | --- | 27.1 | 24.8 | --- | 8.3 |
| 40 | Albuquerque, NM | --- | --- | --- | --- | 11.3 | 8.2 |
| 40 | San Antonio, TX | --- | --- | --- | --- | 10.2 | 8.2 |
| 42 | New York, NY | 2.4 | 2.3 | 16.1 | 15.4 | 6.4 | 6.7 |
| 43 | Mesa, AZ | --- | --- | --- | --- | --- | 6.0 |
| 44 | San Diego, CA | --- | --- | 29.7 | 27.5 | 7.6 | 5.4 |
| 45 | Portland, OR | --- | --- | --- | --- | --- | 4.7 |
| 46 | Seattle, WA | --- | --- | --- | --- | --- | 4.4 |
| 46 | Virginia Beach, VA | --- | --- | --- | --- | --- | 4.4 |
| 48 | Austin, TX | --- | --- | --- | --- | --- | 4.0 |
| 49 | San Jose, CA | --- | --- | --- | --- | --- | 3.5 |
| --- | Arlington, TX | --- | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO | --- | --- | --- | --- | --- | --- |
| --- | El Paso, TX | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI | --- | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- | --- |
| City Average | | 6.6 | 6.6 | 37.7 | 36.3 | 15.3 | 14.5 |
| United States, 2004 | | --- | --- | --- | --- | --- | 5.6 |
| 2010 Goal | | --- | --- | --- | --- | --- | 2.8 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.16: FIREARM-RELATED MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | New Orleans, LA | 16.2 | 15.9 | 70.1 | 69.6 | --- | 51.6 |
| 2 | Detroit, MI | --- | --- | 38.2 | 37.8 | --- | 33.5 |
| 2 | Las Vegas, NV | 30.8 | 30.0 | 57.0 | 54.1 | 25.4 | 33.5 |
| 4 | Baltimore, MD | --- | --- | 48.5 | 48.0 | --- | 32.0 |
| 5 | St. Louis, MO | --- | --- | 43.2 | 42.5 | --- | 26.2 |
| 6 | Miami, FL | --- | --- | 56.3 | 52.4 | 12.8 | 25.2 |
| 7 | Tucson, AZ | 21.4 | 21.1 | --- | --- | 23.9 | 24.3 |
| 8 | Washington, DC | --- | --- | 42.1 | 41.3 | --- | 22.3 |
| 9 | Philadelphia, PA | 8.6 | 8.5 | 38.6 | 37.8 | 18.1 | 21.8 |
| 10 | Sacramento, CA | 18.9 | 17.9 | --- | --- | 25.6 | 20.9 |
| 11 | Atlanta, GA | --- | --- | 28.6 | 28.3 | --- | 20.8 |
| 12 | Phoenix, AZ | 14.7 | 14.5 | 34.1 | 31.9 | 27.2 | 19.5 |
| 13 | Kansas City, MO | 10.3 | 10.1 | 39.1 | 38.1 | --- | 19.4 |
| 14 | Memphis, TN | 12.6 | 12.4 | 21.7 | 21.6 | --- | 19.0 |
| 15 | Colorado Springs, CO | 17.5 | 17.2 | --- | --- | --- | 18.6 |
| 15 | Tulsa, OK | 17.3 | 16.7 | 34.1 | 32.5 | --- | 18.6 |
| 17 | Jacksonville, FL | 14.3 | 14.1 | 27.8 | 27.4 | --- | 18.1 |
| 18 | Fresno, CA | 13.9 | 13.5 | --- | --- | 14.2 | 17.4 |
| 19 | Dallas, TX | 11.0 | 10.8 | 26.1 | 25.7 | 15.1 | 17.2 |
| 20 | Houston, TX | 13.8 | 13.5 | 23.0 | 22.7 | 15.2 | 17.0 |
| 21 | Charlotte, NC | 13.5 | 13.3 | 25.1 | 24.7 | --- | 16.8 |
| 22 | Albuquerque, NM | 15.2 | 14.9 | --- | --- | 17.8 | 16.7 |
| 23 | Cincinnati, OH | --- | --- | 30.4 | 29.7 | --- | 16.5 |
| 24 | Indianapolis, IN | 11.1 | 11.0 | 27.9 | 27.3 | --- | 16.2 |
| 25 | Oakland, CA | --- | --- | 35.3 | 33.6 | --- | 15.8 |
| 26 | Nashville-Davidson, TN | 12.0 | 11.8 | 24.2 | 23.7 | --- | 15.4 |
| 27 | Louisville/Jefferson Co., KY** | 11.4 | --- | 29.6 | --- | 0.0 | 15.3 |
| 28 | Long Beach, CA | 10.2 | 10.0 | --- | --- | 11.6 | 15.0 |
| 29 | Pittsburgh, PA | 8.5 | 8.4 | 37.2 | 36.1 | --- | 14.9 |
| 30 | Milwaukee, WI | 9.9 | 9.7 | 21.7 | 21.2 | --- | 14.7 |
| 31 | Denver, CO | 12.1 | 11.8 | --- | --- | 14.0 | 14.5 |
| 31 | Mesa, AZ | 13.0 | 12.9 | --- | --- | --- | 14.5 |
| 33 | Cleveland, OH | 10.9 | 10.6 | 17.7 | 17.4 | --- | 14.2 |
| 34 | Los Angeles, CA | 6.0 | 5.7 | 48.2 | 45.7 | 12.3 | 13.8 |
| 35 | Oklahoma City, OK | 11.3 | 11.0 | --- | --- | --- | 13.4 |
| 35 | Wichita, KS | 9.2 | 9.1 | 52.6 | 50.2 | --- | 13.4 |
| 37 | Columbus, OH | 9.3 | 9.2 | 25.9 | 24.6 | --- | 13.1 |
| 38 | Chicago, IL | 4.8 | 4.6 | 24.3 | 23.9 | 8.3 | 12.2 |
| 39 | Fort Worth, TX | 9.5 | 9.4 | 18.4 | 18.1 | --- | 11.3 |
| 40 | Minneapolis, MN | --- | --- | 32.0 | 28.2 | --- | 10.8 |
| 41 | Virginia Beach, VA | 10.8 | 10.6 | --- | --- | --- | 10.5 |
| 42 | San Antonio, TX | 9.9 | 9.7 | --- | --- | 8.7 | 9.4 |
| 43 | Portland, OR | 8.5 | 8.2 | --- | --- | --- | 9.2 |
| 44 | San Francisco, CA | --- | --- | 64.7 | 57.7 | --- | 8.6 |
| 45 | Austin, TX | 8.1 | 8.0 | --- | --- | --- | 7.7 |
| 46 | Omaha, NB | --- | --- | --- | --- | --- | 7.2 |
| 47 | Boston, MA | --- | --- | 25.1 | 22.9 | --- | 7.1 |
| 48 | Arlington, TX | --- | --- | --- | --- | --- | 7.0 |
| 49 | Seattle, WA | 6.1 | 5.9 | --- | --- | --- | 6.9 |
| 50 | San Diego, CA | 4.5 | 4.4 | 21.7 | 19.8 | 7.0 | 6.6 |
| 51 | San Jose, CA | --- | --- | --- | --- | --- | 5.3 |
| 52 | El Paso, TX | --- | --- | --- | --- | --- | 5.2 |
| 53 | New York, NY | 2.5 | 2.4 | 12.1 | 11.5 | 4.4 | 5.1 |
| --- | Honolulu, HI | --- | --- | --- | --- | --- | --- |
| City Average | | 11.8 | 11.6 | 34.4 | 33.2 | 14.5 | 16.2 |
| United States, 2004 | | --- | --- | --- | --- | --- | 9.8 |
| 2010 Goal | | --- | --- | --- | --- | --- | 3.6 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.17: SUICIDE RATE BY RACE/ETHNICITY, 2004

| Rank | City* | NH White Alone [§] | NH White Alone/ Combination [£] | Rate [†] NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | Total |
|------|--------------------------------|-----------------------------|---|--|---|----------|-------|
| 1 | Las Vegas, NV | 42.4 | 41.4 | --- | --- | --- | 34.5 |
| 2 | Colorado Springs, CO | 27.1 | 26.6 | --- | --- | --- | 26.1 |
| 3 | Tucson, AZ | 31.6 | 31.1 | --- | --- | 14.4 | 25.0 |
| 4 | Sacramento, CA | 29.7 | 28.3 | --- | --- | --- | 22.7 |
| 5 | Albuquerque, NM | 22.3 | 21.8 | --- | --- | 20.5 | 21.0 |
| 6 | Mesa, AZ | 19.4 | 19.1 | --- | --- | --- | 19.6 |
| 7 | Miami, FL | 60.7 | 59.2 | --- | --- | 12.4 | 17.1 |
| 8 | Denver, CO | 21.5 | 21.1 | --- | --- | --- | 16.2 |
| 9 | Jacksonville, FL | 20.2 | 19.9 | --- | --- | --- | 15.6 |
| 10 | Pittsburgh, PA | 17.3 | 17.1 | --- | --- | --- | 15.2 |
| 10 | Wichita, KS | 16.4 | 16.1 | --- | --- | --- | 15.2 |
| 12 | Portland, OR | 17.3 | 16.9 | --- | --- | --- | 15.1 |
| 13 | Fresno, CA | 23.5 | 22.6 | --- | --- | --- | 14.8 |
| 14 | Phoenix, AZ | 17.4 | 17.2 | --- | --- | 11.3 | 14.7 |
| 15 | Tulsa, OK | 18.1 | 17.5 | --- | --- | --- | 14.5 |
| 16 | Milwaukee, WI | 18.9 | 18.5 | --- | --- | --- | 14.2 |
| 17 | Oklahoma City, OK | 16.3 | 15.8 | --- | --- | --- | 14.1 |
| 18 | Atlanta, GA | 22.6 | 22.3 | 9.8 | 9.7 | --- | 13.8 |
| 19 | Austin, TX | 17.3 | 17.0 | --- | --- | --- | 13.6 |
| 20 | Cincinnati, OH | 14.4 | 14.2 | --- | --- | --- | 13.3 |
| 21 | Charlotte, NC | 16.5 | 16.3 | --- | --- | --- | 13.2 |
| 22 | St. Louis, MO | 17.2 | 16.8 | --- | --- | --- | 13.0 |
| 23 | Indianapolis, IN | 15.9 | 15.7 | --- | --- | --- | 12.9 |
| 24 | Louisville/Jefferson Co., KY** | 15.2 | --- | 2.3 | --- | 17.1 | 12.8 |
| 24 | Virginia Beach, VA | 14.7 | 14.5 | --- | --- | --- | 12.8 |
| 26 | Nashville-Davidson, TN | 15.5 | 15.3 | --- | --- | --- | 12.6 |
| 27 | Cleveland, OH | 18.2 | 17.8 | --- | --- | --- | 12.2 |
| 27 | Seattle, WA | 13.7 | 13.3 | --- | --- | --- | 12.2 |
| 29 | Kansas City, MO | 14.2 | 14.0 | --- | --- | --- | 12.1 |
| 30 | Houston, TX | 20.2 | 19.8 | 4.7 | 4.6 | 8.4 | 12.0 |
| 31 | San Francisco, CA | 16.3 | 15.7 | --- | --- | --- | 11.6 |
| 32 | Fort Worth, TX | 16.4 | 16.1 | --- | --- | --- | 10.9 |
| 32 | Honolulu, HI | --- | --- | --- | --- | --- | 10.9 |
| 34 | Columbus, OH | 11.6 | 11.4 | --- | --- | --- | 10.8 |
| 35 | Philadelphia, PA | 13.7 | 13.5 | 6.8 | 6.7 | --- | 10.7 |
| 36 | Omaha, NB | 12.2 | 12.1 | --- | --- | --- | 10.5 |
| 37 | San Diego, CA | 13.7 | 13.3 | --- | --- | --- | 10.4 |
| 38 | Dallas, TX | 14.6 | 14.4 | --- | --- | 6.6 | 10.3 |
| 39 | San Antonio, TX | 16.3 | 16.0 | --- | --- | 6.4 | 10.2 |
| 40 | Arlington, TX | 12.6 | 12.4 | --- | --- | --- | 9.4 |
| 41 | Long Beach, CA | 15.0 | 14.5 | --- | --- | --- | 9.3 |
| 42 | San Jose, CA | 12.1 | 11.6 | --- | --- | --- | 9.2 |
| 43 | New Orleans, LA | 14.8 | 14.5 | --- | --- | --- | 8.9 |
| 44 | Minneapolis, MN | 9.0 | 8.8 | --- | --- | --- | 8.8 |
| 45 | Memphis, TN | 12.9 | 12.7 | 5.3 | 5.3 | --- | 8.6 |
| 46 | Oakland, CA | --- | --- | --- | --- | --- | 8.4 |
| 47 | El Paso, TX | 16.1 | 15.7 | --- | --- | 5.6 | 8.3 |
| 48 | Los Angeles, CA | 9.6 | 9.2 | 6.4 | 6.1 | 4.1 | 7.1 |
| 49 | Chicago, IL | 10.4 | 10.1 | 3.7 | 3.6 | 5.2 | 6.3 |
| 50 | Detroit, MI | --- | --- | 5.4 | 5.3 | --- | 6.1 |
| 51 | New York, NY | 8.0 | 7.7 | 4.7 | 4.5 | 4.4 | 6.0 |
| 52 | Baltimore, MD | --- | --- | 5.3 | 5.2 | --- | 5.6 |
| 52 | Washington, DC | --- | --- | --- | --- | --- | 5.6 |
| 54 | Boston, MA | --- | --- | --- | --- | --- | 4.2 |
| | City Average | 18.1 | 17.8 | 5.4 | 5.7 | 9.7 | 12.8 |
| | United States, 2004 | --- | --- | --- | --- | --- | 10.7 |
| | 2010 Goal | | | | | | 4.8 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £ Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.18: HIV-RELATED MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|-------------|-------------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Miami, FL | 48.8 | 47.61 | 191.2 | 76.6 | 25.8 | 58.4 |
| 2 | Baltimore, MD | --- | --- | 75.0 | 74.2 | --- | 50.5 |
| 3 | Atlanta, GA | 17.5 | 17.3 | 60.0 | 59.5 | --- | 42.1 |
| 4 | Washington, DC | --- | --- | 65.6 | 64.4 | --- | 41.1 |
| 5 | New Orleans, LA | 16.7 | 16.4 | 34.7 | 34.4 | --- | 27.2 |
| 6 | San Francisco, CA | 26.9 | 26.0 | 65.7 | 62.1 | 22.8 | 21.7 |
| 7 | New York, NY | 7.0 | 6.8 | 42.7 | 40.9 | 22.0 | 18.2 |
| 8 | Memphis, TN | --- | --- | 28.4 | 28.3 | --- | 18.0 |
| 9 | Philadelphia, PA | 4.2 | 4.1 | 29.9 | 29.3 | 23.9 | 16.1 |
| 10 | Charlotte, NC | --- | --- | 43.4 | 42.9 | --- | 15.3 |
| 11 | Houston, TX | 6.5 | 6.3 | 38.3 | 37.9 | 7.0 | 14.1 |
| 11 | Nashville-Davidson, TN | 6.6 | 6.5 | 39.4 | 39.0 | --- | 14.1 |
| 13 | Dallas, TX | 13.0 | 12.8 | 20.6 | 20.3 | 10.5 | 13.4 |
| 14 | Detroit, MI | --- | --- | 13.7 | 13.5 | --- | 12.0 |
| 15 | Long Beach, CA | 11.1 | 10.8 | --- | --- | --- | 11.1 |
| 16 | Jacksonville, FL | --- | --- | 35.9 | 35.5 | --- | 11.0 |
| 17 | St. Louis, MO | --- | --- | 15.0 | 14.8 | --- | 10.3 |
| 18 | Denver, CO | 10.9 | 10.8 | --- | --- | --- | 10.0 |
| 19 | Oakland, CA | --- | --- | 17.5 | 16.9 | --- | 9.9 |
| 20 | Boston, MA | --- | --- | 21.7 | 20.3 | --- | 9.7 |
| 20 | Chicago, IL | 3.5 | 3.3 | 19.7 | 19.5 | 6.3 | 9.7 |
| 22 | Fort Worth, TX | --- | --- | 27.8 | 27.5 | --- | 9.6 |
| 23 | Kansas City, MO | --- | --- | 18.1 | 17.7 | --- | 9.4 |
| 24 | Los Angeles, CA | 8.2 | 7.8 | 22.6 | 21.7 | 8.5 | 8.9 |
| 25 | Las Vegas, NV | --- | --- | --- | --- | --- | 8.2 |
| 26 | Cleveland, OH | --- | --- | 10.4 | 10.3 | --- | 7.9 |
| 27 | Seattle, WA | 7.4 | 7.2 | --- | --- | --- | 7.8 |
| 28 | San Diego, CA | 7.7 | 7.5 | --- | --- | --- | 7.6 |
| 29 | Sacramento, CA | --- | --- | --- | --- | --- | 7.0 |
| 30 | San Antonio, TX | 5.1 | 5.0 | --- | --- | 6.8 | 6.8 |
| 31 | El Paso, TX | --- | --- | --- | --- | 7.4 | 6.2 |
| 32 | Austin, TX | --- | --- | --- | --- | --- | 5.8 |
| 33 | Milwaukee, WI | --- | --- | --- | --- | --- | 5.6 |
| 33 | Phoenix, AZ | 4.8 | 4.7 | --- | --- | --- | 5.6 |
| 35 | Indianapolis, IN | --- | --- | 14.9 | 14.7 | --- | 5.5 |
| 36 | Tucson, AZ | --- | --- | --- | --- | --- | 5.3 |
| 37 | Oklahoma City, OK | --- | --- | --- | --- | --- | 4.9 |
| 38 | Portland, OR | 5.1 | 4.9 | --- | --- | --- | 4.4 |
| 39 | Louisville/Jefferson Co., KY** | 1.6 | --- | 15.3 | --- | 8.6 | 4.1 |
| 40 | Columbus, OH | --- | --- | --- | --- | --- | 3.5 |
| 41 | San Jose, CA | --- | --- | --- | --- | --- | 2.3 |
| --- | Albuquerque, NM | --- | --- | --- | --- | --- | --- |
| --- | Arlington, TX | --- | --- | --- | --- | --- | --- |
| --- | Cincinnati, OH | --- | --- | --- | --- | --- | --- |
| --- | Colorado Springs, CO | --- | --- | --- | --- | --- | --- |
| --- | Fresno, CA | --- | --- | --- | --- | --- | --- |
| --- | Honolulu, HI | --- | --- | --- | --- | --- | --- |
| --- | Mesa, AZ | --- | --- | --- | --- | --- | --- |
| --- | Minneapolis, MN | --- | --- | --- | --- | --- | --- |
| --- | Omaha, NB | --- | --- | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- | --- | --- |
| --- | Tulsa, OK | --- | --- | --- | --- | --- | --- |
| --- | Virginia Beach, VA | --- | --- | --- | --- | --- | --- |
| --- | Wichita, KS | --- | --- | --- | --- | --- | --- |
| | City Average | 11.2 | 9.3 | 38.7 | 34.3 | 13.6 | 13.7 |
| | United States, 2004 | --- | --- | --- | --- | --- | 4.4 |
| | 2010 Goal | | | | | | 0.7 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.19: PNEUMONIA AND INFLUENZA MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | Rate† | | | | Hispanic | Total |
|------|--------------------------------|-----------------|-----------------------------|-----------------|-----------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/Combination£ | NH Black Alone§ | NH Black Alone/Combination£ | | |
| 1 | Sacramento, CA | 49.1 | 48.0 | --- | --- | --- | 45.7 |
| 2 | Tucson, AZ | 44.6 | 44.2 | --- | --- | 31.9 | 41.2 |
| 3 | Las Vegas, NV | 39.3 | 38.8 | --- | --- | --- | 39.6 |
| 4 | New York, NY | 34.9 | 34.2 | 45.3 | 43.9 | 42.1 | 37.1 |
| 5 | Fresno, CA | 36.8 | 36.2 | --- | --- | 35.0 | 34.7 |
| 6 | Los Angeles, CA | 31.5 | 30.7 | 45.1 | 43.9 | 37.9 | 33.7 |
| 7 | San Francisco, CA | 31.8 | 31.0 | 39.2 | 37.7 | --- | 28.3 |
| 8 | Miami, FL | 43.7 | 43.0 | 36.9 | 34.7 | 22.6 | 28.0 |
| 9 | Boston, MA | 31.5 | 31.1 | --- | --- | --- | 27.1 |
| 10 | San Jose, CA | 24.4 | 23.8 | --- | --- | 40.8 | 27.0 |
| 11 | Baltimore, MD | 29.0 | 28.7 | 27.2 | 27.0 | --- | 26.9 |
| 12 | Oakland, CA | 34.9 | 34.1 | 21.1 | 20.6 | --- | 26.7 |
| 13 | Columbus, OH | 27.0 | 26.8 | 24.8 | 24.2 | --- | 26.5 |
| 13 | Jacksonville, FL | 25.8 | 25.6 | 33.2 | 32.8 | --- | 26.5 |
| 15 | Virginia Beach, VA | 27.2 | 27.0 | --- | --- | --- | 25.9 |
| 16 | Memphis, TN | 25.9 | 25.7 | 26.3 | 26.2 | --- | 25.8 |
| 17 | Long Beach, CA | 25.0 | 24.6 | --- | --- | --- | 23.3 |
| 18 | Detroit, MI | 19.6 | 18.8 | 24.1 | 23.9 | --- | 22.9 |
| 19 | Chicago, IL | 19.4 | 19.0 | 28.0 | 27.7 | 19.3 | 22.4 |
| 19 | Phoenix, AZ | 22.8 | 22.6 | --- | --- | 21.6 | 22.4 |
| 21 | St. Louis, MO | 23.9 | 23.7 | 19.3 | 19.1 | --- | 22.1 |
| 22 | Denver, CO | 23.6 | 23.4 | --- | --- | --- | 21.9 |
| 23 | Tulsa, OK | 23.4 | 22.9 | --- | --- | --- | 21.5 |
| 24 | Albuquerque, NM | 19.7 | 19.6 | --- | --- | 26.6 | 21.4 |
| 24 | Oklahoma City, OK | 23.2 | 22.8 | --- | --- | --- | 21.4 |
| 26 | Nashville-Davidson, TN | 20.3 | 20.2 | 23.9 | 23.6 | --- | 21.0 |
| 27 | Omaha, NB | 21.2 | 21.1 | --- | --- | --- | 20.7 |
| 28 | Houston, TX | 15.6 | 15.5 | 31.9 | 31.6 | 16.7 | 20.0 |
| 29 | Cincinnati, OH | 16.7 | 16.5 | 26.3 | 26.0 | --- | 19.5 |
| 30 | Indianapolis, IN | 20.3 | 20.1 | --- | --- | --- | 19.3 |
| 31 | Colorado Springs, CO | 18.9 | 18.8 | --- | --- | --- | 19.1 |
| 31 | Mesa, AZ | 18.6 | 18.5 | --- | --- | --- | 19.1 |
| 33 | Pittsburgh, PA | 17.9 | 17.8 | --- | --- | --- | 18.7 |
| 34 | Atlanta, GA | 14.8 | 14.7 | 20.5 | 20.4 | --- | 18.4 |
| 35 | Louisville/Jefferson Co., KY** | 17.9 | --- | 21.7 | --- | 0.0 | 18.0 |
| 36 | Arlington, TX | 17.3 | 17.2 | --- | --- | --- | 17.8 |
| 37 | Honolulu, HI | --- | --- | --- | --- | --- | 17.5 |
| 38 | El Paso, TX | 20.6 | 20.2 | --- | --- | 16.3 | 17.2 |
| 39 | Charlotte, NC | 16.6 | 16.6 | --- | --- | --- | 17.1 |
| 40 | Milwaukee, WI | 15.8 | 15.7 | 19.7 | 19.5 | --- | 17.0 |
| 41 | San Diego, CA | 15.5 | 15.3 | --- | --- | 21.9 | 16.8 |
| 42 | New Orleans, LA | 17.2 | 17.0 | 16.0 | 15.9 | --- | 16.7 |
| 43 | Cleveland, OH | 15.0 | 14.8 | 18.8 | 18.7 | --- | 16.2 |
| 43 | Dallas, TX | 14.1 | 14.0 | 25.3 | 25.0 | --- | 16.2 |
| 43 | Philadelphia, PA | 14.2 | 14.1 | 20.1 | 19.8 | --- | 16.2 |
| 43 | Washington, DC | --- | --- | 20.0 | 19.8 | --- | 16.2 |
| 47 | Fort Worth, TX | 15.6 | 15.5 | --- | --- | --- | 15.9 |
| 48 | San Antonio, TX | 15.4 | 15.2 | --- | --- | 14.9 | 15.3 |
| 49 | Wichita, KS | 15.9 | 15.8 | --- | --- | --- | 15.1 |
| 50 | Kansas City, MO | 15.1 | 15.0 | --- | --- | --- | 14.5 |
| 51 | Minneapolis, MN | 13.9 | 13.7 | --- | --- | --- | 13.9 |
| 51 | Seattle, WA | 15.1 | 15.0 | --- | --- | --- | 13.9 |
| 53 | Austin, TX | 12.6 | 12.5 | --- | --- | --- | 13.2 |
| 53 | Portland, OR | 13.8 | 13.7 | --- | --- | --- | 13.2 |
| | City Average | 22.8 | 22.6 | 26.7 | 26.5 | 24.8 | 22.1 |
| | United States, 2004 | --- | --- | --- | --- | --- | 20.4 |
| | 2010 Goal | | | | | | 20.4 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.20: DIABETES MORTALITY RATE BY RACE/ETHNICITY, 2004

| Rank | City* | NH White Alone [§] | NH White Alone/ Combination [£] | Rate [†] NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | Total |
|------|--------------------------------|-----------------------------|---|--|---|----------|-------|
| 1 | New Orleans, LA | 29.0 | 28.7 | 99.8 | 98.9 | --- | 66.3 |
| 2 | San Antonio, TX | 35.1 | 34.7 | 60.1 | 59.1 | 66.4 | 49.8 |
| 3 | El Paso, TX | 29.5 | 29.1 | --- | --- | 55.0 | 45.8 |
| 4 | Sacramento, CA | 37.0 | 36.1 | 80.1 | 76.8 | 54.0 | 42.5 |
| 5 | Cincinnati, OH | 27.2 | 27.0 | 72.4 | 71.6 | --- | 42.2 |
| 6 | Fresno, CA | 30.1 | 29.5 | --- | --- | 74.3 | 41.2 |
| 7 | Tucson, AZ | 34.5 | 34.1 | --- | --- | 61.8 | 40.7 |
| 8 | Miami, FL | 51.2 | 50.4 | 86.4 | 82.3 | 31.1 | 39.8 |
| 8 | Washington, DC | 16.6 | 16.3 | 54.0 | 53.3 | --- | 39.8 |
| 10 | Columbus, OH | 26.6 | 26.3 | 84.5 | 82.5 | --- | 38.9 |
| 11 | Baltimore, MD | 28.6 | 28.3 | 49.1 | 48.7 | --- | 38.5 |
| 12 | Jacksonville, FL | 29.9 | 29.6 | 65.9 | 65.3 | --- | 37.1 |
| 13 | St. Louis, MO | 23.9 | 23.6 | 53.3 | 52.8 | --- | 35.6 |
| 14 | Fort Worth, TX | 27.7 | 27.4 | 58.5 | 58.0 | 62.2 | 35.0 |
| 15 | Memphis, TN | 19.5 | 19.3 | 54.7 | 54.5 | --- | 34.8 |
| 16 | Portland, OR | 32.6 | 32.2 | 84.4 | 80.2 | --- | 34.1 |
| 17 | Milwaukee, WI | 22.5 | 22.3 | 69.1 | 68.3 | --- | 33.3 |
| 18 | Detroit, MI | 23.6 | 22.0 | 36.6 | 36.2 | --- | 32.4 |
| 19 | Nashville-Davidson, TN | 22.9 | 22.7 | 72.4 | 71.8 | --- | 32.1 |
| 20 | Houston, TX | 18.9 | 18.7 | 51.6 | 51.2 | 52.6 | 31.9 |
| 21 | Louisville/Jefferson Co., KY** | 27.9 | --- | 57.5 | --- | 35.4 | 31.7 |
| 22 | Cleveland, OH | 21.1 | 20.8 | 44.2 | 43.7 | --- | 31.4 |
| 23 | Wichita, KS | 25.6 | 25.4 | --- | --- | --- | 30.5 |
| 24 | Los Angeles, CA | 21.3 | 20.7 | 54.4 | 52.8 | 47.7 | 30.4 |
| 25 | Oakland, CA | --- | --- | 51.5 | 50.3 | --- | 30.1 |
| 26 | Albuquerque, NM | 21.8 | 21.6 | --- | --- | 51.1 | 30.0 |
| 27 | Austin, TX | 18.4 | 18.3 | 50.2 | 49.5 | 72.4 | 29.9 |
| 28 | Indianapolis, IN | 24.3 | 24.1 | 49.9 | 49.4 | --- | 28.9 |
| 29 | Chicago, IL | 20.1 | 19.7 | 41.1 | 40.8 | 37.4 | 28.4 |
| 30 | San Jose, CA | 23.2 | 22.6 | --- | --- | 56.1 | 28.0 |
| 31 | Omaha, NB | 20.3 | 20.2 | 101.9 | 100.1 | --- | 27.7 |
| 32 | Arlington, TX | 27.0 | 26.7 | --- | --- | --- | 27.6 |
| 33 | Tulsa, OK | 20.3 | 19.8 | 102.5 | 99.9 | --- | 27.3 |
| 34 | Long Beach, CA | 19.5 | 19.1 | --- | --- | 53.2 | 26.7 |
| 35 | Philadelphia, PA | 19.1 | 18.9 | 39.6 | 39.1 | --- | 26.6 |
| 36 | Oklahoma City, OK | 21.5 | 21.0 | 58.2 | 57.0 | --- | 26.2 |
| 37 | Kansas City, MO | 17.3 | 17.1 | 51.1 | 50.4 | --- | 25.9 |
| 38 | Charlotte, NC | 19.3 | 19.2 | 48.4 | 48.0 | --- | 25.8 |
| 39 | Dallas, TX | 14.3 | 14.2 | 54.4 | 53.9 | 34.4 | 25.2 |
| 40 | Seattle, WA | 20.5 | 20.3 | 74.2 | 70.5 | --- | 24.6 |
| 41 | Pittsburgh, PA | 19.3 | 19.1 | 44.7 | 43.9 | --- | 24.2 |
| 42 | Las Vegas, NV | 19.9 | 19.7 | --- | --- | --- | 24.1 |
| 42 | Mesa, AZ | 21.8 | 21.7 | --- | --- | --- | 24.1 |
| 44 | Minneapolis, MN | 18.7 | 18.5 | --- | --- | --- | 23.0 |
| 45 | Phoenix, AZ | 17.7 | 17.5 | --- | --- | 54.4 | 22.9 |
| 46 | New York, NY | 14.4 | 14.1 | 46.3 | 44.8 | 31.2 | 22.8 |
| 47 | San Diego, CA | 16.0 | 15.7 | 47.1 | 45.1 | 42.7 | 21.7 |
| 48 | Boston, MA | 18.9 | 18.7 | 42.0 | 39.9 | --- | 21.6 |
| 49 | Denver, CO | 14.9 | 14.8 | 51.3 | 49.8 | 32.6 | 21.5 |
| 50 | Virginia Beach, VA | 18.0 | 17.9 | --- | --- | --- | 21.4 |
| 51 | Atlanta, GA | --- | --- | 31.8 | 31.6 | --- | 20.4 |
| 52 | San Francisco, CA | 13.1 | 12.8 | 52.8 | 50.7 | --- | 17.0 |
| 53 | Colorado Springs, CO | 14.6 | 14.4 | --- | --- | --- | 16.2 |
| 54 | Honolulu, HI | --- | --- | --- | --- | --- | 13.5 |
| | City Average | 23.1 | 22.7 | 59.7 | 58.5 | 50.3 | 30.5 |
| | United States, 2004 | --- | --- | --- | --- | --- | 24.4 |
| | 2010 Goal | | | | | | 46.0 |

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £ Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.21: INFANT MORTALITY RATE BY RACE/ETHNICITY[†], 2003

| Rank | City* | NH White | Rate [†] NH Black | Hispanic | Total |
|---------------------|--------------------------------|----------|-------------------------------|----------|-------|
| 1 | Memphis, TN | --- | 22.1 | --- | 17.3 |
| 2 | Detroit, MI | --- | 18.1 | --- | 16.4 |
| 3 | Pittsburgh, PA | --- | 26.1 | --- | 14.5 |
| 4 | Baltimore, MD | --- | 18.0 | --- | 12.8 |
| 5 | St. Louis, MO | --- | 15.8 | --- | 12.7 |
| 6 | Tucson, AZ | 6.5 | --- | 39.0 | 12.1 |
| 7 | Milwaukee, WI | 6.0 | 16.0 | 9.4 | 11.4 |
| 8 | New Orleans, LA | --- | 12.2 | --- | 11.3 |
| 9 | Philadelphia, PA | 7.5 | 14.0 | 5.8 | 10.6 |
| 10 | Washington, DC | --- | 13.7 | --- | 10.5 |
| 11 | Cincinnati, OH | --- | 15.0 | --- | 10.3 |
| 11 | Oklahoma City, OK | 10.0 | 16.6 | --- | 10.3 |
| 13 | Jacksonville, FL | 7.3 | 16.2 | --- | 10.2 |
| 14 | Chicago, IL | 6.0 | 17.0 | 5.9 | 10.0 |
| 14 | Cleveland, OH | --- | 13.1 | --- | 10.0 |
| 16 | Columbus, OH | 6.4 | 14.9 | --- | 9.8 |
| 17 | Indianapolis, IN | 7.9 | 15.4 | --- | 9.4 |
| 18 | Fort Worth, TX | 7.4 | 17.9 | 6.2 | 8.8 |
| 19 | Kansas City, MO | 6.5 | 12.6 | --- | 8.3 |
| 20 | Dallas, TX | 5.9 | 14.4 | 6.7 | 8.1 |
| 21 | Honolulu, HI | --- | --- | --- | 8.0 |
| 22 | San Antonio, TX | 6.0 | 16.8 | 7.3 | 7.5 |
| 23 | Nashville-Davidson, TN | --- | 12.0 | --- | 7.4 |
| 24 | Omaha, NB | 5.3 | --- | --- | 7.3 |
| 25 | Charlotte, NC | 4.0 | 12.7 | --- | 7.2 |
| 25 | Colorado Springs, CO | 5.7 | --- | --- | 7.2 |
| 27 | Fresno, CA | 9.3 | --- | 5.8 | 7.0 |
| 27 | Long Beach, CA | --- | --- | 6.9 | 7.0 |
| 29 | Denver, CO | --- | --- | 7.2 | 6.9 |
| 29 | Houston, TX | 7.0 | 11.7 | 5.1 | 6.9 |
| 31 | Phoenix, AZ | 4.9 | --- | 7.6 | 6.8 |
| 32 | Virginia Beach, VA | 6.1 | --- | --- | 6.7 |
| 33 | Oakland, CA | --- | 13.2 | --- | 6.5 |
| 34 | Louisville/Jefferson Co., KY** | 10.0 | 5.5 | 2.1 | 6.4 |
| 35 | Wichita, KS | 4.9 | --- | --- | 6.3 |
| 36 | Arlington, TX | 7.6 | --- | --- | 6.2 |
| 36 | Austin, TX | --- | --- | 6.3 | 6.2 |
| 36 | New York, NY | 4.2 | 10.3 | 4.8 | 6.2 |
| 39 | Boston, MA | --- | 13.0 | --- | 6.1 |
| 40 | Mesa, AZ | --- | --- | 8.0 | 6.0 |
| 41 | Sacramento, CA | --- | 11.5 | 5.7 | 5.9 |
| 42 | Seattle, WA | --- | --- | --- | 5.6 |
| 43 | Los Angeles, CA | 5.7 | 11.2 | 4.8 | 5.5 |
| 44 | Minneapolis, MN | --- | --- | --- | 5.4 |
| 45 | Miami, FL | --- | 4.2 | --- | 5.0 |
| 46 | Albuquerque, NM | --- | --- | 4.6 | 4.5 |
| 46 | San Diego, CA | 4.5 | --- | 5.3 | 4.5 |
| 46 | Tulsa, OK | 6.0 | --- | --- | 4.5 |
| 49 | San Jose, CA | --- | --- | 5.3 | 4.0 |
| 50 | El Paso, TX | --- | --- | 3.6 | 3.9 |
| 50 | Portland, OR | --- | --- | --- | 3.9 |
| 52 | Las Vegas, NV | 3.9 | --- | --- | 3.7 |
| 53 | San Francisco, CA | --- | --- | --- | 3.1 |
| --- | Atlanta, GA | --- | --- | --- | --- |
| City Average | | 6.4 | 14.4 | 7.4 | 7.9 |
| United States, 2003 | | 5.7 | --- | 5.6 | 6.8 |
| 2010 Goal | | | | | 4.5 |

[†] Per 1,000 live births.

^f Rates based on race/ethnicity categories employed in 1990 census.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.22: FERTILITY RATE BY RACE/ETHNICITY, 2003

| Rank | City* | Rate† | | | | Hispanic | Total |
|---------------------|--------------------------------|-----------------|---------------------------------|-----------------|---------------------------------|----------|-------|
| | | NH White Alone§ | NH White Alone/ Combination£ | NH Black Alone§ | NH Black Alone/ Combination£ | | |
| 1 | Miami, FL | 137.6 | 132.9 | 326.8 | 305.7 | 146.8 | 182.9 |
| 2 | Las Vegas, NV | 130.2 | 125.7 | 178.5 | 168.9 | 258.4 | 173.0 |
| 3 | Tulsa, OK | 87.4 | 83.3 | 24.8 | 23.6 | 926.9 | 138.0 |
| 4 | Sacramento, CA | 116.7 | 108.9 | 117.6 | 108.8 | 185.0 | 129.9 |
| 5 | Fresno, CA | 69.3 | 66.1 | 95.7 | 90.9 | 134.5 | 101.5 |
| 6 | El Paso, TX | 55.4 | 53.4 | 69.9 | 65.0 | 110.0 | 99.6 |
| 7 | Houston, TX | 60.1 | 58.5 | 76.2 | 75.1 | 142.4 | 97.7 |
| 8 | Mesa, AZ | 76.2 | 74.9 | 97.6 | 87.3 | 163.8 | 97.1 |
| 9 | Fort Worth, TX | 68.3 | 66.9 | 78.4 | 77.1 | 139.8 | 91.8 |
| 10 | Atlanta, GA | 75.1 | 73.6 | 75.6 | 74.8 | 408.5 | 90.1 |
| 11 | Denver, CO | 59.4 | 57.7 | 77.4 | 72.0 | 145.5 | 88.5 |
| 12 | San Antonio, TX | 68.1 | 66.1 | 73.1 | 70.2 | 97.6 | 85.8 |
| 13 | Phoenix, AZ | 46.5 | 45.5 | 80.8 | 74.6 | 147.6 | 85.3 |
| 14 | Wichita, KS | 77.2 | 75.4 | 93.4 | 88.9 | 139.9 | 84.9 |
| 15 | Dallas, TX | 50.4 | 49.3 | 65.9 | 64.8 | 131.9 | 83.7 |
| 16 | Charlotte, NC | 71.4 | 70.4 | 73.7 | 72.7 | 208.0 | 82.2 |
| 17 | Albuquerque, NM | 60.0 | 58.1 | 73.7 | 63.9 | 107.3 | 81.7 |
| 18 | Colorado Springs, CO | 71.7 | 69.7 | 90.6 | 81.0 | 136.1 | 79.5 |
| 19 | Omaha, NB | 66.4 | 65.5 | 87.8 | 84.2 | 182.0 | 77.9 |
| 20 | Milwaukee, WI | 56.1 | 54.6 | 88.0 | 86.1 | 125.1 | 77.8 |
| 21 | Arlington, TX | 56.9 | 55.6 | 77.6 | 75.3 | 143.6 | 77.3 |
| 22 | Indianapolis, IN | 66.0 | 65.1 | 80.3 | 78.6 | 237.6 | 76.2 |
| 23 | San Jose, CA | 53.3 | 50.0 | 55.4 | 49.3 | 103.2 | 76.0 |
| 24 | Oklahoma City, OK | 59.1 | 56.8 | 79.1 | 75.5 | 167.4 | 73.6 |
| 25 | Austin, TX | 51.6 | 50.4 | 61.9 | 59.4 | 119.4 | 73.2 |
| 26 | Long Beach, CA | 48.8 | 45.8 | 57.7 | 54.9 | 104.6 | 72.2 |
| 27 | Los Angeles, CA | 45.3 | 42.3 | 59.7 | 56.6 | 97.8 | 72.0 |
| 28 | Kansas City, MO | 61.7 | 60.4 | 73.0 | 71.1 | 152.5 | 71.5 |
| 29 | Memphis, TN | 48.6 | 47.7 | 76.3 | 75.8 | 215.3 | 71.4 |
| 30 | Cincinnati, OH | 62.2 | 61.1 | 80.8 | 79.2 | 171.8 | 71.1 |
| 31 | Cleveland, OH | 60.8 | 59.1 | 77.7 | 76.5 | 80.8 | 70.4 |
| 32 | Portland, OR | 60.3 | 58.0 | 82.7 | 71.7 | 161.2 | 69.1 |
| 33 | Chicago, IL | 48.4 | 46.6 | 67.6 | 66.6 | 99.0 | 68.5 |
| 34 | Jacksonville, FL | 60.6 | 59.5 | 79.2 | 78.1 | 98.1 | 68.2 |
| 35 | San Diego, CA | 48.3 | 46.0 | 61.4 | 55.8 | 102.1 | 65.6 |
| 36 | St. Louis, MO | 50.6 | 49.2 | 77.2 | 76.0 | 111.0 | 65.0 |
| 37 | Minneapolis, MN | 45.4 | 44.0 | 100.3 | 89.9 | 163.0 | 64.8 |
| 38 | Detroit, MI | 70.7 | 62.5 | 61.6 | 60.8 | 128.9 | 64.7 |
| 39 | Oakland, CA | 58.8 | 53.8 | 50.2 | 47.8 | 104.8 | 64.5 |
| 40 | Louisville/Jefferson Co., KY** | 58.4 | --- | 73.6 | --- | 165.4 | 64.2 |
| 41 | Honolulu, HI | 74.6 | 46.7 | 106.0 | 80.5 | 111.7 | 63.6 |
| 42 | Philadelphia, PA | 44.1 | 43.1 | 72.6 | 71.1 | 106.3 | 63.0 |
| 42 | Virginia Beach, VA | 61.2 | 59.8 | 66.7 | 64.6 | 89.2 | 63.0 |
| 44 | Nashville-Davidson, TN | 50.7 | 49.8 | 67.4 | 66.3 | 212.6 | 62.7 |
| 45 | New York, NY | 57.7 | 55.3 | 60.7 | 57.9 | 72.0 | 62.5 |
| 46 | Baltimore, MD | 59.0 | 57.4 | 63.1 | 62.4 | 120.5 | 62.2 |
| 47 | New Orleans, LA | 43.2 | 42.1 | 67.7 | 67.2 | 41.4 | 60.1 |
| 48 | Columbus, OH | 46.0 | 45.1 | 83.5 | 79.6 | 188.1 | 57.9 |
| 49 | Tucson, AZ | 59.6 | 58.0 | 268.6 | 239.7 | 28.6 | 57.2 |
| 50 | Washington, DC | 40.5 | 39.2 | 59.4 | 58.2 | 81.3 | 53.0 |
| 51 | Boston, MA | 35.9 | 34.9 | 69.1 | 63.4 | 73.6 | 47.6 |
| 52 | Pittsburgh, PA | 39.9 | 39.3 | 64.7 | 62.9 | 74.5 | 47.1 |
| 53 | Seattle, WA | 43.1 | 41.3 | 68.4 | 58.2 | 71.3 | 46.2 |
| 54 | San Francisco, CA | 38.4 | 36.5 | 54.8 | 49.3 | 68.2 | 45.7 |
| City Average | | 61.4 | 58.8 | 84.3 | 79.5 | 150.1 | 78.2 |
| United States, 2003 | | --- | --- | --- | --- | --- | 66.1 |
| 2010 Goal | | --- | --- | --- | --- | --- | --- |

† Per 1,000 women aged 15-44. Rates based on 2000 U.S. Census figures. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.23: PERCENT LOW BIRTHWEIGHT[‡] BY RACE/ETHNICITY[†], 2003

| Rank | City* | NH White | Percent [†] NH Black | Hispanic | Total |
|------|--------------------------------|----------|----------------------------------|----------|-------|
| 1 | Detroit, MI | 10.9 | 14.7 | 5.5 | 13.5 |
| 1 | New Orleans, LA | 7.5 | 15.1 | --- | 13.5 |
| 3 | Baltimore, MD | 9.4 | 15.4 | 6.4 | 13.2 |
| 4 | Memphis, TN | 6.6 | 14.4 | 5.0 | 12.0 |
| 5 | Philadelphia, PA | 7.6 | 14.9 | 10.3 | 11.7 |
| 6 | Cleveland, OH | 8.9 | 13.2 | 10.1 | 11.4 |
| 6 | St. Louis, MO | 7.4 | 13.9 | --- | 11.4 |
| 8 | Cincinnati, OH | 8.5 | 14.2 | --- | 11.2 |
| 8 | Pittsburgh, PA | 8.8 | 15.6 | --- | 11.2 |
| 10 | Washington, DC | 6.1 | 13.8 | 7.6 | 10.9 |
| 11 | Atlanta, GA | 8.1 | 13.6 | 5.9 | 10.4 |
| 12 | Colorado Springs, CO | 9.9 | 15.1 | 9.3 | 10.3 |
| 12 | Miami, FL | 10.5 | 13.9 | 7.5 | 10.3 |
| 14 | Chicago, IL | 7.5 | 15.6 | 6.6 | 10.1 |
| 15 | Columbus, OH | 8.2 | 13.6 | 5.1 | 9.8 |
| 15 | Jacksonville, FL | 7.7 | 13.4 | 6.9 | 9.8 |
| 15 | Milwaukee, WI | 6.6 | 13.8 | 6.2 | 9.8 |
| 18 | Nashville-Davidson, TN | 7.9 | 13.9 | 6.5 | 9.5 |
| 19 | Denver, CO | 8.9 | 17.3 | 8.1 | 9.3 |
| 20 | Albuquerque, NM | 9.1 | 13.7 | 9.1 | 9.1 |
| 20 | Charlotte, NC | 7.0 | 13.6 | 6.9 | 9.1 |
| 22 | Louisville/Jefferson Co., KY** | 7.3 | 13.9 | 6.6 | 8.9 |
| 23 | Boston, MA | 6.5 | 13.1 | 7.3 | 8.9 |
| 23 | San Antonio, TX | 8.1 | 14.7 | 8.7 | 8.9 |
| 25 | Indianapolis, IN | 7.9 | 12.5 | 4.7 | 8.8 |
| 26 | Honolulu, HI | 6.4 | 15.3 | 7.3 | 8.6 |
| 27 | New York, NY | 6.5 | 12.1 | 7.7 | 8.5 |
| 28 | Fort Worth, TX | 7.3 | 14.8 | 6.7 | 8.4 |
| 28 | Oklahoma City, OK | 8.2 | 13.7 | 5.7 | 8.4 |
| 30 | Kansas City, MO | 7.2 | 11.5 | 5.3 | 8.3 |
| 30 | Tucson, AZ | 7.7 | 13.4 | 5.1 | 8.3 |
| 30 | Wichita, KS | 7.5 | 13.7 | 7.0 | 8.3 |
| 33 | Dallas, TX | 7.4 | 14.2 | 6.2 | 8.2 |
| 33 | Houston, TX | 7.4 | 13.9 | 6.4 | 8.2 |
| 35 | Las Vegas, NV | 7.4 | 13.6 | 7.0 | 8.1 |
| 36 | Arlington, TX | 7.4 | 13.2 | 6.1 | 8.0 |
| 37 | El Paso, TX | 9.1 | 14.7 | 7.6 | 7.9 |
| 38 | Omaha, NB | 7.0 | 12.0 | 6.2 | 7.8 |
| 39 | Tulsa, OK | 7.9 | 11.8 | 7.1 | 7.7 |
| 40 | Virginia Beach, VA | 6.6 | 10.9 | 7.9 | 7.6 |
| 41 | Minneapolis, MN | 6.3 | 11.3 | 4.5 | 7.5 |
| 42 | Long Beach, CA | 6.6 | 10.7 | 6.6 | 7.4 |
| 42 | Oakland, CA | 5.6 | 13.6 | 4.4 | 7.4 |
| 44 | San Francisco, CA | 6.2 | 15.3 | 7.5 | 7.3 |
| 45 | Los Angeles, CA | 6.9 | 13.8 | 6.3 | 7.2 |
| 46 | Austin, TX | 6.2 | 12.8 | 7.0 | 7.1 |
| 46 | Fresno, CA | 6.6 | 11.2 | 6.4 | 7.1 |
| 46 | Phoenix, AZ | 6.7 | 12.9 | 6.9 | 7.1 |
| 49 | Sacramento, CA | 6.1 | 10.7 | 5.9 | 6.9 |
| 50 | San Diego, CA | 6.1 | 10.7 | 6.0 | 6.7 |
| 51 | Seattle, WA | 5.9 | 10.1 | 5.8 | 6.6 |
| 52 | Portland, OR | 6.2 | 12.5 | 5.0 | 6.5 |
| 53 | San Jose, CA | 6.2 | 12.3 | 5.7 | 6.3 |
| 54 | Mesa, AZ | 5.9 | 12.8 | 6.1 | 6.2 |
| | City Average | 7.4 | 13.5 | 6.7 | 8.9 |
| | United States, 2003 | 7.0 | 13.6 | 6.7 | 7.9 |
| | 2010 Goal | | | | 5.0 |

‡ Under 2,500 gms.

† Rates based on race/ethnicity categories employed in 1990 census.

“---” Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.24: PERCENT OF MOTHERS UNDER AGE TWENTY BY RACE/ETHNICITY^f, 2003

| Rank | City* | NH White | Percent [†] NH Black | Hispanic | Total |
|------|--------------------------------|----------|----------------------------------|----------|-------|
| 1 | Baltimore, MD | 8.9 | 23.1 | 13.8 | 18.3 |
| 2 | Cleveland, OH | 11.2 | 21.7 | 19.9 | 17.8 |
| 2 | Memphis, TN | 8.2 | 21.4 | 15.3 | 17.8 |
| 4 | St. Louis, MO | 7.0 | 24.2 | 13.3 | 17.7 |
| 5 | Detroit, MI | 12.8 | 18.6 | 14.3 | 17.6 |
| 6 | New Orleans, LA | 2.7 | 21.5 | --- | 17.5 |
| 7 | Milwaukee, WI | 6.9 | 24.4 | 18.0 | 17.4 |
| 8 | Cincinnati, OH | 8.9 | 24.4 | 15.9 | 16.6 |
| 9 | El Paso, TX | 8.4 | 13.5 | 17.0 | 16.1 |
| 10 | Philadelphia, PA | 7.5 | 20.1 | 22.1 | 16.0 |
| 11 | Fresno, CA | 7.7 | 22.0 | 17.3 | 15.5 |
| 12 | Phoenix, AZ | 8.7 | 21.5 | 18.3 | 15.3 |
| 12 | San Antonio, TX | 6.3 | 16.6 | 18.4 | 15.3 |
| 14 | Dallas, TX | 5.6 | 21.0 | 16.3 | 15.0 |
| 15 | Fort Worth, TX | 7.7 | 21.5 | 17.7 | 14.7 |
| 16 | Oklahoma City, OK | 11.7 | 21.2 | 17.6 | 14.6 |
| 17 | Albuquerque, NM | 6.3 | 15.7 | 18.7 | 13.9 |
| 17 | Tucson, AZ | 10.4 | 20.4 | 17.2 | 13.9 |
| 19 | Tulsa, OK | 8.8 | 15.1 | 17.5 | 13.8 |
| 20 | Chicago, IL | 2.8 | 21.6 | 13.8 | 13.6 |
| 21 | Kansas City, MO | 8.0 | 20.7 | 15.8 | 13.3 |
| 22 | Indianapolis, IN | 10.3 | 20.3 | 12.2 | 13.1 |
| 23 | Houston, TX | 6.1 | 16.3 | 14.9 | 13.0 |
| 24 | Jacksonville, FL | 9.2 | 19.1 | 12.1 | 12.7 |
| 25 | Atlanta, GA | 1.4 | 18.7 | 13.4 | 12.3 |
| 25 | Denver, CO | 4.3 | 17.0 | 17.4 | 12.3 |
| 27 | Wichita, KS | 10.5 | 18.3 | 15.5 | 12.2 |
| 28 | Pittsburgh, PA | 6.4 | 22.3 | --- | 11.9 |
| 29 | Columbus, OH | 9.6 | 15.8 | 12.7 | 11.7 |
| 30 | Nashville-Davidson, TN | 7.7 | 17.2 | 15.8 | 11.6 |
| 31 | Sacramento, CA | 6.7 | 17.7 | 14.1 | 11.4 |
| 31 | Washington, DC | --- | 16.3 | 10.6 | 11.4 |
| 33 | Louisville/Jefferson Co., KY** | 8.3 | 19.0 | 13.8 | 11.0 |
| 34 | Las Vegas, NV | 7.3 | 16.7 | 14.2 | 11.0 |
| 34 | Miami, FL | 9.6 | 16.5 | 7.3 | 11.0 |
| 36 | Arlington, TX | 8.4 | 12.9 | 14.1 | 10.8 |
| 36 | Austin, TX | 3.7 | 16.7 | 16.5 | 10.8 |
| 38 | Mesa, AZ | 7.5 | 13.0 | 15.6 | 10.7 |
| 39 | Colorado Springs, CO | 7.2 | 15.3 | 19.5 | 10.5 |
| 40 | Long Beach, CA | 4.0 | 12.8 | 12.6 | 10.4 |
| 41 | Minneapolis, MN | 3.1 | 16.5 | 13.1 | 10.3 |
| 42 | Los Angeles, CA | 2.2 | 13.5 | 12.8 | 10.2 |
| 42 | Omaha, NB | 6.4 | 22.4 | 13.0 | 10.2 |
| 44 | Oakland, CA | 2.8 | 14.1 | 12.9 | 9.8 |
| 45 | Charlotte, NC | 3.3 | 15.1 | 12.0 | 8.7 |
| 46 | San Diego, CA | 3.1 | 12.2 | 12.7 | 7.9 |
| 47 | Virginia Beach, VA | 6.1 | 13.4 | 10.5 | 7.8 |
| 48 | Boston, MA | 2.8 | 10.8 | 13.0 | 7.5 |
| 49 | New York, NY | 2.0 | 10.4 | 12.2 | 7.4 |
| 50 | Portland, OR | 5.1 | 16.2 | 12.6 | 7.0 |
| 51 | San Jose, CA | 2.5 | --- | 11.3 | 6.0 |
| 52 | Honolulu, HI | 3.6 | --- | 9.8 | 5.2 |
| 53 | San Francisco, CA | 0.8 | 15.0 | 10.1 | 4.3 |
| 54 | Seattle, WA | 1.7 | 10.5 | 11.3 | 3.8 |
| | City Average | 6.4 | 17.7 | 14.6 | 12.2 |
| | United States, 2003 | 7.5 | 17.4 | 14.3 | 10.3 |
| | 2010 Goal | | | | --- |

^f Rates based on race/ethnicity categories employed in 1990 census.
 "---" Numerator less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

TABLE 2.25: PERCENT OF MOTHERS WHO SMOKE BY RACE/ETHNICITY^f, 2003

| Rank | City* | NH White | Percent [†] NH Black | Hispanic | Total |
|------|--------------------------------|----------|----------------------------------|----------|-------|
| 1 | Louisville/Jefferson Co., KY** | 19.4 | 18.7 | 6.3 | 18.2 |
| 2 | Philadelphia, PA | --- | --- | --- | 17.7 |
| 3 | Indianapolis, IN | 23.2 | 14.5 | 1.2 | 17.6 |
| 4 | Cleveland, OH | 26.8 | 13.0 | 12.9 | 17.3 |
| 5 | St. Louis, MO | 17.4 | 16.5 | --- | 16.0 |
| 6 | Columbus, OH | 19.3 | 14.4 | 3.0 | 15.7 |
| 7 | Cincinnati, OH | 19.8 | 13.2 | --- | 15.6 |
| 8 | Oklahoma City, OK | 21.6 | 14.6 | 3.4 | 15.1 |
| 9 | Wichita, KS | 18.1 | 15.7 | 3.3 | 14.7 |
| 10 | Detroit, MI | 20.0 | 14.5 | 3.6 | 13.8 |
| 11 | Omaha, NB | 15.9 | 15.2 | 3.2 | 13.2 |
| 12 | Baltimore, MD | 16.7 | 12.5 | --- | 13.1 |
| 13 | Kansas City, MO | 15.9 | 13.4 | 3.9 | 13.0 |
| 14 | Milwaukee, WI | 13.6 | 15.6 | 5.1 | 12.4 |
| 15 | Portland, OR | 12.7 | 19.3 | 3.8 | 11.1 |
| 15 | Tucson, AZ | 14.2 | 10.4 | --- | 11.1 |
| 17 | Albuquerque, NM | 14.3 | 17.4 | 9.4 | 11.0 |
| 18 | Jacksonville, FL | 14.4 | 4.6 | 4.5 | 9.6 |
| 19 | Colorado Springs, CO | 10.9 | 10.1 | 5.9 | 9.5 |
| 20 | Nashville-Davidson, TN | 12.7 | 8.6 | --- | 9.2 |
| 21 | Las Vegas, NV | 13.5 | 13.2 | 2.0 | 8.3 |
| 22 | Denver, CO | 8.7 | 11.7 | 5.3 | 7.0 |
| 23 | Memphis, TN | 13.4 | 5.9 | --- | 6.9 |
| 24 | Mesa, AZ | 9.6 | --- | 2.6 | 6.6 |
| 25 | Virginia Beach, VA | 8.0 | 4.1 | --- | 6.5 |
| 26 | Charlotte, NC | 7.1 | 8.6 | --- | 6.2 |
| 26 | Chicago, IL | 5.1 | 12.9 | 1.3 | 6.2 |
| 26 | Minneapolis, MN | 5.1 | 9.3 | --- | 6.2 |
| 29 | Phoenix, AZ | 13.2 | 10.3 | 2.1 | 5.8 |
| 30 | Arlington, TX | 10.6 | 4.3 | 1.5 | 5.6 |
| 31 | Tulsa, OK | 8.1 | 8.7 | 2.2 | 4.9 |
| 32 | Fort Worth, TX | 8.4 | 4.6 | 1.6 | 4.4 |
| 33 | Honolulu, HI | 3.9 | --- | 7.8 | 4.1 |
| 34 | Boston, MA | 4.6 | 5.2 | 2.2 | 4.0 |
| 35 | Washington, DC | --- | 5.9 | --- | 3.7 |
| 36 | Austin, TX | 5.7 | 7.4 | 1.7 | 3.6 |
| 37 | San Antonio, TX | 6.3 | 5.5 | 2.0 | 3.2 |
| 38 | Atlanta, GA | 2.3 | 4.7 | --- | 3.0 |
| 39 | Dallas, TX | 7.2 | 4.2 | 0.8 | 2.8 |
| 40 | New Orleans, LA | 5.3 | 2.0 | --- | 2.5 |
| 41 | Houston, TX | 6.2 | 3.9 | 0.7 | 2.3 |
| 42 | El Paso, TX | 6.4 | --- | 1.4 | 1.9 |
| 42 | New York, NY | 1.7 | 3.1 | 1.6 | 1.9 |
| 44 | Miami, FL | 2.1 | 0.7 | 0.6 | 0.7 |
| --- | Fresno, CA | --- | --- | --- | --- |
| --- | Long Beach, CA | --- | --- | --- | --- |
| --- | Los Angeles, CA | --- | --- | --- | --- |
| --- | Oakland, CA | --- | --- | --- | --- |
| --- | Pittsburgh, PA | --- | --- | --- | --- |
| --- | Sacramento, CA | --- | --- | --- | --- |
| --- | San Diego, CA | --- | --- | --- | --- |
| --- | San Francisco, CA | --- | --- | --- | --- |
| --- | San Jose, CA | --- | --- | --- | --- |
| --- | Seattle, WA | --- | --- | --- | --- |
| | City Average | 11.7 | 10.0 | 3.4 | 8.7 |
| | United States, 2003 | 14.3 | 8.3 | 2.7 | 10.7 |
| | 2010 Goal | | | | 1.0 |

^f Percent based on race/ethnicity categories employed in 1990 census.
 "---" Numerator less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Rates for Blacks include both Hispanic and non-Hispanic Blacks.

Section 3

TABLE 3.1: HIV (NOT AIDS) PREVALENCE RATE, 1998–2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998–2005 |
|---------------------------------------|--------------|-------|-------|---------|---------|---------|---------|---------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | 72.3 | 73.5 | 74.2 | 71.9 | 72.0 | 72.8 | 74.2 | 75.1 | 3.8 |
| Arlington, TX | --- | 8.7 | 21.6 | 30.0 | 40.8 | 59.2 | 75.7 | 93.1 | --- |
| Atlanta, GA (Fulton County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 733.4 | 852.5 | 967.1 | 1,056.0 | 1,131.4 | 1,183.0 | 1,253.5 | 1,343.3 | 83.2 |
| Boston, MA | 176.7 | 200.3 | 225.9 | 250.9 | 277.9 | 300.9 | 326.9 | 353.9 | 100.3 |
| Charlotte, NC | 288.8 | 299.5 | 307.3 | 326.4 | 343.0 | 362.8 | 385.0 | 403.1 | 39.6 |
| Chicago, IL | --- | 109.4 | 144.8 | 184.9 | 226.6 | 264.1 | 305.0 | 342.6 | --- |
| Cincinnati, OH | 195.1 | 212.0 | 218.5 | 233.6 | 240.0 | 249.0 | 256.3 | 269.0 | 37.9 |
| Cleveland, OH | 139.9 | 152.8 | 160.1 | 175.2 | 180.0 | 190.2 | 201.9 | 213.6 | 52.7 |
| Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- | 68.5 | 71.8 | --- |
| Columbus, OH | 118.0 | 125.1 | 132.4 | 142.4 | 154.5 | 165.2 | 177.8 | 192.3 | 62.9 |
| Dallas, TX | --- | 60.9 | 113.4 | 166.2 | 233.2 | 283.4 | 341.2 | 402.1 | --- |
| Denver, CO | 429.0 | 437.9 | 446.1 | 461.6 | 481.9 | 500.9 | 517.3 | 535.3 | 24.8 |
| Detroit, MI | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| El Paso, TX | --- | 6.5 | 5.7 | 11.9 | 12.2 | 9.6 | 9.6 | 9.8 | --- |
| Fort Worth, TX | --- | 40.0 | 82.7 | 108.3 | 143.3 | 193.6 | 224.1 | 261.3 | --- |
| Fresno, CA (Fresno County) | 43.1 | 46.5 | 48.8 | 54.4 | 63.2 | 72.9 | 79.1 | 84.4 | 96.1 |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | --- | 240.6 | 264.6 | 289.4 | 314.3 | 326.7 | 335.0 | 346.3 | --- |
| Indianapolis, IN (Marion County) | 125.9 | 128.1 | 134.1 | 139.6 | 142.3 | 147.7 | 155.2 | 159.7 | 26.8 |
| Jacksonville, FL | 25.0 | 42.1 | 65.3 | 94.1 | 121.3 | 150.2 | 179.4 | 203.9 | 716.4 |
| Kansas City, MO | 415.0 | 429.7 | 439.4 | 455.7 | 475.8 | 495.8 | 517.5 | 538.3 | 29.7 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | --- | --- | --- | --- | 57.2 | 121.3 | 58.9 | 47.9 | --- |
| Los Angeles, CA | --- | --- | --- | --- | --- | --- | --- | 250.7 | --- |
| Louisville/Jefferson County, KY | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Memphis, TN | 180.5 | 207.5 | 233.8 | 262.7 | 296.6 | 327.9 | 361.6 | 402.1 | 122.7 |
| Mesa, AZ | --- | --- | --- | --- | --- | --- | 447.6 | 482.6 | --- |
| Miami, FL | 422.4 | 701.7 | 956.2 | 1,234.3 | 1,554.6 | 1,840.7 | 2,134.8 | 2,407.4 | 470.0 |
| Milwaukee, WI | 188.1 | 191.9 | 198.0 | 199.3 | 206.5 | 208.6 | 213.4 | 218.3 | 16.0 |
| Minneapolis, MN | 281.9 | 299.7 | 312.6 | 327.2 | 339.5 | 348.1 | 326.4 | 326.7 | 15.9 |
| Nashville-Davidson, TN | 177.3 | 191.6 | 205.7 | 222.8 | 240.6 | 259.9 | 277.4 | 296.9 | 67.5 |
| New Orleans, LA | 463.3 | 488.2 | 509.6 | 521.0 | 530.7 | 537.7 | 552.1 | 412.6 | -10.9 |
| New York, NY | --- | --- | 373.7 | 416.2 | 438.3 | 439.0 | 439.7 | 440.8 | --- |
| Oakland, CA | --- | --- | --- | --- | --- | --- | 255.3 | 253.3 | --- |
| Oklahoma City, OK | 79.6 | 89.3 | 96.2 | 103.5 | 113.4 | 122.5 | 129.4 | 140.7 | 76.7 |
| Omaha, NB | 43.3 | 50.9 | 57.4 | 69.7 | 75.9 | 80.3 | 86.7 | 97.4 | 125.1 |
| Philadelphia, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Phoenix, AZ | --- | --- | --- | --- | --- | --- | 185.8 | 195.6 | --- |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 113.7 | 117.1 | 120.7 | 127.9 | 135.1 | 142.0 | 144.1 | 150.6 | 32.4 |
| Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| San Antonio, TX | --- | 37.6 | 45.3 | 58.6 | 71.4 | 85.7 | 103.4 | 123.5 | --- |
| San Diego, CA (San Diego County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| San Francisco, CA | --- | --- | --- | --- | 641.5 | 697.3 | 749.7 | 792.2 | --- |
| San Jose, CA | --- | --- | --- | --- | 33.9 | 54.6 | 61.5 | 76.8 | --- |
| Seattle, WA | 272.9 | 292.6 | 314.5 | 332.6 | 349.9 | 361.4 | 379.0 | 389.8 | 42.8 |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | 195.4 | 194.2 | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 71.8 | 79.1 | 85.4 | 91.2 | 99.9 | 105.8 | 114.5 | 124.4 | 73.4 |
| Washington, DC | --- | --- | --- | --- | --- | --- | 2,410.4 | 2,951.6 | --- |
| Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |

YEAR 2010 GOAL: NA

† People living with HIV (not AIDS) at the end of respective year, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
 * County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
 "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.2: AIDS PREVALENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|--------|---------|---------|---------|---------|---------|---------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | 80.1 | 84.2 | 86.8 | 92.9 | 95.2 | 100.8 | 107.2 | 112.1 | 39.9 |
| Arlington, TX | 150.1 | 156.6 | 166.4 | 175.1 | 185.0 | 196.4 | 204.2 | 213.2 | 42.1 |
| Atlanta, GA (Fulton County) | 965.4 | 1011.1 | 1,062.0 | 1,124.2 | 1,191.2 | 1,255.8 | 1,319.2 | 1,346.5 | 39.5 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 655.3 | 717.7 | 764.6 | 812.4 | 848.3 | 883.2 | 931.4 | 978.6 | 49.3 |
| Boston, MA | 328.5 | 349.8 | 370.0 | 383.3 | 399.7 | 415.9 | 429.9 | 442.8 | 34.8 |
| Charlotte, NC | 89.4 | 94.1 | 96.7 | 111.3 | 131.1 | 153.8 | 166.4 | 184.3 | 106.1 |
| Chicago, IL | 210.4 | 226.3 | 244.5 | 262.9 | 283.7 | 302.6 | 321.3 | 345.0 | 64.0 |
| Cincinnati, OH | 155.0 | 164.7 | 173.0 | 182.6 | 195.9 | 212.2 | 221.9 | 240.3 | 55.0 |
| Cleveland, OH | 179.7 | 195.5 | 212.6 | 225.8 | 243.9 | 266.1 | 282.6 | 302.0 | 68.1 |
| Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- | 44.3 | 47.2 | --- |
| Columbus, OH | 65.0 | 69.9 | 75.5 | 83.3 | 90.4 | 103.3 | 113.8 | 124.2 | 91.2 |
| Dallas, TX | 287.5 | 317.4 | 344.5 | 386.2 | 425.1 | 470.1 | 518.4 | 563.4 | 95.9 |
| Denver, CO | 456.6 | 479.0 | 502.9 | 526.7 | 553.2 | 578.8 | 602.2 | 629.8 | 37.9 |
| Detroit, MI | 171.8 | 185.6 | 201.8 | 210.5 | 222.4 | 238.4 | 253.7 | 270.4 | 57.3 |
| El Paso, TX | 16.1 | 10.2 | 9.9 | 15.4 | 9.2 | 13.5 | 10.1 | 8.9 | -44.9 |
| Fort Worth, TX | 352.2 | 366.7 | 388.1 | 406.8 | 429.2 | 456.3 | 470.0 | 485.5 | 37.8 |
| Fresno, CA (Fresno County) | 51.2 | 55.5 | 57.4 | 62.3 | 69.7 | 73.6 | 75.1 | 78.7 | 53.6 |
| Honolulu, HI (Honolulu County) | 40.1 | 45.8 | 51.2 | 57.4 | 65.9 | 73.7 | 80.5 | 85.1 | 112.4 |
| Houston, TX | 319.6 | 332.7 | 346.2 | 365.8 | 394.4 | 420.9 | 449.4 | 477.6 | 49.4 |
| Indianapolis, IN (Marion County) | 109.7 | 120.3 | 129.8 | 140.2 | 152.9 | 166.8 | 178.7 | 220.2 | 100.7 |
| Jacksonville, FL | 226.7 | 251.1 | 271.2 | 289.4 | 304.2 | 317.3 | 326.7 | 330.6 | 45.8 |
| Kansas City, MO | 227.1 | 239.5 | 242.6 | 252.7 | 263.8 | 275.8 | 284.5 | 291.0 | 28.2 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | 28.0 | 33.4 | 33.6 | 33.4 | 77.6 | 80.2 | 44.9 | 29.5 | 5.2 |
| Los Angeles, CA | 211.1 | 226.4 | 241.0 | 254.9 | 270.5 | 283.5 | 291.3 | 300.6 | 42.4 |
| Louisville/Jefferson County, KY | 81.9 | 91.8 | 99.8 | 106.3 | 116.9 | 126.2 | 135.8 | 142.7 | 74.4 |
| Memphis, TN | 263.1 | 274.9 | 291.6 | 302.6 | 308.4 | 313.8 | 315.5 | 311.6 | 18.5 |
| Mesa, AZ | --- | --- | --- | --- | --- | --- | 426.6 | 481.4 | --- |
| Miami, FL | 2361.5 | 2617.3 | 2,813.2 | 2,965.5 | 3,119.2 | 3,209.4 | 3,283.0 | 3,353.4 | 42.0 |
| Milwaukee, WI | 155.0 | 164.7 | 175.0 | 185.8 | 194.0 | 203.9 | 214.1 | 221.1 | 42.6 |
| Minneapolis, MN | 195.8 | 204.0 | 213.8 | 220.3 | 225.0 | 237.6 | 243.1 | 250.9 | 28.1 |
| Nashville-Davidson, TN | 256.8 | 264.5 | 275.8 | 275.3 | 280.2 | 284.3 | 283.7 | 288.3 | 12.3 |
| New Orleans, LA | 370.7 | 402.6 | 431.8 | 463.4 | 498.5 | 522.8 | 563.7 | 394.5 | 6.4 |
| New York, NY | 529.3 | 556.8 | 598.2 | 635.5 | 662.2 | 697.2 | 721.8 | 748.4 | 41.4 |
| Oakland, CA | 514.2 | 491.2 | 473.6 | 456.6 | 444.6 | 432.6 | 420.3 | 408.5 | -20.5 |
| Oklahoma City, OK | 61.3 | 67.7 | 75.9 | 88.9 | 100.6 | 111.2 | 119.7 | 128.2 | 109.1 |
| Omaha, NB | 60.8 | 66.0 | 72.0 | 77.7 | 85.6 | 95.9 | 103.8 | 109.2 | 79.6 |
| Philadelphia, PA | 358.3 | 415.0 | 454.0 | 488.6 | 523.4 | 563.1 | 598.0 | 630.2 | 75.9 |
| Phoenix, AZ | --- | --- | --- | --- | --- | --- | 148.6 | 167.2 | --- |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 168.2 | 176.4 | 184.4 | 192.9 | 201.5 | 210.3 | 223.0 | 234.4 | 39.3 |
| Sacramento, CA (Sacramento County) | 87.3 | 91.0 | 94.9 | 100.4 | 105.7 | 111.2 | 116.2 | 121.0 | 38.7 |
| San Antonio, TX | 158.4 | 165.5 | 168.6 | 178.4 | 184.7 | 189.5 | 195.3 | 196.7 | 24.2 |
| San Diego, CA (San Diego County) | 143.6 | 151.3 | 159.2 | 168.2 | 178.9 | 190.0 | 200.1 | 210.1 | 46.3 |
| San Francisco, CA | 967.3 | 989.5 | 1,008.6 | 1,032.1 | 1,054.0 | 1,083.3 | 1,101.7 | 1,123.0 | 16.1 |
| San Jose, CA | 62.2 | 71.0 | 77.0 | 83.7 | 95.1 | 104.0 | 106.6 | 114.3 | 83.8 |
| Seattle, WA | 332.4 | 347.9 | 370.1 | 388.2 | 406.1 | 425.1 | 443.0 | 461.0 | 38.7 |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | 173.0 | 184.1 | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 46.3 | 54.4 | 59.7 | 69.4 | 79.5 | 83.2 | 89.8 | 96.9 | 109.2 |
| Washington, DC | 926.4 | 1056.7 | 1,220.5 | 1,378.7 | 1,542.5 | 1,709.4 | 1,887.7 | 2,015.2 | 117.5 |
| Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |

YEAR 2010 GOAL: NA

† People living with AIDS at the end of respective year, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
 * County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
 "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.3: AIDS INCIDENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | 9.6 | 8.8 | 7.9 | 10.1 | 7.9 | 10.8 | 9.2 | 8.1 | -16.0 |
| Arlington, TX | 9.6 | 10.8 | 14.4 | 8.7 | 9.9 | 11.4 | 7.8 | 9.0 | -5.8 |
| Atlanta, GA (Fulton County) | 141.0 | 122.5 | 118.1 | 120.5 | 111.7 | 114.1 | 110.5 | 72.8 | -48.4 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 124.6 | 125.8 | 106.0 | 122.6 | 111.5 | 112.4 | 108.0 | 94.4 | -24.2 |
| Boston, MA | 49.9 | 37.0 | 36.3 | 30.0 | 31.4 | 29.2 | 25.5 | 24.1 | -51.7 |
| Charlotte, NC | 23.1 | 17.8 | 15.3 | 23.5 | 33.3 | 36.2 | 25.1 | 27.0 | 17.1 |
| Chicago, IL | 30.2 | 32.3 | 34.4 | 33.8 | 37.1 | 33.0 | 27.8 | 30.4 | 0.6 |
| Cincinnati, OH | 16.0 | 20.4 | 16.9 | 17.8 | 20.2 | 20.2 | 15.4 | 22.0 | 37.4 |
| Cleveland, OH | 18.9 | 20.8 | 19.6 | 15.5 | 16.9 | 15.5 | 9.0 | 9.8 | -47.9 |
| Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- | --- | 3.9 | --- |
| Columbus, OH | 11.0 | 11.8 | 9.7 | 13.4 | 12.1 | 18.6 | 15.3 | 11.9 | 9.1 |
| Dallas, TX | 46.9 | 43.6 | 40.0 | 50.7 | 47.2 | 51.2 | 53.8 | 48.0 | 2.2 |
| Denver, CO | 30.3 | 30.7 | 31.4 | 27.2 | 28.3 | 27.6 | 25.4 | 30.3 | 0.0 |
| Detroit, MI | 32.7 | 30.7 | 33.5 | 25.6 | 27.2 | 28.0 | 26.6 | 29.3 | -10.3 |
| El Paso, TX | 21.2 | 14.5 | 12.8 | 19.3 | 11.5 | 16.9 | 11.9 | 10.6 | -49.7 |
| Fort Worth, TX | 27.2 | 21.0 | 28.2 | 18.7 | 22.4 | 27.1 | 13.7 | 15.5 | -42.9 |
| Fresno, CA (Fresno County) | 9.5 | 8.7 | 7.0 | 7.9 | 8.4 | 6.3 | 3.8 | 6.0 | -36.6 |
| Honolulu, HI (Honolulu County) | 15.6 | 13.2 | 13.8 | 12.0 | 11.0 | 7.9 | 7.1 | 5.3 | -66.2 |
| Houston, TX | 41.8 | 37.8 | 39.8 | 39.1 | 43.0 | 41.1 | 43.7 | 40.3 | -3.5 |
| Indianapolis, IN (Marion County) | 16.3 | 17.7 | 15.2 | 17.2 | 20.0 | 18.8 | 17.7 | 16.7 | 2.8 |
| Jacksonville, FL | 30.3 | 36.6 | 32.1 | 32.4 | 30.2 | 31.9 | 38.1 | 36.3 | 19.8 |
| Kansas City, MO | 18.4 | 23.6 | 16.5 | 18.6 | 16.3 | 17.4 | 17.0 | 14.3 | -22.6 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | 43.0 | 47.4 | 48.3 | 42.7 | 48.5 | 44.0 | 47.5 | 40.3 | -6.3 |
| Los Angeles, CA | 28.9 | 27.6 | 25.8 | 24.4 | 25.0 | 21.9 | 15.6 | 15.0 | -48.0 |
| Louisville/Jefferson County, KY | 13.1 | 14.9 | 12.3 | 14.1 | 17.0 | 12.8 | 12.5 | 10.8 | -17.4 |
| Memphis, TN | 48.4 | 39.2 | 38.9 | 39.5 | 49.4 | 39.1 | 38.9 | 51.1 | 5.6 |
| Mesa, AZ | 7.3 | 6.5 | 5.8 | 6.3 | 5.8 | 7.6 | 7.3 | 6.8 | -6.8 |
| Miami, FL | 396.9 | 320.6 | 331.3 | 318.6 | 281.1 | 283.1 | 354.5 | 301.5 | -24.0 |
| Milwaukee, WI | 11.6 | 10.0 | 12.6 | 11.4 | 10.6 | 7.9 | 8.9 | 6.2 | -46.7 |
| Minneapolis, MN | 12.9 | 18.9 | 19.9 | 13.9 | 18.3 | 14.9 | 20.9 | 13.1 | 0.9 |
| Nashville-Davidson, TN | 28.3 | 28.0 | 28.6 | 24.6 | 29.8 | 34.7 | 30.4 | 31.6 | 11.7 |
| New Orleans, LA | 64.2 | 59.6 | 57.6 | 60.7 | 59.6 | 55.5 | 54.9 | 39.8 | -38.0 |
| New York, NY | 71.7 | 67.6 | 80.2 | 69.1 | 57.9 | 65.6 | 53.8 | 51.1 | -28.7 |
| Oakland, CA | 39.4 | 35.1 | 34.3 | 34.0 | 34.8 | 34.3 | 25.5 | 21.3 | -46.0 |
| Oklahoma City, OK | 13.2 | 11.0 | 12.4 | 16.4 | 13.6 | 12.1 | 9.9 | 9.7 | -26.7 |
| Omaha, NB | 8.5 | 9.7 | 11.3 | 10.5 | 11.8 | 10.8 | 10.3 | 11.0 | 29.8 |
| Philadelphia, PA | 58.5 | 81.0 | 62.8 | 59.0 | 60.6 | 56.4 | 52.7 | 43.7 | -25.3 |
| Phoenix, AZ | 17.6 | 14.8 | 14.1 | 14.4 | 16.4 | 14.3 | 15.7 | 15.4 | -12.7 |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 13.5 | 12.4 | 11.5 | 7.9 | 8.0 | 7.7 | 7.9 | 6.8 | -49.5 |
| Sacramento, CA (Sacramento County) | 11.4 | 11.0 | 9.6 | 9.4 | 8.5 | 8.3 | 7.4 | 6.5 | -43.3 |
| San Antonio, TX | 10.2 | 18.0 | 13.1 | 18.0 | 14.6 | 14.6 | 16.6 | 15.8 | 55.0 |
| San Diego, CA (San Diego County) | 18.2 | 16.0 | 16.2 | 15.5 | 16.0 | 15.3 | 14.6 | 13.7 | -24.5 |
| San Francisco, CA | 90.5 | 75.3 | 70.7 | 64.5 | 62.7 | 67.6 | 57.0 | 52.5 | -42.0 |
| San Jose, CA | 9.3 | 10.0 | 7.5 | 6.8 | 9.2 | 8.0 | 3.9 | 4.2 | -54.4 |
| Seattle, WA | 36.1 | 28.3 | 40.3 | 31.6 | 32.8 | 36.0 | 30.7 | 29.5 | -18.3 |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | 19.6 | 16.3 | 15.4 | 16.4 | 15.0 | 18.5 | 13.1 | 13.6 | -31.0 |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 9.4 | 11.6 | 9.2 | 9.6 | 7.8 | 5.9 | 8.0 | --- | --- |
| Washington, DC | 202.6 | 158.4 | 146.7 | 149.6 | 195.3 | 172.2 | 159.2 | 133.2 | -34.2 |
| Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |

YEAR 2010 GOAL: NA

† AIDS cases diagnosed in 2005, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.4: PRIMARY AND SECONDARY SYPHILIS INCIDENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|------|------|------|------|------|------|------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | 3.8 | 6.3 | 7.4 | 5.0 | --- |
| Arlington, TX | --- | --- | --- | --- | 8.1 | --- | --- | 9.0 | --- |
| Atlanta, GA (Fulton County) | 23.0 | 26.6 | 26.7 | 25.1 | 31.7 | 37.6 | 37.6 | 38.0 | 65.4 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 69.7 | 38.0 | 33.6 | 24.7 | 18.7 | 24.0 | 32.3 | 29.9 | -57.0 |
| Boston, MA | 4.3 | --- | 3.6 | --- | 8.0 | 10.2 | 8.8 | 10.9 | 154.3 |
| Charlotte, NC | --- | --- | 7.2 | 5.7 | 4.4 | --- | 8.5 | 14.6 | --- |
| Chicago, IL | 10.8 | 9.8 | 10.1 | 10.9 | 12.2 | 9.2 | 10.3 | 14.4 | 33.7 |
| Cincinnati, OH | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cleveland, OH | 5.2 | --- | --- | --- | --- | --- | --- | --- | --- |
| Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Columbus, OH | 8.5 | 5.7 | 5.8 | 8.2 | 12.8 | 15.0 | 12.9 | 13.5 | 58.7 |
| Dallas, TX | 9.3 | 9.8 | 6.5 | 8.2 | 11.8 | 10.3 | 11.2 | 10.9 | 16.5 |
| Denver, CO | --- | --- | --- | --- | 9.0 | 6.5 | 8.3 | 6.3 | --- |
| Detroit, MI | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| El Paso, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Fort Worth, TX | --- | --- | --- | 3.9 | 12.0 | 9.7 | 6.7 | 10.8 | --- |
| Fresno, CA (Fresno County) | 4.8 | --- | --- | --- | --- | --- | --- | --- | --- |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 4.7 | 3.5 | 3.7 | 4.7 | 5.5 | 9.0 | 9.9 | 11.8 | 151.8 |
| Indianapolis, IN (Marion County) | 3.4 | 47.3 | 34.9 | 15.0 | 4.3 | 2.8 | 3.4 | 3.6 | 5.3 |
| Jacksonville, FL | --- | --- | 3.3 | 5.2 | --- | 2.9 | 9.5 | 6.7 | --- |
| Kansas City, MO | --- | --- | --- | --- | --- | --- | 5.2 | 13.8 | --- |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Los Angeles, CA | 1.9 | 1.3 | 2.4 | 3.3 | 6.3 | 8.1 | 7.7 | 10.9 | 468.1 |
| Louisville/Jefferson County, KY | --- | 9.7 | 8.2 | --- | 11.1 | 3.7 | 4.8 | 5.6 | --- |
| Memphis, TN | 39.8 | 39.4 | 36.8 | 30.8 | 13.2 | 11.5 | 12.5 | 19.5 | -50.9 |
| Mesa, AZ | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Miami, FL | 8.6 | 22.7 | 34.8 | 51.0 | 63.7 | 53.5 | 58.8 | 46.3 | 440.2 |
| Milwaukee, WI | 9.5 | 5.5 | 7.2 | --- | --- | --- | --- | --- | --- |
| Minneapolis, MN | --- | --- | --- | 6.0 | 9.1 | 5.5 | --- | 11.0 | --- |
| Nashville-Davidson, TN | 38.1 | 44.6 | 35.1 | 13.3 | 4.6 | 3.7 | --- | 4.2 | -88.9 |
| New Orleans, LA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| New York, NY | 1.0 | 1.6 | 1.5 | 3.5 | 5.4 | 6.6 | 7.8 | 7.7 | 685.1 |
| Oakland, CA | --- | --- | --- | --- | 6.0 | --- | 7.0 | 5.8 | --- |
| Oklahoma City, OK | 13.0 | 20.4 | 13.8 | 6.7 | 10.1 | 9.5 | --- | 4.1 | -68.1 |
| Omaha, NB | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Philadelphia, PA | 5.8 | 4.5 | 4.4 | 5.0 | 4.7 | 6.5 | 4.7 | 5.7 | -1.6 |
| Phoenix, AZ | 12.5 | 12.9 | 10.4 | 9.8 | 8.3 | 7.8 | 4.9 | 5.9 | -52.6 |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | --- | --- | --- | --- | 3.2 | 4.8 | --- | 4.1 | --- |
| Sacramento, CA (Sacramento County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| San Antonio, TX | 2.3 | 2.7 | 5.8 | 6.2 | 3.8 | 4.5 | 9.4 | 10.7 | 371.9 |
| San Diego, CA (San Diego County) | 0.8 | 0.9 | 1.0 | 1.0 | 1.4 | 3.9 | 4.8 | 6.9 | 719.4 |
| San Francisco, CA | 3.4 | 3.8 | 6.8 | 17.6 | 40.7 | 43.1 | 44.9 | 32.1 | 842.9 |
| San Jose, CA | --- | --- | --- | --- | --- | 3.7 | 4.2 | 4.6 | --- |
| Seattle, WA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Washington, DC | 14.0 | 7.8 | 6.5 | 7.3 | 10.1 | 8.4 | 12.1 | 19.9 | 42.2 |
| Wichita, KS (Sedgwick County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |

YEAR 2010 GOAL: 0.2

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.5: CHLAMYDIA INCIDENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|--------|---------|---------|---------|---------|---------|---------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | --- | 301.7 | 399.5 | 539.3 | 609.3 | 595.5 | 792.0 | 662.1 | --- |
| Arlington, TX | 247.0 | 210.1 | 221.6 | 219.5 | 224.6 | 252.0 | 271.5 | 332.5 | 34.6 |
| Atlanta, GA (Fulton County) | 677.8 | 687.2 | 709.1 | 718.6 | 746.6 | 713.6 | 679.0 | 464.1 | -31.5 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 853.2 | 803.1 | 828.8 | 822.8 | 957.5 | 998.8 | 1,023.0 | 979.8 | 14.8 |
| Boston, MA | 428.0 | 433.9 | 502.4 | 478.0 | 519.4 | 568.5 | 626.5 | 641.4 | 49.9 |
| Charlotte, NC | --- | --- | 358.3 | 366.3 | 523.8 | 557.7 | 584.7 | 591.7 | --- |
| Chicago, IL | 593.0 | 628.6 | 683.4 | 774.2 | 852.0 | 810.3 | 747.6 | 789.2 | 33.1 |
| Cincinnati, OH | 1283.2 | 929.4 | 1,364.7 | 1,403.0 | 1,342.3 | 1,296.2 | 1,386.7 | 1,386.7 | 8.1 |
| Cleveland, OH | 761.2 | 738.8 | 876.7 | 979.5 | 1,050.6 | 1,140.9 | 1,023.4 | 972.6 | 27.8 |
| Colorado Springs, CO (El Paso County) | 322.8 | 365.0 | 378.2 | 404.3 | 397.0 | 374.1 | 433.3 | 464.3 | 43.8 |
| Columbus, OH | 555.7 | 572.6 | 630.8 | 666.2 | 664.7 | 576.4 | 554.2 | 589.2 | 6.0 |
| Dallas, TX | 551.1 | 563.9 | 578.1 | 602.0 | 541.0 | 516.8 | 436.1 | 444.3 | -19.4 |
| Denver, CO | 633.1 | 659.1 | 656.6 | 886.5 | 958.3 | 778.2 | 832.6 | 889.2 | 40.5 |
| Detroit, MI | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| El Paso, TX | 298.7 | 313.2 | 364.2 | 373.5 | 368.8 | 375.4 | 394.2 | 414.1 | 38.6 |
| Fort Worth, TX | 567.9 | 493.8 | 552.1 | 530.4 | 481.2 | 571.9 | 555.6 | 585.6 | 3.1 |
| Fresno, CA (Fresno County) | 396.3 | 438.8 | 463.2 | 527.4 | 603.6 | 592.3 | 608.8 | 607.5 | 53.3 |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 576.8 | 495.6 | 580.7 | 502.2 | 516.8 | 475.8 | 510.2 | 481.6 | -16.5 |
| Indianapolis, IN (Marion County) | 693.3 | 618.9 | 695.0 | 791.9 | 810.4 | 752.5 | 720.0 | 840.0 | 21.2 |
| Jacksonville, FL | 268.3 | 373.4 | 475.9 | 482.7 | 533.7 | 620.7 | 597.6 | 628.7 | 134.4 |
| Kansas City, MO | 617.2 | 699.7 | 754.2 | 526.6 | 658.4 | 842.5 | 993.1 | 959.8 | 55.5 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Los Angeles, CA | 215.0 | 267.7 | 287.2 | 304.2 | 350.5 | 378.6 | 375.2 | 382.9 | 78.1 |
| Louisville/Jefferson County, KY | --- | 209.6 | 239.2 | 282.0 | 315.0 | 299.3 | 253.3 | 359.6 | --- |
| Memphis, TN | 155.3 | 230.4 | 302.1 | 631.0 | 641.9 | 765.0 | 959.1 | 1,040.9 | 570.4 |
| Mesa, AZ | 218.7 | 218.7 | 231.6 | 272.5 | 277.3 | 263.1 | 257.1 | 394.6 | 80.4 |
| Miami, FL | 964.3 | 1105.1 | 836.5 | 1,048.4 | 1,299.7 | 1,222.4 | 1,360.9 | 1,073.7 | 11.3 |
| Milwaukee, WI | 1283.6 | 1388.0 | 1,164.5 | 1,401.6 | 1,447.5 | 1,399.6 | 1,485.7 | 1,565.9 | 22.0 |
| Minneapolis, MN | 654.0 | 652.1 | 665.7 | 655.0 | 706.2 | 703.6 | 654.4 | 669.6 | 2.4 |
| Nashville-Davidson, TN | 359.1 | 392.7 | 421.7 | 366.0 | 378.5 | 465.5 | 467.5 | 494.7 | 37.8 |
| New Orleans, LA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| New York, NY | 328.0 | 337.4 | 326.8 | 370.2 | 415.5 | 434.3 | 426.9 | 489.7 | 49.3 |
| Oakland, CA | 455.9 | 499.2 | 643.6 | 675.1 | 552.5 | 604.3 | 614.5 | 604.8 | 32.7 |
| Oklahoma City, OK | 369.2 | 390.0 | 415.5 | 495.7 | 517.7 | 470.0 | 524.6 | 517.1 | 40.1 |
| Omaha, NB | 381.6 | 479.9 | 496.7 | 438.2 | 589.2 | 630.8 | 707.4 | 711.0 | 86.3 |
| Philadelphia, PA | 766.3 | 826.2 | 891.8 | 891.0 | 1,001.9 | 1,170.6 | 1,100.5 | 1,027.3 | 34.1 |
| Phoenix, AZ | 356.8 | 375.6 | 362.7 | 397.7 | 427.6 | 368.5 | 502.4 | 509.4 | 42.7 |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 329.8 | 309.9 | 349.1 | 356.6 | 348.5 | 353.2 | 397.1 | 434.4 | 31.7 |
| Sacramento, CA (Sacramento County) | 338.0 | 367.1 | 380.0 | 362.4 | 385.5 | 433.0 | 509.0 | 569.1 | 68.4 |
| San Antonio, TX | 522.0 | 490.9 | 493.3 | 481.3 | 482.9 | 540.3 | 583.2 | 618.7 | 18.5 |
| San Diego, CA (San Diego County) | 255.0 | 272.5 | 306.9 | 325.8 | 363.4 | 364.2 | 384.6 | 391.0 | 53.3 |
| San Francisco, CA | 337.8 | 352.4 | 398.5 | 386.1 | 428.5 | 431.3 | 471.7 | 477.4 | 41.3 |
| San Jose, CA | 132.6 | 343.0 | 276.4 | 239.8 | 246.0 | 242.8 | 334.1 | 343.5 | 159.1 |
| Seattle, WA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 159.3 | 144.5 | 158.5 | 254.9 | 266.0 | 309.9 | 308.0 | 373.9 | 134.6 |
| Washington, DC | 550.4 | 473.0 | 558.2 | 576.2 | 582.3 | 547.5 | 612.5 | 643.3 | 16.9 |
| Wichita, KS (Sedgwick County) | 319.3 | 356.7 | 337.4 | 341.6 | 372.1 | 419.5 | 416.7 | 424.6 | 33.0 |

YEAR 2010 GOAL: NA

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
 * County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
 "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.6: GONORRHEA INCIDENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|-------|---------|-------|---------|-------|-------|-------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | --- | 84.4 | 122.7 | 115.9 | 145.7 | 112.6 | 111.6 | 118.6 | --- |
| Arlington, TX | 182.0 | 139.5 | 134.8 | 111.1 | 107.8 | 103.6 | 101.5 | 124.9 | -31.3 |
| Atlanta, GA (Fulton County) | 722.0 | 744.9 | 1,255.4 | 504.3 | 504.3 | 463.2 | 353.3 | 318.1 | -55.9 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 1050.6 | 930.4 | 848.3 | 765.6 | 743.1 | 612.6 | 608.0 | 534.0 | -49.2 |
| Boston, MA | 168.1 | 143.4 | 192.1 | 222.5 | 223.2 | 188.6 | 164.1 | 143.8 | -14.5 |
| Charlotte, NC | --- | --- | 343.5 | 388.3 | 404.6 | 402.3 | 367.2 | 367.6 | --- |
| Chicago, IL | 492.7 | 525.1 | 513.5 | 494.7 | 477.0 | 418.5 | 378.6 | 341.5 | -30.7 |
| Cincinnati, OH | 1014.5 | 723.1 | 936.7 | 969.6 | 1,041.7 | 995.5 | 829.5 | 829.5 | -18.2 |
| Cleveland, OH | 623.4 | 723.2 | 770.7 | 799.1 | 866.6 | 810.0 | 673.1 | 683.3 | 9.6 |
| Colorado Springs, CO (El Paso County) | 78.2 | 86.4 | 58.4 | 69.3 | 68.7 | 68.5 | 86.3 | 116.3 | 48.7 |
| Columbus, OH | 442.0 | 450.6 | 506.4 | 481.4 | 430.9 | 375.1 | 363.6 | 293.3 | -33.6 |
| Dallas, TX | 497.4 | 490.2 | 458.6 | 379.9 | 321.4 | 272.3 | 231.0 | 264.3 | -46.9 |
| Denver, CO | 239.1 | 253.4 | 337.9 | 350.3 | 393.6 | 279.3 | 283.4 | 277.3 | 16.0 |
| Detroit, MI | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| El Paso, TX | 43.1 | 24.5 | 29.3 | 45.1 | 53.8 | 46.1 | 42.0 | 51.3 | 19.1 |
| Fort Worth, TX | 481.7 | 395.8 | 388.3 | 312.1 | 257.9 | 283.3 | 307.7 | 336.3 | -30.2 |
| Fresno, CA (Fresno County) | 70.0 | 80.5 | 89.6 | 98.2 | 136.2 | 144.0 | 144.5 | 162.6 | 132.2 |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 369.8 | 288.9 | 286.7 | 261.6 | 243.1 | 199.9 | 209.9 | 202.3 | -45.3 |
| Indianapolis, IN (Marion County) | 461.9 | 424.9 | 412.7 | 408.3 | 432.4 | 366.1 | 391.2 | 455.1 | -1.5 |
| Jacksonville, FL | 345.5 | 410.5 | 494.8 | 371.3 | 393.5 | 322.3 | 276.6 | 318.5 | -7.8 |
| Kansas City, MO | 514.4 | 511.5 | 627.8 | 454.8 | 558.7 | 536.1 | 581.4 | 550.6 | 7.0 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Los Angeles, CA | 66.5 | 65.6 | 72.9 | 77.6 | 80.0 | 86.6 | 101.7 | 109.9 | 65.2 |
| Louisville/Jefferson County, KY | --- | 172.9 | 173.2 | 207.5 | 197.7 | 206.3 | 191.9 | 200.0 | --- |
| Memphis, TN | 399.2 | 439.7 | 470.2 | 551.0 | 513.8 | 416.6 | 438.2 | 449.9 | 12.7 |
| Mesa, AZ | 67.7 | 57.8 | 59.3 | 60.0 | 53.0 | 66.1 | 55.0 | 81.7 | 20.8 |
| Miami, FL | 711.6 | 765.5 | 550.4 | 541.8 | 564.7 | 527.5 | 521.7 | 458.2 | -35.6 |
| Milwaukee, WI | 779.5 | 851.9 | 701.7 | 703.5 | 759.0 | 632.7 | 505.9 | 643.6 | -17.4 |
| Minneapolis, MN | 402.4 | 397.7 | 403.5 | 327.0 | 346.0 | 344.2 | 264.0 | 313.9 | -22.0 |
| Nashville-Davidson, TN | 322.1 | 318.4 | 421.8 | 285.1 | 247.2 | 261.8 | 214.3 | 195.8 | -39.2 |
| New Orleans, LA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| New York, NY | 152.0 | 153.9 | 145.7 | 157.5 | 160.0 | 168.2 | 135.6 | 132.3 | -13.0 |
| Oakland, CA | 258.5 | 268.3 | 297.1 | 354.7 | 299.4 | 244.1 | 255.8 | 294.6 | 14.0 |
| Oklahoma City, OK | 295.1 | 288.1 | 293.2 | 320.5 | 305.1 | 270.5 | 327.0 | 345.0 | 16.9 |
| Omaha, NB | 233.1 | 263.6 | 297.2 | 235.6 | 294.1 | 298.5 | 202.3 | 193.3 | -17.1 |
| Philadelphia, PA | 475.4 | 508.2 | 537.9 | 529.8 | 478.5 | 377.7 | 342.7 | 333.2 | -29.9 |
| Phoenix, AZ | 195.7 | 194.5 | 171.5 | 148.4 | 152.6 | 145.6 | 157.8 | 152.5 | -22.1 |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 81.9 | 82.9 | 103.3 | 112.5 | 84.5 | 82.7 | 109.9 | 134.1 | 63.7 |
| Sacramento, CA (Sacramento County) | 130.4 | 102.2 | 106.9 | 95.5 | 117.9 | 142.1 | 159.8 | 186.3 | 42.8 |
| San Antonio, TX | 165.6 | 177.5 | 193.9 | 178.9 | 164.0 | 183.7 | 171.7 | 183.7 | 11.0 |
| San Diego, CA (San Diego County) | 57.8 | 56.1 | 63.9 | 66.6 | 75.6 | 70.1 | 84.4 | 92.6 | 60.3 |
| San Francisco, CA | 239.7 | 210.2 | 277.8 | 259.8 | 271.3 | 231.1 | 277.2 | 310.7 | 29.6 |
| San Jose, CA | 17.6 | 45.1 | 32.6 | 34.2 | 28.3 | 40.7 | 73.0 | 63.9 | 263.4 |
| Seattle, WA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 104.6 | 105.5 | 102.8 | 139.4 | 140.4 | 143.4 | 112.2 | 111.7 | 6.8 |
| Washington, DC | 779.8 | 614.9 | 473.2 | 504.8 | 469.7 | 433.0 | 451.4 | 375.1 | -51.9 |
| Wichita, KS (Sedgwick County) | 169.2 | 175.1 | 153.2 | 189.0 | 190.8 | 195.0 | 159.4 | 144.9 | -14.4 |

YEAR 2010 GOAL: 19.0

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.7: TUBERCULOSIS INCIDENCE RATE, 1998—2005

| City* | Annual Rate† | | | | | | | | Percent Change 1998—2005 |
|---------------------------------------|--------------|------|------|------|------|------|------|------|-----------------------------|
| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | |
| Albuquerque, NM (Bernalillo County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Arlington, TX | 10.5 | 6.5 | 6.0 | 8.1 | 6.3 | 6.3 | 8.7 | 9.0 | -14.3 |
| Atlanta, GA (Fulton County) | 16.5 | 18.1 | 20.3 | 14.1 | 14.1 | 14.7 | 14.2 | 10.7 | -35.6 |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Boston, MA | 15.2 | 13.1 | 13.9 | 12.7 | 11.4 | 10.9 | 11.9 | 9.7 | -36.4 |
| Charlotte, NC | 10.8 | 13.9 | 11.8 | 7.2 | 8.1 | 8.3 | 8.7 | 8.5 | -21.5 |
| Chicago, IL | 16.3 | 16.1 | 13.7 | 13.0 | 13.2 | 11.7 | 10.6 | 11.4 | -30.5 |
| Cincinnati, OH | --- | 6.0 | 6.6 | --- | --- | --- | 6.6 | 6.0 | --- |
| Cleveland, OH | 9.1 | 14.8 | 13.6 | 9.2 | 8.8 | 7.3 | 5.4 | 9.2 | 0.9 |
| Colorado Springs, CO (El Paso County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Columbus, OH | 5.8 | 7.4 | 10.0 | 9.0 | 7.3 | 6.9 | 6.9 | 10.5 | 82.9 |
| Dallas, TX | 17.7 | 14.2 | 11.9 | 16.1 | 14.5 | 15.3 | 15.6 | 12.4 | -30.0 |
| Denver, CO | 6.4 | 7.5 | 7.8 | 9.2 | 7.0 | 6.9 | 9.2 | 7.9 | 24.8 |
| Detroit, MI | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| El Paso, TX | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Fort Worth, TX | 16.9 | 14.5 | 12.2 | 14.0 | 13.8 | 13.5 | 12.5 | 15.1 | -10.3 |
| Fresno, CA (Fresno County) | 14.8 | 12.7 | 11.4 | 12.1 | 12.4 | 14.4 | 12.8 | 8.6 | -41.6 |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 16.7 | 17.2 | 14.1 | 14.7 | 14.9 | 15.6 | 15.8 | 12.4 | -25.4 |
| Indianapolis, IN (Marion County) | 4.7 | 3.7 | 5.1 | 5.0 | 4.2 | 7.0 | 5.5 | 5.2 | 10.8 |
| Jacksonville, FL | 14.7 | 13.1 | 14.7 | 12.6 | 9.9 | 9.5 | 11.0 | 11.0 | -25.3 |
| Kansas City, MO | 9.1 | 9.5 | 9.5 | 7.2 | 6.3 | 5.9 | 4.8 | 5.4 | -40.3 |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Los Angeles, CA | 14.6 | 13.6 | 11.7 | 11.2 | 10.4 | 10.0 | 10.2 | 9.3 | -36.7 |
| Louisville/Jefferson County, KY | 6.4 | 5.6 | 4.9 | 4.9 | 6.2 | 4.2 | 4.9 | 4.5 | -30.1 |
| Memphis, TN | 16.9 | 14.4 | 11.2 | 11.4 | 11.2 | 11.7 | 11.7 | 12.8 | -24.2 |
| Mesa, AZ | --- | --- | --- | --- | --- | --- | 5.0 | --- | --- |
| Miami, FL | 79.4 | 75.7 | 77.0 | 79.2 | 71.2 | 65.9 | 74.8 | 63.2 | -20.5 |
| Milwaukee, WI | 6.3 | 7.8 | 6.2 | 4.7 | 5.9 | 3.4 | 4.5 | 3.7 | -41.6 |
| Minneapolis, MN | 16.6 | 22.3 | 20.9 | 26.4 | 21.2 | 20.4 | 16.5 | 14.1 | -15.2 |
| Nashville-Davidson, TN | 13.4 | 10.7 | 14.2 | 11.8 | 11.6 | 10.9 | 9.5 | 11.6 | -13.7 |
| New Orleans, LA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| New York, NY | 19.8 | 18.4 | 16.6 | 15.7 | 13.5 | 14.2 | 12.8 | 12.3 | -38.0 |
| Oakland, CA | 25.2 | 28.8 | 25.0 | 17.8 | 24.5 | 15.8 | 13.3 | 11.3 | -55.3 |
| Oklahoma City, OK | 10.2 | 12.0 | 10.1 | 9.5 | 10.3 | 8.5 | 8.7 | 6.5 | -35.8 |
| Omaha, NB | 6.9 | --- | --- | 6.7 | 6.4 | --- | --- | --- | --- |
| Philadelphia, PA | 11.6 | 12.1 | 11.1 | 9.5 | 9.7 | 7.9 | 8.5 | 7.6 | -34.4 |
| Phoenix, AZ | 7.5 | 7.6 | 7.9 | 7.6 | 8.1 | 10.0 | 7.9 | 7.6 | 1.3 |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 11.2 | 8.4 | 6.2 | 6.4 | 6.5 | 5.3 | 7.1 | 6.1 | -45.8 |
| Sacramento, CA (Sacramento County) | 9.0 | 8.6 | 10.8 | 9.0 | 9.1 | 12.3 | 13.1 | 10.6 | 17.6 |
| San Antonio, TX | 8.0 | 8.0 | 7.3 | 6.6 | 6.1 | 4.5 | 9.7 | 6.4 | -20.4 |
| San Diego, CA (San Diego County) | 12.4 | 10.8 | 10.5 | 11.8 | 11.6 | 11.2 | 11.4 | 10.8 | -12.9 |
| San Francisco, CA | 27.1 | 30.5 | 24.5 | 23.4 | 18.8 | 20.9 | 17.4 | 17.0 | -37.2 |
| San Jose, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Seattle, WA | --- | 10.2 | 10.1 | 10.8 | 14.0 | 15.8 | 11.9 | 10.8 | --- |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Washington, DC | 18.5 | 12.2 | 14.9 | 12.9 | 14.3 | 13.8 | 14.2 | 9.8 | -47.1 |
| Wichita, KS (Sedgwick County) | 5.0 | 6.7 | 5.7 | 7.3 | 6.2 | 6.2 | --- | 4.4 | -11.2 |

YEAR 2010 GOAL: 1.0

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

TABLE 3.11: LUNG CANCER MORTALITY RATE, 1990—2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change |
|------------------------|--------------|-------|-------|------|-------|-------|-------|------|-------|------|------|------|------|-------|-------|----------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 1990—2004 |
| Albuquerque, NM | 47.2 | 48.8 | 44.4 | 48.2 | 48.9 | 50.6 | 48.6 | 50.5 | 45.9 | 38.7 | 44.3 | 39.8 | 44.7 | 43.8 | 48.9 | 3.6 |
| Arlington, TX | 56.3 | 72.9 | 62.3 | 70.8 | 57.3 | 63.1 | 60.9 | 51.7 | 58.7 | 65.2 | 58.4 | 55.6 | 56.7 | 57.6 | 72.4 | 28.7 |
| Atlanta, GA | 67.8 | 69.4 | 70.1 | 66.7 | 75.2 | 68.6 | 58.6 | 66.6 | 68.0 | 66.5 | 58.3 | 62.4 | 59.1 | 56.7 | 51.5 | -24.0 |
| Austin, TX | 51.1 | 59.6 | 61.9 | 65.2 | 52.0 | 58.9 | 51.3 | 59.5 | 50.6 | 43.9 | 53.2 | 49.1 | 50.0 | 47.7 | 51.0 | -0.1 |
| Baltimore, MD | 88.3 | 86.4 | 82.6 | 84.7 | 82.5 | 89.1 | 92.2 | 83.9 | 86.7 | 81.7 | 81.4 | 76.6 | 82.9 | 78.8 | 70.6 | -20.1 |
| Boston, MA | 57.7 | 59.7 | 68.4 | 69.4 | 65.8 | 62.6 | 63.8 | 56.8 | 58.0 | 60.7 | 59.0 | 53.3 | 62.4 | 61.2 | 53.3 | -7.7 |
| Charlotte, NC | 70.2 | 65.5 | 64.1 | 67.2 | 67.1 | 62.3 | 59.5 | 58.3 | 58.7 | 58.9 | 60.5 | 55.1 | 56.5 | 57.0 | 65.5 | -6.7 |
| Chicago, IL | 65.1 | 62.2 | 64.0 | 64.0 | 64.0 | 59.8 | 62.9 | 59.0 | 58.7 | 57.3 | 57.8 | 54.3 | 55.8 | 55.5 | 54.1 | -16.9 |
| Cincinnati, OH | 78.6 | 87.1 | 81.0 | 85.5 | 70.7 | 87.6 | 81.5 | 83.2 | 82.5 | 79.1 | 85.1 | 82.9 | 81.5 | 69.3 | 75.0 | -4.6 |
| Cleveland, OH | 86.1 | 81.3 | 75.9 | 78.7 | 83.9 | 80.3 | 75.7 | 81.4 | 83.2 | 84.0 | 87.2 | 74.9 | 69.8 | 76.4 | 81.0 | -5.9 |
| Colorado Springs, CO | 47.0 | 45.1 | 42.4 | 41.5 | 56.3 | 51.2 | 47.4 | 45.3 | 53.5 | 44.9 | 50.5 | 48.2 | 42.8 | 45.5 | 51.8 | 10.2 |
| Columbus, OH | 73.5 | 74.3 | 80.1 | 75.2 | 71.0 | 80.3 | 86.1 | 75.3 | 82.6 | 75.5 | 69.2 | 65.9 | 75.0 | 81.6 | 83.7 | 13.9 |
| Dallas, TX | 68.7 | 62.4 | 64.0 | 63.7 | 61.5 | 61.8 | 58.5 | 62.2 | 59.2 | 56.5 | 57.7 | 56.8 | 57.3 | 56.1 | 50.3 | -26.7 |
| Denver, CO | 46.8 | 46.6 | 49.6 | 48.8 | 44.8 | 47.5 | 45.9 | 44.7 | 42.8 | 44.2 | 43.2 | 43.3 | 49.3 | 46.9 | 44.3 | -5.4 |
| Detroit, MI | 71.0 | 77.0 | 75.1 | 70.4 | 74.3 | 68.8 | 74.8 | 68.2 | 68.7 | 68.2 | 66.9 | 69.3 | 68.4 | 62.4 | 67.0 | -5.7 |
| El Paso, TX | 38.6 | 45.4 | 42.8 | 40.6 | 39.5 | 38.4 | 42.6 | 36.5 | 40.6 | 36.4 | 34.4 | 39.5 | 34.5 | 38.7 | 33.8 | -12.3 |
| Fort Worth, TX | 79.7 | 72.1 | 71.2 | 74.6 | 65.6 | 62.8 | 73.0 | 63.5 | 59.2 | 64.1 | 68.0 | 56.1 | 66.6 | 61.4 | 65.1 | -18.3 |
| Fresno, CA | 70.4 | 65.6 | 66.2 | 74.2 | 72.4 | 64.0 | 61.8 | 68.6 | 56.8 | 66.6 | 57.9 | 56.9 | 59.3 | 59.0 | 66.2 | -6.0 |
| Honolulu, HI | 34.9 | 37.5 | 40.8 | 38.6 | 40.2 | 41.1 | 41.4 | 39.2 | 42.0 | 37.0 | 35.1 | 32.5 | 29.4 | 31.5 | 37.4 | 7.1 |
| Houston, TX | 69.6 | 68.5 | 71.6 | 64.8 | 67.6 | 63.8 | 64.1 | 71.6 | 68.3 | 61.2 | 58.6 | 59.8 | 63.5 | 59.5 | 59.4 | -14.7 |
| Indianapolis, IN | 85.5 | 81.2 | 75.4 | 76.0 | 83.1 | 76.9 | 72.9 | 77.1 | 79.6 | 86.8 | 72.3 | 86.3 | 78.5 | 83.0 | 77.6 | -9.2 |
| Jacksonville, FL | 75.3 | 76.7 | 68.0 | 71.4 | 71.3 | 73.0 | 71.0 | 65.4 | 68.2 | 69.7 | 66.8 | 71.4 | 67.3 | 69.8 | 73.6 | -2.2 |
| Kansas City, MO | 77.9 | 68.2 | 75.4 | 64.6 | 70.9 | 75.5 | 74.6 | 61.9 | 70.0 | 63.0 | 63.0 | 70.5 | 63.2 | 65.4 | 68.7 | -11.8 |
| Las Vegas, NV | 77.0 | 92.6 | 102.9 | 98.9 | 107.9 | 111.6 | 107.2 | 96.1 | 106.1 | 95.6 | 88.5 | 98.8 | 95.6 | 102.1 | 106.9 | 38.8 |
| Long Beach, CA | 60.3 | 65.4 | 61.4 | 58.3 | 61.2 | 60.8 | 61.7 | 58.7 | 58.5 | 50.9 | 54.6 | 50.1 | 49.3 | 49.0 | 47.2 | -21.7 |
| Los Angeles, CA | 50.3 | 50.1 | 47.3 | 49.2 | 44.5 | 46.5 | 47.1 | 45.8 | 41.7 | 44.7 | 42.0 | 44.1 | 41.1 | 42.2 | 40.1 | -20.2 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 81.8 | 80.2 | 80.4 | 73.1 | 78.1 | 76.4 | --- |
| Memphis, TN | 78.2 | 78.7 | 85.0 | 71.2 | 81.8 | 79.4 | 76.3 | 67.0 | 73.3 | 70.8 | 70.8 | 67.3 | 63.7 | 61.6 | 62.7 | -19.8 |
| Mesa, AZ | 57.4 | 53.2 | 56.3 | 47.8 | 53.5 | 51.7 | 50.6 | 50.9 | 49.6 | 59.7 | 51.8 | 58.7 | 45.5 | 54.8 | 51.7 | -10.0 |
| Miami, FL | 47.0 | 56.3 | 57.4 | 51.8 | 58.5 | 53.5 | 58.3 | 51.3 | 56.2 | 61.4 | 60.7 | 57.5 | 54.2 | 59.0 | 55.7 | 18.5 |
| Milwaukee, WI | 60.7 | 61.2 | 60.6 | 62.7 | 62.4 | 62.7 | 64.6 | 69.1 | 63.7 | 65.3 | 63.3 | 60.8 | 64.6 | 64.1 | 65.1 | 7.3 |
| Minneapolis, MN | 65.2 | 59.6 | 61.6 | 64.0 | 56.5 | 54.5 | 61.7 | 63.2 | 64.1 | 65.7 | 68.4 | 62.8 | 54.1 | 45.3 | 54.9 | -15.8 |
| Nashville-Davidson, TN | 75.4 | 72.8 | 70.5 | 72.0 | 81.0 | 69.1 | 69.2 | 72.5 | 67.8 | 73.1 | 70.5 | 70.3 | 77.5 | 64.8 | 66.5 | -11.9 |
| New Orleans, LA | 68.5 | 77.2 | 65.9 | 86.0 | 69.0 | 68.2 | 68.1 | 72.7 | 74.8 | 68.8 | 69.1 | 63.2 | 66.3 | 63.6 | 67.5 | -1.4 |
| New York, NY | 47.5 | 47.1 | 45.8 | 46.4 | 45.3 | 44.1 | 43.5 | 40.8 | 41.4 | 41.4 | 40.2 | 41.0 | 40.4 | 40.2 | 38.6 | -18.8 |
| Oakland, CA | 59.6 | 62.8 | 65.4 | 59.0 | 57.7 | 62.6 | 56.4 | 51.9 | 54.2 | 56.2 | 54.1 | 58.6 | 53.7 | 52.6 | 44.0 | -26.2 |
| Oklahoma City, OK | 68.1 | 67.6 | 71.6 | 66.8 | 70.0 | 65.2 | 67.5 | 64.0 | 69.2 | 56.1 | 47.6 | 59.0 | 63.6 | 52.5 | 62.7 | -7.9 |
| Omaha, NB | 67.8 | 61.2 | 65.9 | 69.6 | 58.5 | 62.6 | 64.4 | 64.9 | 63.1 | 61.4 | 60.7 | 66.0 | 62.7 | 69.3 | 61.6 | -9.1 |
| Philadelphia, PA | 75.5 | 71.8 | 76.2 | 78.2 | 76.4 | 73.3 | 76.8 | 77.6 | 76.4 | 71.9 | 70.7 | 68.0 | 68.5 | 64.9 | 67.4 | -10.8 |
| Phoenix, AZ | 58.3 | 64.3 | 61.2 | 60.4 | 61.3 | 57.6 | 59.0 | 57.9 | 58.3 | 55.7 | 56.1 | 46.9 | 55.4 | 52.7 | 49.1 | -15.8 |
| Pittsburgh, PA | 82.9 | 78.4 | 72.2 | 73.4 | 75.5 | 74.2 | 78.7 | 82.4 | 69.8 | 81.4 | 72.8 | 77.7 | 71.4 | 65.4 | 71.9 | -13.3 |
| Portland, OR | 73.0 | 68.5 | 72.5 | 68.3 | 72.1 | 63.4 | 63.8 | 67.7 | 62.4 | 59.2 | 64.1 | 60.4 | 60.1 | 64.0 | 59.6 | -18.3 |
| Sacramento, CA | 108.0 | 100.9 | 93.1 | 96.3 | 108.7 | 100.0 | 92.6 | 98.1 | 95.9 | 93.4 | 99.0 | 94.3 | 91.0 | 96.3 | 79.3 | -26.6 |
| San Antonio, TX | 50.9 | 48.9 | 57.1 | 58.4 | 55.9 | 53.6 | 51.3 | 49.6 | 51.2 | 49.0 | 50.3 | 43.4 | 53.8 | 48.9 | 49.0 | -3.7 |
| San Diego, CA | 54.0 | 50.5 | 51.4 | 52.8 | 52.3 | 48.8 | 48.6 | 45.3 | 44.2 | 46.7 | 51.8 | 47.3 | 48.0 | 43.2 | 45.5 | -15.7 |
| San Francisco, CA | 52.9 | 56.7 | 52.3 | 47.2 | 48.1 | 52.1 | 44.9 | 46.8 | 40.8 | 45.6 | 42.9 | 46.6 | 39.2 | 42.6 | 43.4 | -18.0 |
| San Jose, CA | 55.5 | 48.8 | 48.0 | 43.9 | 47.6 | 42.6 | 46.2 | 47.0 | 41.0 | 40.8 | 37.2 | 36.2 | 41.2 | 44.1 | 41.8 | -24.7 |
| Seattle, WA | 59.6 | 56.2 | 58.8 | 62.0 | 57.9 | 58.9 | 55.0 | 53.8 | 59.7 | 56.0 | 59.8 | 55.4 | 49.7 | 51.8 | 46.8 | -21.5 |
| St. Louis, MO | 83.9 | 83.8 | 87.0 | 76.0 | 77.8 | 77.8 | 74.5 | 76.3 | 79.4 | 67.5 | 82.0 | 70.1 | 74.9 | 69.0 | 75.5 | -10.0 |
| Tucson, AZ | 59.5 | 56.2 | 65.9 | 64.2 | 70.5 | 66.4 | 60.2 | 52.4 | 56.8 | 85.1 | 79.8 | 53.4 | 62.6 | 89.6 | 89.5 | 50.4 |
| Tulsa, OK | 62.6 | 67.6 | 64.2 | 68.3 | 65.9 | 72.1 | 65.9 | 66.3 | 66.9 | 67.0 | 72.4 | 90.4 | 97.6 | 63.5 | 60.2 | -3.8 |
| Virginia Beach, VA | 69.8 | 73.2 | 70.5 | 62.8 | 64.1 | 55.1 | 65.2 | 55.4 | 65.1 | 61.2 | 61.5 | 65.8 | 62.2 | 72.8 | 73.1 | 4.7 |
| Washington, DC | 59.8 | 60.2 | 58.1 | 61.6 | 67.0 | 62.0 | 54.5 | 60.5 | 59.3 | 53.5 | 57.2 | 56.2 | 58.5 | 50.9 | 50.6 | -15.4 |
| Wichita, KS | 62.6 | 68.8 | 74.0 | 63.8 | 69.1 | 64.2 | 70.1 | 64.7 | 69.8 | 57.5 | 63.9 | 63.6 | 62.1 | 61.2 | 71.9 | 14.9 |

YEAR 2010 GOAL: 43.3

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.12: FEMALE BREAST CANCER MORTALITY RATE, 1990–2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 32.6 | 42.2 | 41.9 | 35.7 | 31.7 | 39.5 | 35.8 | 33.7 | 27.8 | 23.9 | 31.5 | 23.1 | 28.8 | 28.6 | 29.6 | -9.2 |
| Arlington, TX | --- | 27.6 | 38.1 | 29.7 | 27.1 | 26.8 | 30.3 | 22.8 | 21.8 | 27.7 | 29.3 | 22.7 | 29.5 | 19.0 | 26.4 | --- |
| Atlanta, GA | 40.9 | 39.0 | 41.0 | 49.7 | 41.7 | 48.0 | 37.7 | 43.7 | 40.5 | 32.7 | 37.9 | 33.5 | 32.9 | 34.7 | 29.4 | -28.2 |
| Austin, TX | 27.7 | 34.8 | 31.1 | 36.7 | 30.0 | 34.0 | 26.2 | 27.4 | 26.4 | 25.1 | 27.0 | 24.4 | 24.8 | 23.6 | 27.4 | -0.9 |
| Baltimore, MD | 36.7 | 39.5 | 38.6 | 35.5 | 37.0 | 42.3 | 39.5 | 39.9 | 36.6 | 37.3 | 32.3 | 37.6 | 36.8 | 36.0 | 33.2 | -9.5 |
| Boston, MA | 42.3 | 34.1 | 31.4 | 37.1 | 36.9 | 30.8 | 34.6 | 33.4 | 27.4 | 22.8 | 29.4 | 22.9 | 33.5 | 34.8 | 26.7 | -36.9 |
| Charlotte, NC | 45.8 | 43.7 | 28.0 | 30.5 | 36.7 | 33.4 | 28.0 | 34.4 | 29.5 | 29.6 | 27.5 | 27.4 | 31.3 | 34.7 | 30.3 | -33.8 |
| Chicago, IL | 37.5 | 40.1 | 37.5 | 38.4 | 37.5 | 36.0 | 33.8 | 35.0 | 32.2 | 34.4 | 33.3 | 27.6 | 30.7 | 29.5 | 29.9 | -20.3 |
| Cincinnati, OH | 41.5 | 39.3 | 37.5 | 28.9 | 42.5 | 34.8 | 45.0 | 27.8 | 29.3 | 36.3 | 39.5 | 29.9 | 30.5 | 39.5 | 36.4 | -12.4 |
| Cleveland, OH | 39.3 | 40.0 | 43.5 | 43.1 | 33.1 | 40.5 | 42.7 | 41.2 | 39.0 | 39.4 | 32.4 | 36.5 | 37.2 | 26.9 | 38.3 | -2.6 |
| Colorado Springs, CO | 32.4 | 33.6 | 29.0 | 30.8 | 31.2 | 29.2 | 27.8 | 30.1 | 27.3 | 22.0 | 25.0 | 29.0 | 22.7 | 25.4 | 36.1 | 11.5 |
| Columbus, OH | 38.0 | 33.4 | 40.0 | 29.2 | 32.9 | 33.6 | 29.7 | 35.8 | 35.5 | 38.1 | 31.1 | 33.5 | 23.6 | 31.5 | 28.1 | -26.1 |
| Dallas, TX | 34.0 | 32.7 | 37.7 | 33.2 | 31.4 | 32.0 | 30.6 | 27.6 | 28.6 | 25.1 | 31.6 | 27.6 | 25.9 | 28.4 | 24.6 | -27.6 |
| Denver, CO | 36.2 | 36.6 | 31.3 | 33.7 | 28.1 | 31.3 | 24.4 | 30.2 | 31.1 | 25.1 | 25.3 | 25.0 | 25.9 | 22.0 | 23.5 | -35.1 |
| Detroit, MI | 43.4 | 36.2 | 37.6 | 35.2 | 36.8 | 42.0 | 39.3 | 42.1 | 34.5 | 33.7 | 34.2 | 35.4 | 37.7 | 34.5 | 30.7 | -29.3 |
| El Paso, TX | 26.7 | 33.9 | 29.2 | 32.7 | 29.9 | 36.5 | 30.2 | 33.9 | 28.8 | 27.9 | 25.0 | 23.7 | 33.3 | 31.5 | 29.0 | 8.4 |
| Fort Worth, TX | 39.5 | 32.3 | 34.4 | 26.4 | 31.7 | 28.6 | 29.8 | 33.0 | 29.4 | 31.0 | 27.3 | 31.9 | 31.2 | 32.4 | 28.4 | -28.1 |
| Fresno, CA | 35.6 | 33.8 | 32.3 | 37.3 | 33.2 | 28.5 | 29.9 | 30.0 | 29.6 | 23.2 | 35.5 | 36.1 | 31.1 | 23.8 | 30.7 | -13.8 |
| Honolulu, HI | 18.6 | 23.7 | 25.6 | 18.1 | 22.3 | 20.4 | 19.7 | 16.0 | 18.3 | 14.8 | 15.2 | 21.5 | 13.4 | 17.8 | 14.9 | -19.9 |
| Houston, TX | 38.8 | 37.4 | 37.7 | 40.0 | 38.4 | 36.8 | 35.0 | 32.4 | 37.6 | 33.9 | 27.5 | 35.4 | 32.4 | 34.7 | 29.9 | -23.0 |
| Indianapolis, IN | 37.9 | 35.8 | 36.6 | 33.3 | 33.1 | 28.0 | 35.3 | 30.3 | 33.8 | 33.0 | 29.8 | 26.7 | 31.9 | 28.4 | 20.1 | -47.0 |
| Jacksonville, FL | 32.2 | 30.8 | 26.5 | 29.8 | 34.1 | 29.4 | 33.1 | 34.7 | 35.6 | 34.6 | 30.1 | 29.1 | 33.5 | 29.9 | 30.6 | -4.9 |
| Kansas City, MO | 36.8 | 40.5 | 30.6 | 30.2 | 34.8 | 34.7 | 35.6 | 28.8 | 28.8 | 25.6 | 29.8 | 25.0 | 24.1 | 33.9 | 27.2 | -26.1 |
| Las Vegas, NV | 44.2 | 42.4 | 47.6 | 46.6 | 46.7 | 37.9 | 43.2 | 41.8 | 39.7 | 38.3 | 36.9 | 42.4 | 45.9 | 49.5 | 53.3 | 20.5 |
| Long Beach, CA | 34.2 | 39.0 | 36.1 | 27.9 | 35.9 | 32.7 | 33.9 | 24.4 | 22.8 | 28.0 | 19.3 | 28.6 | 23.7 | 23.8 | 25.3 | -26.0 |
| Los Angeles, CA | 35.5 | 32.5 | 32.1 | 31.7 | 29.7 | 31.5 | 28.8 | 28.4 | 29.3 | 25.5 | 24.5 | 24.2 | 26.4 | 24.9 | 28.4 | -20.0 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 27.3 | 28.0 | 17.3 | 28.7 | 16.0 | 29.2 | --- |
| Memphis, TN | 41.6 | 40.6 | 44.6 | 41.9 | 38.9 | 35.6 | 32.9 | 38.7 | 36.4 | 32.6 | 29.4 | 31.0 | 31.4 | 35.0 | 35.3 | -15.2 |
| Mesa, AZ | 30.0 | 23.5 | 28.2 | 32.1 | 32.3 | 23.3 | 28.2 | 31.2 | 25.5 | 37.5 | 32.2 | 32.8 | 31.0 | 30.3 | 34.7 | 15.8 |
| Miami, FL | 36.9 | 43.5 | 41.1 | 32.2 | 25.8 | 40.6 | 41.8 | 35.2 | 38.3 | 34.3 | 37.6 | 37.4 | 34.3 | 39.8 | 41.8 | 13.3 |
| Milwaukee, WI | 35.6 | 39.4 | 39.4 | 37.1 | 30.5 | 33.6 | 30.4 | 27.5 | 32.9 | 30.2 | 25.6 | 29.3 | 28.6 | 25.2 | 22.4 | -37.1 |
| Minneapolis, MN | 37.7 | 38.9 | 30.4 | 39.8 | 36.2 | 38.4 | 25.3 | 22.6 | 26.6 | 39.6 | 24.5 | 29.8 | 19.4 | 27.9 | 19.1 | -49.4 |
| Nashville-Davidson, TN | 35.6 | 31.8 | 35.2 | 38.1 | 34.6 | 29.7 | 35.0 | 37.5 | 28.7 | 27.3 | 26.7 | 33.2 | 26.2 | 31.4 | 22.9 | -35.7 |
| New Orleans, LA | 45.5 | 46.2 | 36.5 | 40.3 | 39.1 | 39.7 | 31.2 | 34.2 | 35.3 | 38.5 | 37.5 | 34.5 | 41.5 | 36.5 | 35.3 | -22.3 |
| New York, NY | 36.3 | 35.2 | 35.5 | 34.1 | 33.3 | 34.9 | 34.2 | 30.9 | 29.1 | 28.3 | 26.8 | 28.9 | 25.9 | 26.5 | 26.8 | -26.2 |
| Oakland, CA | 35.3 | 31.5 | 30.6 | 25.6 | 31.4 | 20.5 | 24.9 | 30.3 | 31.0 | 27.8 | 29.9 | 24.2 | 29.7 | 19.8 | 24.0 | -32.0 |
| Oklahoma City, OK | 25.4 | 32.6 | 23.4 | 28.3 | 35.3 | 25.2 | 29.9 | 24.5 | 25.5 | 23.6 | 27.1 | 29.7 | 29.6 | 29.2 | 24.8 | -2.5 |
| Omaha, NB | 39.6 | 29.8 | 35.9 | 30.2 | 29.3 | 27.4 | 32.4 | 28.8 | 31.1 | 28.7 | 28.6 | 32.2 | 28.6 | 26.7 | 29.7 | -25.0 |
| Philadelphia, PA | 45.2 | 42.9 | 42.0 | 42.7 | 38.7 | 36.6 | 32.9 | 39.4 | 35.9 | 36.6 | 32.9 | 36.6 | 33.6 | 32.7 | 31.7 | -29.8 |
| Phoenix, AZ | 35.0 | 30.9 | 30.5 | 31.5 | 36.6 | 29.6 | 25.5 | 29.8 | 30.3 | 27.9 | 25.9 | 27.2 | 26.4 | 22.0 | 22.4 | -36.0 |
| Pittsburgh, PA | 40.0 | 41.0 | 39.5 | 37.5 | 39.4 | 32.8 | 31.0 | 38.7 | 29.7 | 41.4 | 29.8 | 30.8 | 33.9 | 24.3 | 27.5 | -31.3 |
| Portland, OR | 34.7 | 34.2 | 32.4 | 25.8 | 32.7 | 33.8 | 28.3 | 27.6 | 26.1 | 26.9 | 26.9 | 28.9 | 28.5 | 25.9 | 23.1 | -33.4 |
| Sacramento, CA | 64.1 | 53.2 | 49.8 | 52.2 | 63.8 | 52.2 | 45.8 | 50.1 | 44.1 | 42.1 | 51.0 | 43.1 | 43.7 | 42.5 | 42.3 | -34.0 |
| San Antonio, TX | 31.8 | 28.0 | 35.6 | 31.0 | 29.4 | 28.8 | 29.5 | 29.9 | 28.9 | 27.4 | 29.2 | 25.6 | 28.3 | 28.2 | 27.3 | -14.1 |
| San Diego, CA | 32.6 | 29.6 | 29.7 | 34.1 | 29.6 | 33.0 | 28.0 | 28.1 | 27.9 | 25.8 | 29.6 | 26.9 | 30.0 | 27.1 | 23.1 | -29.1 |
| San Francisco, CA | 32.0 | 32.1 | 28.2 | 31.4 | 25.2 | 23.5 | 24.9 | 26.4 | 26.4 | 19.7 | 21.3 | 23.0 | 22.1 | 25.3 | 24.5 | -23.4 |
| San Jose, CA | 28.3 | 29.9 | 31.7 | 27.7 | 28.0 | 25.6 | 29.1 | 23.3 | 26.0 | 22.3 | 20.4 | 21.2 | 18.8 | 15.8 | 21.5 | -23.9 |
| Seattle, WA | 40.3 | 32.4 | 29.5 | 32.6 | 27.8 | 32.3 | 38.8 | 35.9 | 32.2 | 26.7 | 27.4 | 21.9 | 24.9 | 24.2 | 23.3 | -42.2 |
| St. Louis, MO | 41.8 | 33.9 | 33.2 | 36.4 | 38.9 | 43.6 | 29.4 | 30.2 | 34.4 | 34.4 | 31.1 | 30.5 | 27.8 | 26.6 | 28.8 | -31.2 |
| Tucson, AZ | 26.1 | 34.3 | 30.5 | 33.2 | 35.3 | 23.8 | 28.7 | 28.8 | 25.8 | 39.4 | 44.6 | 33.3 | 32.4 | 46.2 | 41.7 | 59.5 |
| Tulsa, OK | 34.1 | 28.0 | 29.2 | 35.2 | 32.2 | 31.3 | 32.0 | 30.0 | 32.3 | 30.2 | 29.1 | 46.5 | 39.8 | 25.4 | 24.0 | -29.6 |
| Virginia Beach, VA | 23.3 | 34.0 | 29.4 | 43.5 | 27.8 | 28.3 | 34.4 | 24.4 | 28.3 | 30.8 | 31.5 | 25.6 | 29.5 | 27.1 | 24.6 | 5.4 |
| Washington, DC | 44.4 | 44.1 | 40.4 | 38.6 | 39.0 | 38.6 | 39.1 | 39.0 | 42.0 | 35.3 | 29.1 | 39.1 | 33.9 | 29.6 | 27.1 | -39.0 |
| Wichita, KS | 43.3 | 34.2 | 32.4 | 31.2 | 39.9 | 34.2 | 26.1 | 29.3 | 34.8 | 28.8 | 29.8 | 24.4 | 37.3 | 44.4 | 31.2 | -28.0 |

YEAR 2010 GOAL: 21.3

† Per 100,000 female population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "—" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.13: MOTOR VEHICLE INJURY MORTALITY RATE, 1990–2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990–2004 |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 17.6 | 15.9 | 18.3 | 17.2 | 17.7 | 18.2 | 18.2 | 18.0 | 13.6 | 18.7 | 16.5 | 19.6 | 18.0 | 17.7 | 22.2 | 26.4 |
| Arlington, TX | 14.4 | 11.1 | 13.9 | 7.7 | 14.3 | 13.3 | 11.2 | 9.0 | 8.4 | 9.9 | 10.5 | 13.4 | 15.3 | 8.6 | 15.0 | 4.1 |
| Atlanta, GA | 21.6 | 14.7 | 17.1 | 18.1 | 19.7 | 14.8 | 16.1 | 14.9 | 18.4 | 18.1 | 16.2 | 19.5 | 12.4 | 14.3 | 14.5 | -32.8 |
| Austin, TX | 9.0 | 10.5 | 14.0 | 9.6 | 12.9 | 10.8 | 11.1 | 11.6 | 11.9 | 11.2 | 17.0 | 17.7 | 15.2 | 11.2 | 13.2 | 46.0 |
| Baltimore, MD | 9.6 | 9.4 | 8.3 | 10.5 | 10.5 | 7.2 | 9.0 | 8.4 | 9.7 | 10.8 | 9.5 | 9.5 | 11.1 | 10.5 | 9.5 | -1.4 |
| Boston, MA | 7.6 | 7.2 | 4.8 | 5.9 | 6.2 | 5.8 | 3.8 | 4.9 | 4.4 | 3.6 | 5.7 | 6.7 | 6.9 | 5.1 | 4.8 | -36.8 |
| Charlotte, NC | 13.1 | 12.5 | 9.0 | 12.3 | 13.5 | 11.1 | 11.9 | 9.8 | 10.3 | 12.4 | 15.3 | 12.5 | 15.8 | 12.7 | 11.1 | -15.5 |
| Chicago, IL | 12.3 | 10.3 | 10.1 | 9.9 | 10.3 | 10.0 | 10.2 | 10.1 | 9.8 | 11.4 | 11.9 | 10.6 | 9.7 | 10.3 | 9.3 | -24.3 |
| Cincinnati, OH | 9.0 | 8.8 | 9.4 | 8.0 | 8.4 | 8.6 | 6.5 | 7.1 | 8.4 | 9.4 | 9.1 | 8.4 | 12.6 | 10.7 | 12.0 | 32.8 |
| Cleveland, OH | 12.2 | 11.8 | 8.8 | 9.4 | 7.6 | 9.1 | 9.0 | 8.4 | 7.5 | 8.7 | 9.9 | 10.5 | 9.3 | 7.6 | 7.3 | -40.1 |
| Colorado Springs, CO | 17.5 | 16.3 | 13.0 | 14.2 | 10.1 | 12.9 | 11.7 | 13.8 | 12.9 | 12.3 | 16.6 | 13.8 | 15.8 | 15.7 | 12.2 | -30.2 |
| Columbus, OH | 8.0 | 8.4 | 7.5 | 5.8 | 4.5 | 7.8 | 6.9 | 7.0 | 8.7 | 8.4 | 8.4 | 10.9 | 11.4 | 6.3 | 8.8 | 9.8 |
| Dallas, TX | 15.1 | 14.9 | 14.0 | 15.5 | 11.8 | 14.5 | 14.8 | 13.9 | 13.3 | 14.7 | 16.1 | 17.0 | 16.0 | 13.1 | 15.8 | 4.7 |
| Denver, CO | 12.7 | 13.2 | 15.3 | 9.8 | 17.0 | 14.0 | 15.4 | 13.4 | 13.3 | 14.4 | 18.8 | 18.4 | 15.7 | 14.5 | 12.5 | -1.6 |
| Detroit, MI | 13.0 | 12.7 | 13.1 | 12.4 | 13.0 | 16.0 | 15.0 | 16.9 | 17.2 | 17.6 | 18.3 | 18.2 | 15.2 | 15.2 | 14.2 | 9.6 |
| El Paso, TX | 15.8 | 15.7 | 17.7 | 19.6 | 15.5 | 13.1 | 15.9 | 14.6 | 13.7 | 11.9 | 14.7 | 17.0 | 16.5 | 13.3 | 15.2 | -3.6 |
| Fort Worth, TX | 16.2 | 13.3 | 12.7 | 13.3 | 15.0 | 12.4 | 12.5 | 11.5 | 10.4 | 14.9 | 14.1 | 15.4 | 17.9 | 17.7 | 15.1 | -6.8 |
| Fresno, CA | 28.8 | 29.6 | 22.6 | 26.0 | 29.5 | 21.5 | 19.8 | 14.6 | 18.2 | 28.9 | 15.7 | 20.1 | 23.3 | 25.0 | 22.4 | -22.3 |
| Honolulu, HI | 7.0 | 4.9 | 6.8 | 6.4 | 6.7 | 7.5 | --- | 6.1 | 5.8 | --- | 5.6 | 5.3 | 6.1 | 5.4 | 5.7 | -18.5 |
| Houston, TX | 19.0 | 16.5 | 16.2 | 14.2 | 12.1 | 12.6 | 15.9 | 13.6 | 14.6 | 16.9 | 16.3 | 20.3 | 18.1 | 17.1 | 16.1 | -15.3 |
| Indianapolis, IN | 15.2 | 11.0 | 11.3 | 9.2 | 10.8 | 9.7 | 12.4 | 9.7 | 11.9 | 13.8 | 13.6 | 13.3 | 10.3 | 10.5 | 13.6 | -10.4 |
| Jacksonville, FL | 15.7 | 14.8 | 13.0 | 13.4 | 15.2 | 13.6 | 14.1 | 12.4 | 13.8 | 13.6 | 15.2 | 18.8 | 17.2 | 17.8 | 19.6 | 24.9 |
| Kansas City, MO | 14.6 | 14.2 | 12.4 | 13.9 | 9.9 | 13.5 | 16.5 | 14.1 | 14.0 | 12.3 | 13.5 | 13.9 | 14.6 | 13.8 | 12.8 | -12.2 |
| Las Vegas, NV | 26.3 | 20.4 | 17.8 | 17.2 | 19.2 | 24.8 | 28.3 | 25.9 | 25.8 | 21.1 | 22.1 | 22.3 | 27.1 | 24.4 | 33.9 | 29.1 |
| Long Beach, CA | 12.6 | 11.9 | 10.6 | 10.9 | 9.8 | 7.5 | 10.2 | 9.9 | 7.2 | 7.4 | 9.8 | 9.3 | 8.3 | 9.1 | 11.2 | -11.3 |
| Los Angeles, CA | 15.0 | 14.1 | 11.8 | 11.7 | 12.2 | 11.5 | 10.9 | 9.6 | 8.4 | 9.7 | 10.1 | 11.1 | 9.3 | 11.5 | 10.7 | -28.7 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.3 | 13.4 | 11.1 | 12.0 | 11.9 | 14.0 | --- |
| Memphis, TN | 15.2 | 17.3 | 20.0 | 18.2 | 21.5 | 18.8 | 21.7 | 21.6 | 16.9 | 20.4 | 19.3 | 15.3 | 18.5 | 17.7 | 17.3 | 14.0 |
| Mesa, AZ | 14.2 | 11.9 | 13.3 | 13.1 | 13.6 | 15.2 | 15.6 | 12.4 | 16.2 | 15.6 | 13.7 | 16.7 | 15.2 | 15.3 | 17.7 | 25.0 |
| Miami, FL | 31.0 | 23.2 | 20.2 | 27.4 | 21.7 | 25.5 | 22.9 | 18.8 | 25.2 | 32.3 | 30.4 | 32.7 | 35.4 | 29.5 | 32.5 | 4.7 |
| Milwaukee, WI | 8.9 | 9.3 | 8.8 | 11.8 | 7.8 | 8.5 | 7.6 | 8.3 | 9.9 | 7.8 | 10.4 | 9.1 | 9.6 | 7.9 | 13.7 | 54.5 |
| Minneapolis, MN | 7.4 | 6.3 | 8.6 | 8.4 | 11.5 | 6.7 | 6.6 | 6.4 | 7.6 | 6.4 | 7.3 | 10.5 | 8.5 | 6.7 | 7.1 | -4.3 |
| Nashville-Davidson, TN | 18.5 | 10.9 | 15.0 | 16.3 | 15.9 | 14.7 | 17.0 | 13.9 | 13.6 | 14.0 | 21.9 | 18.8 | 13.5 | 15.4 | 16.3 | -11.9 |
| New Orleans, LA | 14.1 | 12.4 | 11.7 | 13.0 | 10.9 | 11.2 | 14.2 | 11.9 | 10.7 | 12.7 | 10.8 | 11.6 | 9.7 | 10.1 | 13.4 | -4.8 |
| New York, NY | 9.1 | 8.5 | 7.5 | 7.0 | 6.6 | 6.6 | 5.7 | 6.1 | 5.3 | 6.2 | 5.0 | 5.3 | 5.9 | 5.4 | 4.9 | -46.3 |
| Oakland, CA | 12.4 | 13.3 | 10.2 | 11.4 | 12.3 | 9.9 | 10.2 | 10.1 | 7.6 | 11.8 | 8.8 | 8.7 | 9.6 | 11.2 | 12.7 | 2.7 |
| Oklahoma City, OK | 12.5 | 11.6 | 13.1 | 11.6 | 15.1 | 10.3 | 15.1 | 15.9 | 10.8 | 11.4 | 11.3 | 13.7 | 12.6 | 11.9 | 15.2 | 21.3 |
| Omaha, NB | 10.6 | 9.6 | 11.8 | 9.0 | 7.5 | 8.5 | 12.6 | 9.3 | 10.8 | 11.3 | 7.0 | 14.2 | 9.9 | 12.3 | 7.7 | -27.2 |
| Philadelphia, PA | 11.0 | 9.5 | 7.7 | 9.2 | 9.3 | 10.1 | 8.5 | 10.1 | 7.5 | 9.2 | 7.9 | 9.7 | 9.0 | 9.2 | 9.8 | -10.9 |
| Phoenix, AZ | 17.7 | 16.2 | 13.3 | 14.2 | 14.8 | 19.3 | 16.8 | 16.9 | 15.1 | 16.8 | 19.8 | 20.0 | 20.5 | 16.9 | 19.5 | 9.9 |
| Pittsburgh, PA | 7.4 | 6.9 | 5.4 | 6.1 | 5.6 | 6.7 | 6.0 | 4.3 | 7.2 | 5.7 | 6.5 | 9.1 | 6.6 | 10.0 | 8.1 | 9.2 |
| Portland, OR | 12.9 | 10.1 | 10.9 | 9.2 | 10.1 | 12.3 | 11.5 | 8.5 | 8.3 | 9.2 | 11.0 | 9.0 | 9.1 | 12.0 | 10.9 | -15.3 |
| Sacramento, CA | 28.5 | 23.4 | 21.7 | 23.3 | 24.2 | 17.7 | 19.3 | 21.3 | 15.4 | 16.8 | 17.6 | 24.1 | 26.2 | 21.1 | 23.0 | -19.2 |
| San Antonio, TX | 11.2 | 11.4 | 11.2 | 14.5 | 14.8 | 14.3 | 14.0 | 13.3 | 13.6 | 11.9 | 13.7 | 12.1 | 15.7 | 14.5 | 17.1 | 53.1 |
| San Diego, CA | 11.3 | 10.7 | 7.3 | 8.5 | 8.3 | 8.8 | 7.2 | 8.0 | 7.7 | 10.6 | 9.8 | 8.5 | 10.1 | 8.7 | 10.0 | -11.8 |
| San Francisco, CA | 9.9 | 10.5 | 8.2 | 7.2 | 7.9 | 6.7 | 6.1 | 6.4 | 6.5 | 7.3 | 8.6 | 6.8 | 7.3 | 5.6 | 5.8 | -41.4 |
| San Jose, CA | 10.8 | 10.7 | 10.9 | 8.6 | 6.7 | 6.9 | 8.1 | 7.8 | 7.2 | 9.2 | 9.8 | 9.0 | 9.4 | 7.5 | 8.1 | -25.2 |
| Seattle, WA | 10.0 | 8.8 | 9.6 | 10.4 | 7.3 | 10.6 | 8.5 | 7.8 | 6.5 | 6.7 | 8.7 | 8.4 | 6.9 | 8.2 | 6.8 | -31.8 |
| St. Louis, MO | 13.2 | 9.8 | 13.9 | 9.9 | 14.5 | 11.4 | 8.4 | 11.3 | 12.7 | 12.6 | 11.8 | 17.5 | 15.5 | 17.1 | 14.1 | 6.7 |
| Tucson, AZ | 18.5 | 13.8 | 18.4 | 16.9 | 14.1 | 20.4 | 14.6 | 14.9 | 12.4 | 23.4 | 23.0 | 10.7 | 9.9 | 23.8 | 23.1 | 24.8 |
| Tulsa, OK | 15.8 | 12.9 | 12.4 | 12.0 | 14.3 | 13.6 | 14.5 | 14.2 | 12.9 | 15.4 | 15.2 | 25.1 | 30.7 | 15.2 | 14.3 | -9.3 |
| Virginia Beach, VA | 8.7 | 5.9 | 6.4 | 7.5 | 5.5 | 5.4 | 7.9 | 8.0 | 8.1 | 10.4 | 7.4 | 9.2 | 8.6 | 6.8 | 7.7 | -11.5 |
| Washington, DC | 9.2 | 9.0 | 8.4 | 10.1 | 9.4 | 9.6 | 8.4 | 7.6 | 8.0 | 6.1 | 9.6 | 9.1 | 9.4 | 10.8 | 7.7 | -16.4 |
| Wichita, KS | 16.5 | 13.4 | 15.0 | 14.5 | 14.9 | 12.4 | 11.7 | 13.8 | 16.2 | 15.1 | 8.1 | 14.9 | 19.6 | 14.9 | 14.2 | -13.7 |

YEAR 2010 GOAL: 8.0

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.14: HOMICIDE RATE, 1990–2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990–2004 |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 11.4 | 12.5 | 12.7 | 13.0 | 13.9 | 15.2 | 18.3 | 12.8 | 10.7 | 13.2 | 9.5 | 9.0 | 10.7 | 11.5 | 8.2 | -27.9 |
| Arlington, TX | 6.3 | 10.5 | --- | --- | 8.7 | --- | --- | 8.3 | 6.8 | --- | 5.6 | --- | --- | --- | --- | --- |
| Atlanta, GA | 48.9 | 42.2 | 41.2 | 40.3 | 40.7 | 34.9 | 34.0 | 26.1 | 27.5 | 25.1 | 25.4 | 26.5 | 24.4 | 23.2 | 21.9 | -55.2 |
| Austin, TX | 8.4 | 11.1 | 7.0 | 6.1 | 8.1 | 6.5 | 6.7 | 6.8 | 4.6 | 4.3 | 4.1 | 5.0 | 3.4 | 3.8 | 4.0 | -52.3 |
| Baltimore, MD | 35.4 | 33.2 | 40.9 | 43.1 | 40.5 | 40.2 | 40.1 | 39.7 | 41.0 | 40.7 | 35.0 | 32.5 | 33.9 | 35.7 | 39.5 | 11.5 |
| Boston, MA | 18.5 | 15.4 | 10.9 | 14.0 | 11.6 | 11.3 | 8.2 | 5.3 | 5.1 | 4.4 | 4.8 | 10.5 | 10.4 | 6.4 | 8.3 | -55.1 |
| Charlotte, NC | 20.3 | 25.3 | 20.5 | 27.0 | 16.2 | 15.9 | 13.8 | 10.9 | 11.4 | 15.6 | 14.1 | 10.7 | 11.6 | 11.4 | 11.7 | -42.3 |
| Chicago, IL | 29.2 | 32.5 | 30.9 | 28.8 | 30.4 | 26.5 | 25.8 | 24.2 | 23.2 | 20.8 | 20.5 | 21.1 | 19.6 | 19.1 | 14.5 | -50.3 |
| Cincinnati, OH | 13.9 | 12.1 | 11.6 | 12.3 | 8.9 | 13.3 | 8.5 | 9.0 | 7.5 | 7.9 | 9.2 | 15.4 | 14.1 | 15.1 | 15.8 | 13.9 |
| Cleveland, OH | 29.4 | 31.7 | 27.4 | 30.0 | 24.7 | 22.4 | 19.1 | 15.2 | 12.2 | 11.3 | 12.5 | 15.2 | 15.0 | 12.5 | 15.9 | -46.0 |
| Colorado Springs, CO | --- | 7.8 | --- | 6.8 | --- | 7.0 | 6.1 | 6.6 | --- | 5.8 | --- | 5.6 | 5.8 | 6.4 | --- | --- |
| Columbus, OH | 10.4 | 7.1 | 5.6 | 4.6 | 2.4 | --- | 4.5 | 7.1 | 6.7 | 6.6 | 6.4 | 8.6 | 8.2 | 10.5 | 12.3 | 18.5 |
| Dallas, TX | 34.6 | 40.4 | 33.1 | 24.9 | 22.7 | 22.0 | 15.0 | 15.8 | 17.4 | 11.8 | 14.0 | 16.1 | 14.2 | 15.3 | 16.1 | -53.5 |
| Denver, CO | 11.3 | 16.0 | 15.8 | 13.3 | 12.9 | 15.3 | 11.6 | 11.5 | 9.0 | 8.6 | 5.8 | 6.7 | 8.0 | 9.3 | 14.2 | 25.9 |
| Detroit, MI | 57.9 | 62.2 | 57.7 | 56.9 | 56.2 | 47.7 | 42.4 | 45.6 | 42.0 | 41.4 | 41.0 | 39.4 | 39.9 | 39.3 | 36.8 | -36.4 |
| El Paso, TX | 7.4 | 9.1 | 8.0 | 9.1 | 8.7 | 6.4 | 5.1 | 5.1 | --- | --- | 4.1 | 4.4 | 3.9 | --- | --- | --- |
| Fort Worth, TX | 23.0 | 37.5 | 27.0 | 22.6 | 23.1 | 17.9 | 10.9 | 13.9 | 10.5 | 13.4 | 10.4 | 10.2 | 9.1 | 9.0 | 9.8 | -57.3 |
| Fresno, CA | 17.6 | 17.3 | 25.7 | 26.0 | 24.0 | 21.3 | 16.1 | 16.3 | 10.7 | 7.3 | 6.8 | 11.1 | 9.6 | 8.6 | 12.0 | -31.7 |
| Honolulu, HI | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 33.0 | 35.3 | 26.7 | 26.4 | 21.6 | 18.7 | 15.4 | 14.1 | 14.1 | 13.1 | 11.7 | 12.3 | 14.3 | 14.9 | 14.0 | -57.6 |
| Indianapolis, IN | 10.8 | 14.0 | 13.5 | 11.9 | 16.2 | 13.3 | 16.9 | 17.2 | 17.0 | 14.1 | 12.6 | 14.3 | 13.2 | 12.6 | 12.7 | 17.8 |
| Jacksonville, FL | 26.3 | 19.4 | 19.2 | 17.9 | 15.8 | 12.7 | 11.1 | 11.8 | 10.3 | 11.1 | 9.9 | 11.0 | 14.5 | 12.1 | 14.3 | -45.5 |
| Kansas City, MO | 23.9 | 28.2 | 29.2 | 28.8 | 28.6 | 22.2 | 21.8 | 20.4 | 26.7 | 24.3 | 22.1 | 22.8 | 17.1 | 18.2 | 17.5 | -26.7 |
| Las Vegas, NV | 19.3 | 21.8 | 21.1 | 20.3 | 22.3 | 22.5 | 28.6 | 18.8 | 14.8 | 14.4 | 13.7 | 19.1 | 20.1 | 21.0 | 19.9 | 3.3 |
| Long Beach, CA | 20.3 | 23.6 | 21.3 | 25.1 | 17.7 | 17.7 | 18.2 | 16.5 | 11.3 | 10.8 | 11.5 | 10.8 | 13.7 | 11.1 | 12.5 | -38.3 |
| Los Angeles, CA | 27.7 | 28.0 | 29.5 | 27.8 | 23.3 | 22.0 | 19.5 | 15.0 | 11.8 | 11.1 | 13.5 | 14.7 | 15.9 | 13.8 | 13.5 | -51.2 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.9 | 9.4 | 6.2 | 8.0 | 6.9 | 9.8 | --- |
| Memphis, TN | 31.6 | 29.7 | 30.3 | 32.7 | 27.5 | 29.4 | 27.0 | 22.1 | 20.8 | 19.3 | 21.4 | 22.2 | 24.7 | 19.6 | 17.6 | -44.4 |
| Mesa, AZ | --- | --- | --- | --- | 6.2 | 8.0 | 6.8 | --- | --- | --- | 5.0 | 6.2 | 7.0 | 7.1 | 6.0 | --- |
| Miami, FL | 37.0 | 37.5 | 32.3 | 34.7 | 38.1 | 36.8 | 33.8 | 31.5 | 30.6 | 26.2 | 22.5 | 26.2 | 23.1 | 22.2 | 22.5 | -39.2 |
| Milwaukee, WI | 21.9 | 23.4 | 22.9 | 23.4 | 19.9 | 21.3 | 20.1 | 19.0 | 17.7 | 19.3 | 18.3 | 20.7 | 18.6 | 17.2 | 13.4 | -38.7 |
| Minneapolis, MN | 12.1 | 15.0 | 14.8 | 11.1 | 13.1 | 20.4 | 16.2 | 12.9 | 10.8 | 11.0 | 8.0 | 9.5 | 9.0 | 8.8 | 10.5 | -13.1 |
| Nashville-Davidson, TN | 12.9 | 15.7 | 15.1 | 16.1 | 12.6 | 17.3 | 13.7 | 18.8 | 16.0 | 12.0 | 14.0 | 11.9 | 10.1 | 11.0 | 9.6 | -25.5 |
| New Orleans, LA | 58.3 | 62.9 | 51.0 | 67.3 | 78.0 | 64.9 | 61.8 | 46.1 | 39.8 | 28.4 | 36.6 | 37.5 | 47.2 | 48.1 | 47.9 | -17.8 |
| New York, NY | 27.5 | 27.2 | 24.8 | 24.6 | 19.7 | 14.7 | 12.5 | 9.9 | 8.1 | 8.5 | 8.4 | 22.4 | 7.1 | 7.4 | 6.7 | -75.6 |
| Oakland, CA | 33.7 | 39.0 | 38.7 | 35.2 | 34.0 | 29.4 | 23.3 | 25.2 | 18.9 | 15.5 | 19.1 | 16.1 | 22.6 | 23.4 | 17.6 | -47.8 |
| Oklahoma City, OK | 12.9 | 10.7 | 12.7 | 17.2 | 11.4 | 30.8 | 13.2 | 13.1 | 8.6 | 9.4 | 6.8 | 8.3 | 7.6 | 9.6 | 10.2 | -20.8 |
| Omaha, NB | --- | 9.1 | 6.8 | 8.5 | 8.8 | 10.1 | 6.6 | 8.9 | 6.5 | 9.0 | 7.9 | 5.9 | 7.4 | 9.1 | --- | --- |
| Philadelphia, PA | 29.1 | 26.7 | 25.9 | 26.0 | 25.9 | 26.8 | 25.6 | 25.6 | 21.3 | 20.0 | 20.7 | 19.9 | 18.8 | 22.0 | 21.4 | -26.3 |
| Phoenix, AZ | 12.7 | 11.6 | 13.4 | 13.8 | 18.2 | 17.4 | 14.6 | 13.8 | 13.6 | 16.0 | 12.0 | 15.9 | 14.3 | 15.1 | 13.9 | 9.6 |
| Pittsburgh, PA | 9.7 | 9.4 | 11.5 | 17.6 | 18.2 | 15.0 | 12.0 | 14.4 | 9.6 | 14.7 | 8.8 | 10.6 | 8.9 | 16.7 | 12.1 | 25.0 |
| Portland, OR | 6.8 | 11.9 | 11.4 | 10.0 | 10.0 | 7.6 | 8.3 | 8.9 | 4.0 | 6.3 | 4.0 | 4.3 | 4.0 | 4.4 | 4.7 | -30.8 |
| Sacramento, CA | 15.5 | 20.9 | 22.4 | 30.8 | 27.2 | 21.3 | 18.8 | 16.4 | 13.3 | 13.7 | 12.4 | 8.8 | 16.5 | 15.4 | 17.6 | 13.7 |
| San Antonio, TX | 21.6 | 22.1 | 22.8 | 23.5 | 19.7 | 13.4 | 11.7 | 9.2 | 8.9 | 9.7 | 8.1 | 8.9 | 9.8 | 8.1 | 8.2 | -62.0 |
| San Diego, CA | 10.7 | 13.2 | 10.9 | 11.1 | 9.0 | 7.9 | 7.0 | 6.1 | 4.0 | 4.2 | 3.8 | 3.7 | 3.8 | 4.8 | 5.4 | -49.4 |
| San Francisco, CA | 11.9 | 10.7 | 13.7 | 14.4 | 10.0 | 7.6 | 7.8 | 6.6 | 6.0 | 6.1 | 6.4 | 8.0 | 6.5 | 7.7 | 8.6 | -27.6 |
| San Jose, CA | 4.2 | 6.9 | 6.3 | 5.3 | 4.5 | 4.6 | 4.5 | 4.8 | 3.8 | 3.1 | 2.7 | 2.9 | 3.1 | 3.2 | 3.5 | -16.5 |
| Seattle, WA | 9.2 | 7.5 | 12.2 | 10.5 | 12.1 | 6.9 | 8.7 | 6.8 | 6.4 | 7.8 | 5.3 | 4.0 | 6.7 | 5.5 | 4.4 | -52.1 |
| St. Louis, MO | 41.1 | 52.4 | 49.5 | 60.5 | 59.4 | 48.3 | 41.2 | 34.5 | 28.9 | 33.3 | 28.0 | 36.0 | 26.2 | 17.9 | 25.4 | -38.2 |
| Tucson, AZ | 7.6 | 5.6 | 12.5 | 11.3 | 8.8 | 15.6 | 13.5 | 11.1 | 11.0 | 12.0 | 14.7 | 6.9 | 5.1 | 13.6 | 16.0 | 110.9 |
| Tulsa, OK | 12.6 | 11.1 | 10.4 | 13.7 | 13.5 | 7.7 | 8.0 | 10.3 | 11.1 | 10.8 | 7.3 | 12.0 | 21.1 | 13.7 | 12.9 | 2.6 |
| Virginia Beach, VA | 4.2 | 6.9 | 6.5 | 6.8 | 7.5 | --- | 6.3 | 5.6 | --- | --- | --- | --- | --- | 6.7 | 4.4 | 4.9 |
| Washington, DC | 55.2 | 59.0 | 55.6 | 60.9 | 51.6 | 46.5 | 48.9 | 38.9 | 33.5 | 28.8 | 28.9 | 31.0 | 36.2 | 30.2 | 27.7 | -49.8 |
| Wichita, KS | --- | 10.5 | 10.1 | 18.1 | 14.3 | 11.3 | 8.2 | 11.3 | 9.0 | 6.1 | 9.9 | --- | 7.8 | 7.0 | 8.7 | --- |

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.15: FIREARM-RELATED MORTALITY RATE, 1990–2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990–2004 |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 16.9 | 14.2 | 23.1 | 19.4 | 23.8 | 24.0 | 24.3 | 18.0 | 19.8 | 18.5 | 16.3 | 17.8 | 18.2 | 19.8 | 16.7 | -1.2 |
| Arlington, TX | 11.6 | 18.8 | 18.8 | 12.1 | 17.4 | 12.1 | 12.6 | 13.4 | 12.9 | 9.1 | 11.1 | 9.1 | 9.6 | 8.5 | 7.0 | -39.7 |
| Atlanta, GA | 40.5 | 38.5 | 37.4 | 39.2 | 37.6 | 31.3 | 34.2 | 26.8 | 22.7 | 27.8 | 26.0 | 27.5 | 23.0 | 17.1 | 20.8 | -48.6 |
| Austin, TX | 15.5 | 12.7 | 12.1 | 16.3 | 11.3 | 9.7 | 9.8 | 8.8 | 9.1 | 6.3 | 6.4 | 11.4 | 9.3 | 6.5 | 7.7 | -50.3 |
| Baltimore, MD | 29.4 | 29.2 | 36.4 | 40.6 | 36.5 | 34.3 | 39.0 | 37.2 | 32.9 | 37.7 | 31.5 | 29.1 | 26.0 | 30.1 | 32.0 | 8.8 |
| Boston, MA | 12.0 | 11.0 | 9.2 | 10.2 | 8.0 | 8.7 | 6.2 | 5.0 | 4.6 | 3.9 | 4.9 | 5.6 | 7.6 | 5.1 | 7.1 | -40.8 |
| Charlotte, NC | 21.9 | 26.9 | 22.1 | 27.5 | 18.2 | 18.1 | 14.6 | 14.7 | 16.5 | 16.9 | 15.8 | 17.4 | 17.0 | 14.3 | 16.8 | -23.3 |
| Chicago, IL | 24.7 | 26.4 | 24.5 | 25.2 | 25.9 | 22.3 | 22.3 | 20.1 | 20.4 | 18.3 | 17.2 | 17.6 | 17.4 | 17.1 | 12.2 | -50.6 |
| Cincinnati, OH | 14.1 | 11.8 | 11.9 | 14.3 | 9.3 | 12.9 | 9.7 | 9.8 | 7.7 | 10.0 | 10.8 | 16.8 | 16.1 | 15.1 | 16.5 | 17.0 |
| Cleveland, OH | 27.1 | 31.2 | 26.6 | 30.0 | 27.0 | 23.7 | 19.7 | 14.8 | 13.0 | 13.0 | 14.0 | 15.9 | 13.8 | 11.7 | 14.2 | -47.6 |
| Colorado Springs, CO | 15.2 | 12.9 | 13.6 | 15.9 | 11.1 | 20.4 | 17.3 | 15.3 | 10.9 | 11.5 | 9.5 | 14.1 | 15.4 | 11.4 | 18.6 | 22.4 |
| Columbus, OH | 15.3 | 12.6 | 12.4 | 10.2 | 9.1 | 8.6 | 8.2 | 10.9 | 11.5 | 9.4 | 8.5 | 12.1 | 11.8 | 10.3 | 13.1 | -14.4 |
| Dallas, TX | 35.6 | 41.9 | 36.9 | 31.5 | 28.9 | 25.1 | 17.6 | 18.1 | 19.1 | 13.5 | 15.3 | 17.6 | 16.3 | 17.1 | 17.2 | -51.7 |
| Denver, CO | 17.4 | 19.0 | 19.3 | 21.6 | 18.3 | 21.2 | 17.7 | 14.0 | 10.9 | 10.9 | 12.4 | 9.8 | 12.1 | 12.6 | 14.5 | -16.7 |
| Detroit, MI | 49.0 | 52.4 | 51.2 | 53.7 | 50.0 | 43.5 | 39.8 | 38.2 | 35.8 | 37.1 | 36.6 | 37.1 | 35.9 | 35.1 | 33.5 | -31.6 |
| El Paso, TX | 13.6 | 12.4 | 13.8 | 13.7 | 12.5 | 8.9 | 10.0 | 7.8 | 5.7 | 4.3 | 8.2 | 4.3 | 7.2 | 6.9 | 5.2 | -61.8 |
| Fort Worth, TX | 24.6 | 37.4 | 33.6 | 26.7 | 27.9 | 22.4 | 15.9 | 17.7 | 14.7 | 13.0 | 11.2 | 13.8 | 9.8 | 14.1 | 11.3 | -54.1 |
| Fresno, CA | 21.8 | 19.1 | 30.1 | 27.1 | 27.4 | 24.7 | 19.1 | 20.5 | 15.9 | 14.0 | 10.9 | 14.3 | 12.8 | 13.8 | 17.4 | -20.2 |
| Honolulu, HI | --- | --- | --- | 5.1 | 6.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 35.2 | 36.7 | 30.2 | 30.9 | 26.9 | 21.2 | 20.3 | 17.5 | 17.9 | 16.5 | 14.9 | 15.9 | 17.0 | 16.6 | 17.0 | -51.7 |
| Indianapolis, IN | 15.6 | 18.6 | 19.5 | 19.7 | 22.3 | 16.9 | 23.8 | 23.5 | 24.1 | 18.5 | 14.6 | 16.4 | 17.8 | 17.8 | 16.2 | 3.8 |
| Jacksonville, FL | 32.4 | 26.6 | 22.9 | 24.2 | 19.2 | 16.7 | 15.9 | 15.5 | 17.5 | 13.0 | 13.7 | 14.2 | 17.4 | 19.5 | 18.1 | -44.1 |
| Kansas City, MO | 28.2 | 28.3 | 32.1 | 29.6 | 31.4 | 25.3 | 26.5 | 22.2 | 26.3 | 27.5 | 25.2 | 23.6 | 18.7 | 20.6 | 19.4 | -31.2 |
| Las Vegas, NV | 28.4 | 33.0 | 36.3 | 41.4 | 36.7 | 41.7 | 40.5 | 32.8 | 29.5 | 28.6 | 28.8 | 30.6 | 34.9 | 30.7 | 33.5 | 18.0 |
| Long Beach, CA | 21.1 | 26.2 | 23.8 | 27.8 | 20.4 | 21.7 | 19.6 | 16.9 | 16.3 | 12.6 | 14.8 | 13.8 | 17.3 | 11.6 | 15.0 | -28.9 |
| Los Angeles, CA | 26.2 | 27.0 | 29.7 | 28.9 | 24.6 | 23.2 | 20.5 | 15.7 | 14.0 | 12.8 | 14.7 | 15.9 | 16.9 | 15.5 | 13.8 | -47.3 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.4 | 14.1 | 10.5 | 13.5 | 13.2 | 15.3 | --- |
| Memphis, TN | 32.7 | 30.3 | 31.7 | 33.3 | 29.9 | 30.0 | 26.7 | 23.5 | 24.4 | 20.6 | 22.3 | 20.8 | 27.8 | 21.5 | 19.0 | -41.9 |
| Mesa, AZ | 12.4 | 18.9 | 13.2 | 15.9 | 15.7 | 20.5 | 14.2 | 11.7 | 13.8 | 10.8 | 12.7 | 14.9 | 19.5 | 13.1 | 14.5 | 16.9 |
| Miami, FL | 35.2 | 38.9 | 35.5 | 38.5 | 40.5 | 39.5 | 36.6 | 32.2 | 31.4 | 28.1 | 18.6 | 24.9 | 24.0 | 26.1 | 25.2 | -28.4 |
| Milwaukee, WI | 22.4 | 20.5 | 22.7 | 20.6 | 19.3 | 20.3 | 20.6 | 15.9 | 17.1 | 18.6 | 18.7 | 19.1 | 18.0 | 17.5 | 14.7 | -34.4 |
| Minneapolis, MN | 10.7 | 15.0 | 11.3 | 12.5 | 11.1 | 16.3 | 15.9 | 13.1 | 10.5 | 9.3 | 10.2 | 9.4 | 8.3 | 10.0 | 10.8 | 0.9 |
| Nashville-Davidson, TN | 18.1 | 23.8 | 20.8 | 21.8 | 19.6 | 21.4 | 18.4 | 23.8 | 20.7 | 16.7 | 19.2 | 16.4 | 16.6 | 15.9 | 15.4 | -14.9 |
| New Orleans, LA | 57.9 | 61.1 | 56.2 | 66.1 | 76.4 | 65.9 | 61.1 | 49.3 | 39.2 | 32.2 | 39.1 | 40.3 | 48.2 | 47.2 | 51.6 | -10.9 |
| New York, NY | 21.5 | 22.6 | 20.9 | 20.4 | 16.2 | 12.1 | 10.0 | 7.7 | 6.3 | 5.9 | 6.3 | 5.9 | 5.4 | 5.6 | 5.1 | -76.3 |
| Oakland, CA | 31.8 | 34.8 | 35.3 | 33.6 | 32.0 | 23.9 | 18.8 | 20.9 | 15.9 | 14.5 | 19.6 | 18.6 | 21.5 | 21.3 | 15.8 | -50.3 |
| Oklahoma City, OK | 19.0 | 15.5 | 17.3 | 25.1 | 16.3 | 16.8 | 18.4 | 19.6 | 13.5 | 17.1 | 11.0 | 12.0 | 10.7 | 12.7 | 13.4 | -29.5 |
| Omaha, NB | 10.4 | 13.1 | 12.1 | 12.8 | 13.5 | 12.8 | 10.8 | 12.3 | 10.5 | 13.3 | 11.2 | 7.3 | 13.2 | 10.7 | 7.2 | -30.8 |
| Philadelphia, PA | 25.2 | 23.9 | 24.8 | 25.0 | 23.8 | 25.3 | 25.1 | 25.3 | 22.0 | 20.0 | 21.2 | 18.5 | 20.5 | 22.8 | 21.8 | -13.5 |
| Phoenix, AZ | 21.0 | 18.0 | 21.1 | 24.5 | 25.4 | 27.3 | 24.1 | 22.3 | 21.6 | 20.7 | 16.5 | 21.5 | 21.2 | 19.8 | 19.5 | -7.1 |
| Pittsburgh, PA | 9.9 | 10.7 | 14.8 | 17.3 | 17.4 | 15.4 | 11.9 | 16.7 | 14.2 | 16.2 | 9.8 | 14.0 | 10.2 | 17.3 | 14.9 | 50.5 |
| Portland, OR | 14.3 | 15.7 | 14.7 | 15.4 | 16.9 | 14.1 | 14.1 | 16.3 | 10.8 | 11.4 | 8.0 | 6.6 | 9.3 | 8.9 | 9.2 | -35.7 |
| Sacramento, CA | 24.3 | 27.8 | 30.6 | 42.2 | 34.5 | 32.2 | 24.0 | 25.9 | 16.9 | 19.4 | 16.9 | 17.4 | 20.5 | 19.4 | 20.9 | -14.0 |
| San Antonio, TX | 23.4 | 24.7 | 26.0 | 28.3 | 23.3 | 19.4 | 16.6 | 13.2 | 13.5 | 9.9 | 11.3 | 12.0 | 12.1 | 10.5 | 9.4 | -59.8 |
| San Diego, CA | 11.1 | 15.9 | 13.1 | 14.8 | 12.2 | 11.7 | 10.8 | 9.5 | 7.3 | 8.2 | 7.4 | 8.2 | 5.9 | 7.9 | 6.6 | -40.5 |
| San Francisco, CA | 12.4 | 10.6 | 12.6 | 14.6 | 11.5 | 9.4 | 10.4 | 7.8 | 5.6 | 5.9 | 5.8 | 6.5 | 6.7 | 7.1 | 8.6 | -30.6 |
| San Jose, CA | 8.1 | 8.7 | 8.0 | 8.3 | 7.6 | 8.1 | 5.2 | 5.1 | 5.7 | 4.6 | 4.0 | 3.3 | 5.3 | 3.5 | 5.3 | -34.6 |
| Seattle, WA | 10.0 | 10.7 | 16.2 | 15.6 | 17.3 | 10.8 | 10.3 | 9.3 | 9.8 | 11.0 | 8.3 | 6.8 | 8.2 | 7.4 | 6.9 | -31.0 |
| St. Louis, MO | 35.5 | 49.2 | 47.0 | 57.8 | 56.7 | 46.7 | 34.1 | 34.5 | 23.3 | 26.7 | 27.1 | 35.5 | 26.5 | 18.7 | 26.2 | -26.2 |
| Tucson, AZ | 17.8 | 18.4 | 23.1 | 22.7 | 20.8 | 23.0 | 23.8 | 21.4 | 21.8 | 26.4 | 27.8 | 13.5 | 9.2 | 23.7 | 24.3 | 36.5 |
| Tulsa, OK | 15.0 | 15.8 | 15.3 | 19.3 | 21.6 | 13.9 | 16.1 | 16.7 | 16.2 | 17.0 | 15.0 | 25.9 | 35.0 | 22.1 | 18.6 | 24.0 |
| Virginia Beach, VA | 9.6 | 10.7 | 13.5 | 11.0 | 13.0 | 8.4 | 10.5 | 8.3 | 6.2 | 8.6 | 8.0 | 7.6 | 5.6 | 10.7 | 10.5 | 9.4 |
| Washington, DC | 45.9 | 47.6 | 46.8 | 50.7 | 40.8 | 39.0 | 39.1 | 33.0 | 24.8 | 24.2 | 22.6 | 25.5 | 30.1 | 25.7 | 22.3 | -51.4 |
| Wichita, KS | 10.2 | 17.2 | 17.8 | 22.5 | 22.6 | 18.3 | 15.2 | 13.9 | 15.5 | 11.0 | 14.0 | 11.7 | 9.5 | 13.9 | 13.4 | 31.4 |

YEAR 2010 GOAL: 3.6

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.16: SUICIDE RATE, 1990–2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990–2004 |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 21.0 | 15.5 | 24.8 | 21.5 | 24.1 | 23.5 | 22.5 | 18.5 | 22.3 | 20.6 | 21.2 | 23.9 | 21.8 | 21.8 | 21.0 | -0.1 |
| Arlington, TX | 11.5 | 14.5 | 18.4 | 10.4 | 13.4 | 14.4 | 14.0 | 9.5 | 11.6 | 9.0 | 10.9 | 10.5 | 10.6 | 12.2 | 9.4 | -17.9 |
| Atlanta, GA | 15.8 | 14.7 | 18.1 | 13.4 | 13.9 | 14.5 | 14.4 | 13.3 | 9.2 | 12.7 | 8.5 | 10.7 | 11.8 | 7.7 | 13.8 | -12.9 |
| Austin, TX | 15.1 | 11.6 | 13.1 | 16.8 | 12.4 | 9.1 | 11.2 | 10.9 | 11.6 | 10.0 | 11.0 | 12.9 | 15.2 | 12.8 | 13.6 | -10.2 |
| Baltimore, MD | 8.9 | 10.9 | 10.4 | 15.6 | 12.7 | 11.4 | 12.1 | 10.8 | 9.7 | 9.1 | 9.4 | 9.7 | 7.8 | 6.9 | 5.6 | -36.8 |
| Boston, MA | 8.9 | 8.1 | 7.4 | 6.1 | 8.2 | 7.1 | 8.3 | 9.7 | 8.3 | 5.2 | 5.5 | 5.1 | 3.9 | 6.8 | 4.2 | -52.6 |
| Charlotte, NC | 14.1 | 11.9 | 10.9 | 12.1 | 10.0 | 11.5 | 8.2 | 10.8 | 10.7 | 8.8 | 7.7 | 12.1 | 13.5 | 10.0 | 13.2 | -6.7 |
| Chicago, IL | 10.8 | 10.4 | 9.5 | 10.0 | 8.9 | 8.5 | 8.7 | 7.4 | 7.4 | 8.4 | 7.3 | 7.5 | 7.6 | 6.5 | 6.3 | -41.4 |
| Cincinnati, OH | 16.7 | 16.5 | 13.2 | 13.4 | 10.8 | 9.7 | 10.8 | 13.4 | 8.9 | 10.5 | 11.2 | 10.2 | 11.5 | 11.1 | 13.3 | -20.5 |
| Cleveland, OH | 12.0 | 14.9 | 14.1 | 15.4 | 13.1 | 14.7 | 14.6 | 12.2 | 10.1 | 10.8 | 12.2 | 13.8 | 11.7 | 11.3 | 12.2 | 2.1 |
| Colorado Springs, CO | 18.5 | 17.2 | 17.6 | 18.5 | 14.3 | 27.8 | 20.3 | 18.8 | 16.6 | 14.9 | 14.9 | 23.1 | 19.8 | 18.8 | 26.1 | 40.9 |
| Columbus, OH | 12.6 | 11.0 | 12.7 | 10.0 | 8.9 | 11.0 | 9.2 | 9.5 | 9.9 | 9.5 | 7.3 | 10.2 | 11.9 | 6.0 | 10.8 | -14.0 |
| Dallas, TX | 13.7 | 17.7 | 14.8 | 16.9 | 13.3 | 13.1 | 10.7 | 11.8 | 10.7 | 9.7 | 7.9 | 10.5 | 9.8 | 10.6 | 10.3 | -25.1 |
| Denver, CO | 25.1 | 20.2 | 19.4 | 22.1 | 21.1 | 22.5 | 21.5 | 13.2 | 13.4 | 12.8 | 16.3 | 13.5 | 15.6 | 13.5 | 16.2 | -35.5 |
| Detroit, MI | 12.2 | 12.7 | 10.5 | 11.9 | 10.7 | 10.7 | 11.6 | 8.5 | 9.4 | 10.3 | 7.5 | 7.5 | 9.1 | 6.9 | 6.1 | -49.8 |
| El Paso, TX | 13.7 | 12.2 | 11.5 | 12.4 | 11.2 | 10.2 | 11.3 | 8.5 | 7.0 | 6.0 | 9.9 | 7.0 | 9.8 | 8.7 | 8.3 | -39.6 |
| Fort Worth, TX | 13.4 | 12.5 | 15.7 | 14.0 | 13.4 | 13.2 | 12.1 | 14.0 | 11.1 | 8.4 | 9.2 | 10.3 | 7.7 | 11.1 | 10.9 | -19.0 |
| Fresno, CA | 16.6 | 13.6 | 19.2 | 13.4 | 14.6 | 16.2 | 10.9 | 16.3 | 13.3 | 14.5 | 9.3 | 11.9 | 9.8 | 12.0 | 14.8 | -11.0 |
| Honolulu, HI | 11.8 | 10.0 | 11.3 | 13.7 | 13.0 | 11.8 | 10.0 | 10.6 | 11.1 | 11.3 | 12.1 | 11.6 | 11.5 | 10.4 | 10.9 | -7.3 |
| Houston, TX | 15.0 | 14.9 | 14.5 | 15.7 | 14.8 | 11.4 | 13.6 | 11.8 | 12.1 | 11.7 | 10.6 | 11.9 | 12.2 | 11.4 | 12.0 | -20.2 |
| Indianapolis, IN | 13.7 | 15.9 | 14.1 | 16.1 | 14.5 | 12.6 | 16.3 | 15.4 | 16.4 | 14.0 | 11.9 | 12.5 | 13.7 | 13.1 | 12.9 | -6.2 |
| Jacksonville, FL | 18.6 | 17.0 | 15.0 | 15.0 | 11.9 | 12.5 | 13.9 | 11.4 | 15.3 | 12.0 | 12.7 | 13.9 | 13.4 | 16.0 | 15.6 | -16.3 |
| Kansas City, MO | 14.9 | 16.8 | 15.2 | 13.1 | 15.9 | 14.0 | 16.9 | 12.4 | 11.5 | 18.0 | 15.5 | 14.9 | 12.1 | 10.5 | 12.1 | -19.0 |
| Las Vegas, NV | 28.6 | 30.1 | 32.4 | 35.6 | 28.7 | 37.1 | 33.2 | 29.1 | 30.4 | 29.8 | 30.4 | 29.0 | 34.3 | 30.1 | 34.5 | 20.7 |
| Long Beach, CA | 13.9 | 14.8 | 13.1 | 14.2 | 11.2 | 13.3 | 11.5 | 11.2 | 12.3 | 10.2 | 9.7 | 11.2 | 13.7 | 9.9 | 9.3 | -33.3 |
| Los Angeles, CA | 13.1 | 12.3 | 12.2 | 13.4 | 11.1 | 12.1 | 10.4 | 9.5 | 9.8 | 8.5 | 7.7 | 8.4 | 8.6 | 8.7 | 7.1 | -45.6 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.6 | 13.2 | 9.6 | 12.9 | 13.8 | 12.8 | --- |
| Memphis, TN | 15.9 | 14.4 | 12.0 | 11.1 | 13.0 | 13.1 | 11.5 | 11.0 | 13.1 | 9.8 | 9.8 | 9.5 | 10.6 | 9.5 | 8.6 | -46.0 |
| Mesa, AZ | 14.9 | 19.8 | 14.9 | 20.6 | 18.1 | 18.5 | 14.5 | 14.6 | 15.7 | 14.7 | 14.3 | 16.6 | 19.2 | 16.0 | 19.6 | 31.2 |
| Miami, FL | 21.7 | 24.2 | 20.2 | 20.5 | 18.0 | 24.6 | 19.4 | 20.5 | 18.9 | 20.9 | 17.6 | 18.1 | 16.4 | 18.2 | 17.1 | -21.3 |
| Milwaukee, WI | 15.1 | 12.4 | 13.4 | 11.7 | 12.1 | 11.5 | 13.1 | 11.2 | 14.4 | 10.9 | 13.4 | 11.8 | 8.8 | 11.9 | 14.2 | -6.2 |
| Minneapolis, MN | 13.6 | 17.2 | 15.8 | 14.6 | 15.0 | 14.1 | 15.0 | 11.0 | 9.8 | 11.5 | 12.0 | 13.3 | 11.3 | 7.7 | 8.8 | -35.5 |
| Nashville-Davidson, TN | 13.4 | 16.0 | 13.0 | 13.3 | 13.0 | 12.9 | 11.6 | 14.1 | 13.1 | 12.9 | 12.6 | 12.3 | 14.5 | 12.8 | 12.6 | -6.3 |
| New Orleans, LA | 14.9 | 12.0 | 14.8 | 11.9 | 13.1 | 11.1 | 12.9 | 12.2 | 8.9 | 10.2 | 11.4 | 10.4 | 10.5 | 7.0 | 8.9 | -40.4 |
| New York, NY | 8.0 | 8.6 | 8.0 | 6.9 | 7.8 | 7.4 | 7.0 | 6.7 | 6.4 | 5.8 | 4.9 | 5.5 | 6.0 | 5.8 | 6.0 | -24.7 |
| Oakland, CA | 10.7 | 9.5 | 11.2 | 12.4 | 8.2 | 9.1 | 8.6 | 8.8 | 9.9 | 8.9 | 7.6 | 5.2 | 11.0 | 8.0 | 8.4 | -21.2 |
| Oklahoma City, OK | 15.5 | 14.7 | 16.0 | 20.3 | 14.9 | 16.2 | 14.0 | 15.3 | 14.5 | 15.3 | 14.8 | 14.1 | 14.5 | 12.7 | 14.1 | -9.3 |
| Omaha, NB | 16.6 | 14.4 | 13.1 | 11.1 | 11.4 | 12.1 | 12.5 | 12.8 | 11.6 | 14.2 | 10.2 | 8.8 | 15.2 | 11.8 | 10.5 | -36.9 |
| Philadelphia, PA | 13.2 | 10.8 | 13.0 | 11.2 | 11.1 | 11.1 | 12.5 | 12.2 | 10.7 | 10.2 | 10.8 | 9.5 | 10.8 | 11.4 | 10.7 | -19.2 |
| Phoenix, AZ | 18.9 | 16.5 | 15.2 | 19.2 | 16.8 | 19.0 | 17.6 | 15.8 | 15.4 | 13.4 | 13.9 | 13.9 | 15.3 | 14.7 | 14.7 | -22.3 |
| Pittsburgh, PA | 14.7 | 12.4 | 14.9 | 12.5 | 12.0 | 11.7 | 8.1 | 13.4 | 15.2 | 12.8 | 9.6 | 12.2 | 10.0 | 12.1 | 15.2 | 3.1 |
| Portland, OR | 17.3 | 17.5 | 18.2 | 18.2 | 21.6 | 17.9 | 17.8 | 18.3 | 14.6 | 14.9 | 12.8 | 11.2 | 15.5 | 16.6 | 15.1 | -12.9 |
| Sacramento, CA | 25.4 | 23.6 | 22.2 | 31.1 | 26.9 | 27.6 | 21.4 | 27.3 | 17.8 | 20.0 | 15.0 | 14.8 | 20.5 | 21.7 | 22.7 | -10.6 |
| San Antonio, TX | 14.3 | 15.0 | 15.7 | 14.1 | 15.4 | 15.9 | 14.1 | 11.0 | 12.3 | 11.4 | 12.1 | 12.2 | 11.0 | 11.4 | 10.2 | -28.9 |
| San Diego, CA | 12.2 | 16.2 | 14.3 | 16.2 | 13.9 | 14.1 | 14.5 | 11.0 | 12.9 | 12.7 | 12.8 | 10.4 | 10.8 | 12.3 | 10.4 | -14.4 |
| San Francisco, CA | 15.6 | 18.5 | 18.1 | 16.6 | 17.3 | 16.9 | 15.4 | 13.1 | 11.2 | 9.6 | 10.8 | 11.9 | 9.5 | 11.8 | 11.6 | -25.8 |
| San Jose, CA | 10.3 | 11.1 | 7.4 | 8.7 | 9.9 | 9.5 | 6.5 | 9.5 | 7.7 | 7.1 | 7.1 | 5.2 | 8.3 | 7.6 | 9.2 | -10.3 |
| Seattle, WA | 14.4 | 15.8 | 17.1 | 15.8 | 17.5 | 16.3 | 15.7 | 10.8 | 14.2 | 15.1 | 12.2 | 10.4 | 11.2 | 13.0 | 12.2 | -15.5 |
| St. Louis, MO | 11.1 | 13.7 | 12.9 | 11.7 | 14.5 | 15.3 | 12.4 | 14.1 | 9.9 | 13.7 | 12.2 | 14.2 | 11.4 | 14.1 | 13.0 | 17.6 |
| Tucson, AZ | 20.6 | 20.0 | 22.4 | 21.4 | 22.7 | 21.3 | 21.2 | 20.0 | 22.2 | 29.0 | 24.5 | 14.8 | 11.2 | 23.2 | 25.0 | 21.2 |
| Tulsa, OK | 9.7 | 13.1 | 13.6 | 17.3 | 15.9 | 15.8 | 16.8 | 15.7 | 17.5 | 14.6 | 18.5 | 29.4 | 32.4 | 19.2 | 14.5 | 50.1 |
| Virginia Beach, VA | 14.2 | 13.7 | 15.3 | 12.1 | 12.4 | 10.1 | 10.5 | 8.3 | 11.0 | 11.7 | 9.5 | 10.7 | 9.1 | 10.8 | 12.8 | -10.1 |
| Washington, DC | 6.1 | 5.3 | 5.1 | 6.6 | 4.5 | 6.1 | 5.6 | 5.6 | 6.8 | 5.1 | 3.8 | 6.6 | 5.2 | 6.0 | 5.6 | -7.8 |
| Wichita, KS | 14.9 | 13.4 | 14.0 | 13.9 | 17.9 | 13.4 | 15.7 | 14.4 | 15.4 | 11.6 | 12.0 | 12.7 | 11.8 | 14.0 | 15.2 | 1.7 |

YEAR 2010 GOAL: 4.8

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.17: HIV-RELATED MORTALITY RATE, 1990—2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990—2004 |
|------------------------|--------------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | |
| Albuquerque, NM | 8.7 | 12.2 | 13.9 | 14.4 | 16.7 | 16.5 | 10.2 | 5.2 | 5.0 | --- | --- | --- | 4.5 | --- | --- | --- |
| Arlington, TX | 9.4 | --- | 10.5 | 10.8 | 10.1 | 8.8 | 8.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Atlanta, GA | 82.6 | 100.7 | 123.6 | 122.8 | 135.5 | 135.6 | 115.0 | 61.2 | 54.2 | 65.3 | 50.3 | 54.0 | 44.6 | 37.6 | 42.1 | -49.1 |
| Austin, TX | 21.5 | 29.4 | 32.9 | 32.5 | 38.3 | 37.3 | 22.7 | 12.0 | 6.1 | 10.3 | 6.7 | 6.7 | 7.0 | 7.8 | 5.8 | -73.0 |
| Baltimore, MD | 38.5 | 47.4 | 66.3 | 83.1 | 105.6 | 107.6 | 86.5 | 54.2 | 49.1 | 55.7 | 52.5 | 53.6 | 60.4 | 62.2 | 50.5 | 31.1 |
| Boston, MA | 37.3 | 41.2 | 47.3 | 54.4 | 56.5 | 53.5 | 36.9 | 15.0 | 9.1 | 11.1 | 11.3 | 12.4 | 14.5 | 10.6 | 9.7 | -74.0 |
| Charlotte, NC | 13.2 | 19.5 | 26.5 | 31.4 | 34.4 | 36.4 | 31.9 | 17.7 | 14.9 | 15.8 | 16.5 | 16.8 | 18.9 | 15.1 | 15.3 | 16.0 |
| Chicago, IL | 21.5 | 26.7 | 28.0 | 34.0 | 35.1 | 36.9 | 29.5 | 13.6 | 13.1 | 13.6 | 11.1 | 13.0 | 11.9 | 10.4 | 9.7 | -54.9 |
| Cincinnati, OH | 13.8 | 12.1 | 18.4 | 20.4 | 24.6 | 29.0 | 16.8 | 8.3 | --- | --- | 8.6 | 8.9 | --- | 6.8 | 6.6 | --- |
| Cleveland, OH | 11.2 | 15.8 | 18.9 | 21.7 | 22.3 | 31.6 | 23.0 | 10.5 | 9.9 | 10.1 | 9.9 | 7.3 | 8.7 | 10.0 | 7.9 | -29.3 |
| Colorado Springs, CO | 7.9 | 9.5 | 9.3 | 7.0 | --- | 6.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Columbus, OH | 13.4 | 12.2 | 12.7 | 17.0 | 19.6 | 22.0 | 18.7 | 6.8 | 4.5 | 5.7 | 4.9 | 5.3 | 5.2 | 5.6 | 3.5 | -73.9 |
| Dallas, TX | 35.0 | 37.5 | 39.1 | 47.4 | 44.8 | 42.4 | 31.2 | 16.0 | 13.5 | 13.5 | 12.9 | 12.3 | 12.7 | 12.7 | 13.4 | -61.7 |
| Denver, CO | 38.3 | 42.9 | 42.2 | 47.7 | 44.2 | 41.8 | 26.9 | 13.1 | 9.4 | 10.4 | 8.4 | 7.7 | 9.1 | 7.0 | 10.0 | -73.9 |
| Detroit, MI | 17.0 | 22.0 | 28.2 | 36.1 | 38.0 | 42.9 | 25.5 | 17.8 | 17.7 | 13.4 | 14.3 | 15.4 | 13.7 | 13.4 | 12.0 | -29.5 |
| El Paso, TX | --- | 5.4 | 7.9 | 10.0 | 12.4 | 12.3 | 10.3 | 8.0 | 4.7 | 4.4 | 3.9 | 4.0 | 4.9 | 5.7 | 6.2 | --- |
| Fort Worth, TX | 14.8 | 16.1 | 20.3 | 22.8 | 27.0 | 24.5 | 15.3 | 11.3 | 7.9 | 11.5 | 9.5 | 9.8 | 9.5 | 6.6 | 9.6 | -35.1 |
| Fresno, CA | 13.1 | 18.6 | 17.1 | 15.7 | 21.2 | 19.8 | 14.8 | --- | 7.7 | 6.1 | 5.6 | 7.4 | 5.9 | 7.8 | --- | --- |
| Honolulu, HI | 14.0 | 15.2 | 12.4 | 17.8 | 18.1 | 16.6 | 8.5 | 5.9 | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 36.8 | 38.4 | 46.8 | 43.4 | 47.9 | 43.3 | 30.0 | 18.1 | 14.8 | 15.3 | 15.8 | 15.1 | 15.6 | 14.0 | 14.1 | -61.7 |
| Indianapolis, IN | 10.8 | 10.3 | 12.4 | 11.6 | 15.5 | 17.3 | 12.6 | 7.7 | 6.2 | 5.0 | 3.5 | 5.7 | 5.6 | 4.1 | 5.5 | -49.3 |
| Jacksonville, FL | 11.8 | 14.5 | 19.9 | 19.6 | 27.0 | 30.5 | 18.1 | 11.9 | 11.9 | 11.5 | 12.2 | 9.6 | 13.3 | 11.7 | 11.0 | -6.8 |
| Kansas City, MO | 17.7 | 18.2 | 23.8 | 28.0 | 27.0 | 26.5 | 17.2 | 8.6 | 9.1 | 7.1 | 8.1 | 7.4 | --- | 5.5 | 9.4 | -46.8 |
| Las Vegas, NV | 12.9 | 15.7 | 21.5 | 26.6 | 31.0 | 30.5 | 17.1 | 8.4 | 8.9 | 8.7 | 8.9 | 8.3 | 8.1 | 8.8 | 8.2 | -36.3 |
| Long Beach, CA | 46.8 | 44.1 | 50.2 | 55.3 | 53.0 | 46.6 | 35.1 | 15.2 | 10.2 | 13.4 | 11.5 | 12.6 | 10.9 | 9.8 | 11.1 | -76.3 |
| Los Angeles, CA | 38.4 | 38.4 | 41.4 | 42.2 | 44.2 | 40.8 | 26.9 | 11.8 | 9.5 | 9.6 | 8.4 | 9.1 | 8.3 | 8.7 | 8.9 | -76.8 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.6 | 4.0 | 7.1 | 5.8 | 4.1 | 4.1 | --- |
| Memphis, TN | 8.8 | 12.0 | 15.0 | 18.6 | 26.2 | 28.3 | 22.0 | 21.1 | 18.1 | 18.9 | 18.2 | 19.4 | 25.6 | 16.0 | 18.0 | 103.9 |
| Mesa, AZ | --- | --- | 7.8 | 9.1 | --- | 9.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Miami, FL | 96.1 | 104.8 | 111.6 | 118.7 | 146.9 | 145.9 | 110.8 | 65.5 | 66.1 | 70.9 | 68.1 | 70.0 | 61.6 | 54.2 | 58.4 | -39.2 |
| Milwaukee, WI | 7.7 | 11.0 | 15.3 | 18.4 | 13.8 | 17.8 | 12.8 | 6.8 | 4.8 | 6.0 | 6.4 | 7.7 | 7.0 | 5.5 | 5.6 | -26.9 |
| Minneapolis, MN | 20.7 | 28.6 | 24.0 | 31.1 | 33.9 | 33.7 | 24.9 | 8.9 | 7.0 | 7.6 | 8.0 | 6.9 | 6.2 | 6.9 | --- | --- |
| Nashville-Davidson, TN | 11.1 | 9.3 | 12.6 | 17.1 | 18.2 | 22.8 | 18.3 | 11.3 | 9.6 | 8.1 | 10.2 | 11.7 | 10.3 | 12.5 | 14.1 | 27.5 |
| New Orleans, LA | 30.4 | 49.1 | 57.4 | 61.3 | 58.0 | 69.5 | 47.5 | 29.0 | 30.5 | 28.8 | 28.2 | 25.6 | 23.0 | 27.9 | 27.2 | -10.6 |
| New York, NY | 61.6 | 70.9 | 77.8 | 81.9 | 97.0 | 94.0 | 67.1 | 34.5 | 25.4 | 25.5 | 23.5 | 22.1 | 21.5 | 20.5 | 18.2 | -70.4 |
| Oakland, CA | 35.0 | 37.7 | 46.4 | 45.5 | 54.0 | 48.5 | 40.0 | 20.0 | 12.4 | 14.7 | 12.7 | 10.7 | 10.7 | 10.4 | 9.9 | -71.7 |
| Oklahoma City, OK | 6.3 | 11.3 | 15.0 | 15.0 | 14.9 | 17.7 | 13.8 | 8.3 | 4.6 | 6.0 | 4.8 | 7.3 | 5.3 | 6.8 | 4.9 | -21.9 |
| Omaha, NB | --- | 8.3 | 8.1 | 8.0 | 9.5 | 7.6 | 10.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Philadelphia, PA | 22.3 | 29.5 | 32.0 | 35.0 | 44.5 | 48.6 | 38.4 | 22.1 | 18.0 | 19.9 | 18.8 | 18.2 | 18.0 | 16.6 | 16.1 | -27.9 |
| Phoenix, AZ | 11.6 | 13.8 | 16.3 | 19.4 | 18.9 | 18.9 | 13.9 | 6.9 | 5.1 | 5.8 | 6.1 | 5.4 | 5.4 | 7.0 | 5.6 | -51.7 |
| Pittsburgh, PA | 15.5 | 12.3 | 15.5 | 23.3 | 18.6 | 21.2 | 11.6 | 7.6 | --- | --- | --- | --- | --- | 7.9 | --- | --- |
| Portland, OR | 20.1 | 27.9 | 26.5 | 26.8 | 32.3 | 31.3 | 20.3 | 8.2 | 4.9 | 5.9 | 4.2 | 6.3 | 7.0 | 8.0 | 4.4 | -78.1 |
| Sacramento, CA | 28.0 | 32.1 | 36.2 | 42.5 | 53.1 | 46.0 | 32.0 | 10.2 | 10.1 | 11.1 | 10.0 | 9.2 | 10.4 | 10.1 | 7.0 | -75.0 |
| San Antonio, TX | 14.0 | 15.2 | 18.4 | 18.0 | 19.7 | 18.9 | 16.9 | 8.8 | 7.2 | 6.9 | 7.1 | 7.1 | 5.9 | 6.4 | 6.8 | -51.6 |
| San Diego, CA | 31.0 | 31.8 | 34.7 | 40.5 | 45.7 | 38.6 | 22.3 | 8.9 | 6.3 | 8.9 | 7.3 | 6.8 | 7.4 | 5.8 | 7.6 | -75.4 |
| San Francisco, CA | 147.3 | 159.7 | 165.7 | 159.6 | 152.1 | 138.8 | 92.9 | 31.0 | 24.0 | 24.3 | 24.5 | 24.4 | 20.0 | 21.5 | 21.7 | -85.3 |
| San Jose, CA | 9.7 | 10.3 | 11.6 | 13.1 | 12.8 | 12.3 | 7.1 | 2.4 | --- | 2.4 | 3.0 | 2.6 | 3.5 | 2.7 | 2.3 | -76.2 |
| Seattle, WA | 32.2 | 42.2 | 42.9 | 53.1 | 54.2 | 56.7 | 36.1 | 12.7 | 9.4 | 6.9 | 8.1 | 8.0 | 7.3 | 10.3 | 7.8 | -75.8 |
| St. Louis, MO | 17.0 | 27.3 | 29.7 | 25.6 | 30.7 | 36.4 | 23.0 | 12.1 | 15.5 | 13.1 | 13.7 | 11.4 | 12.3 | 9.7 | 10.3 | -39.5 |
| Tucson, AZ | 8.5 | 12.1 | 16.4 | 17.1 | 20.5 | 23.5 | 15.3 | 7.1 | 4.9 | 6.6 | 4.6 | --- | 4.5 | 5.8 | 5.3 | -37.7 |
| Tulsa, OK | 9.9 | 10.1 | 12.7 | 13.2 | 18.4 | 13.1 | 11.0 | 6.8 | 6.2 | --- | 7.7 | 7.9 | 6.6 | 5.7 | --- | --- |
| Virginia Beach, VA | --- | 6.5 | 11.4 | 9.3 | 9.4 | 9.9 | 5.6 | --- | --- | 4.5 | --- | --- | --- | --- | --- | --- |
| Washington, DC | 68.0 | 71.4 | 88.0 | 103.7 | 119.2 | 116.5 | 97.5 | 49.8 | 46.1 | 46.1 | 44.6 | 38.7 | 41.2 | 43.0 | 41.1 | -39.5 |
| Wichita, KS | 8.5 | 11.1 | 11.2 | 11.0 | 8.0 | 15.7 | 9.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

YEAR 2010 GOAL: 0.7

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.18: PNEUMONIA AND INFLUENZA MORTALITY RATE, 1990—2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change 1990—2004 | |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|-----|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | | |
| Albuquerque, NM | 21.1 | 22.1 | 21.1 | 24.0 | 28.3 | 26.5 | 23.2 | 24.4 | 24.9 | 28.5 | 20.4 | 25.2 | 29.9 | 25.7 | 21.4 | 1.6 | |
| Arlington, TX | 27.1 | 24.3 | 15.0 | 16.0 | 15.5 | 18.5 | 13.3 | 24.3 | 20.6 | 22.5 | 19.3 | 20.1 | 14.5 | 19.6 | 17.8 | -34.3 | |
| Atlanta, GA | 33.3 | 33.5 | 31.3 | 37.2 | 36.3 | 31.8 | 36.5 | 35.6 | 32.1 | 35.1 | 38.6 | 28.9 | 33.4 | 25.2 | 18.4 | -44.7 | |
| Austin, TX | 24.3 | 19.0 | 20.1 | 16.9 | 20.0 | 16.0 | 19.5 | 18.9 | 22.2 | 15.8 | 17.4 | 15.3 | 12.1 | 14.3 | 13.2 | -45.7 | |
| Baltimore, MD | 33.0 | 29.5 | 28.9 | 31.4 | 29.0 | 32.8 | 35.0 | 31.5 | 29.9 | 29.1 | 30.4 | 28.3 | 27.6 | 29.7 | 26.9 | -18.6 | |
| Boston, MA | 35.4 | 36.3 | 35.3 | 38.2 | 36.6 | 32.3 | 34.9 | 35.1 | 37.0 | 29.6 | 31.2 | 32.4 | 30.8 | 30.0 | 27.1 | -23.5 | |
| Charlotte, NC | 20.2 | 22.5 | 19.3 | 23.2 | 21.0 | 24.2 | 24.6 | 23.8 | 32.8 | 31.2 | 23.9 | 22.2 | 26.8 | 24.6 | 17.1 | -15.2 | |
| Chicago, IL | 32.3 | 31.8 | 28.0 | 32.7 | 27.9 | 28.9 | 27.1 | 27.8 | 27.2 | 31.1 | 26.6 | 25.3 | 25.7 | 26.0 | 22.4 | -30.6 | |
| Cincinnati, OH | 31.6 | 31.2 | 24.5 | 33.6 | 26.8 | 32.1 | 27.7 | 23.7 | 27.3 | 24.6 | 22.1 | 24.2 | 22.4 | 22.8 | 19.5 | -38.2 | |
| Cleveland, OH | 25.3 | 23.7 | 23.0 | 24.6 | 20.3 | 23.4 | 22.6 | 22.3 | 23.9 | 19.1 | 22.9 | 16.5 | 19.2 | 14.6 | 16.2 | -35.9 | |
| Colorado Springs, CO | 36.1 | 35.8 | 28.4 | 25.3 | 29.9 | 32.2 | 30.1 | 25.6 | 24.9 | 26.2 | 18.9 | 21.4 | 23.4 | 20.3 | 19.1 | -47.0 | |
| Columbus, OH | 21.7 | 22.7 | 22.8 | 22.1 | 21.3 | 25.8 | 18.8 | 21.3 | 25.1 | 21.3 | 19.6 | 24.2 | 22.2 | 26.4 | 26.5 | 22.1 | |
| Dallas, TX | 24.4 | 22.6 | 20.7 | 19.0 | 20.8 | 17.0 | 20.3 | 19.6 | 18.8 | 17.0 | 20.2 | 22.3 | 19.4 | 18.4 | 16.2 | -33.7 | |
| Denver, CO | 29.5 | 26.2 | 28.0 | 30.4 | 27.9 | 24.6 | 26.6 | 19.3 | 24.9 | 26.4 | 18.2 | 15.3 | 23.3 | 20.3 | 21.9 | -25.7 | |
| Detroit, MI | 31.6 | 27.9 | 28.5 | 31.9 | 31.7 | 32.1 | 33.5 | 30.7 | 31.6 | 31.8 | 31.4 | 32.0 | 24.8 | 20.8 | 22.9 | -27.5 | |
| El Paso, TX | 17.4 | 17.9 | 18.6 | 15.2 | 16.9 | 16.2 | 17.5 | 19.4 | 14.7 | 19.8 | 11.6 | 20.4 | 17.0 | 10.8 | 17.2 | -0.9 | |
| Fort Worth, TX | 25.8 | 19.7 | 22.7 | 26.7 | 21.1 | 22.1 | 17.4 | 21.8 | 18.4 | 21.1 | 21.5 | 19.8 | 17.1 | 20.4 | 15.9 | -38.3 | |
| Fresno, CA | 28.5 | 33.0 | 34.7 | 30.6 | 33.5 | 31.5 | 35.8 | 34.8 | 43.9 | 13.7 | 31.7 | 34.5 | 37.5 | 31.9 | 34.7 | 21.8 | |
| Honolulu, HI | 27.0 | 27.7 | 21.7 | 22.5 | 16.7 | 23.4 | 24.4 | 23.9 | 21.5 | 23.0 | 18.5 | 17.9 | 17.2 | 19.8 | 17.5 | -35.2 | |
| Houston, TX | 28.5 | 23.0 | 20.9 | 19.5 | 19.5 | 18.9 | 21.5 | 22.1 | 22.6 | 21.6 | 22.8 | 25.9 | 23.3 | 20.8 | 20.0 | -29.8 | |
| Indianapolis, IN | 26.3 | 25.0 | 26.8 | 29.5 | 28.0 | 28.8 | 25.3 | 25.1 | 27.6 | 24.2 | 18.5 | 23.0 | 20.7 | 16.7 | 19.3 | -26.7 | |
| Jacksonville, FL | 22.5 | 18.9 | 18.6 | 21.6 | 23.2 | 24.8 | 21.8 | 22.1 | 24.3 | 25.5 | 26.3 | 24.9 | 32.9 | 31.0 | 26.5 | 17.6 | |
| Kansas City, MO | 20.9 | 24.8 | 23.5 | 23.5 | 26.7 | 32.3 | 26.2 | 25.9 | 24.0 | 27.2 | 18.9 | 25.3 | 18.1 | 22.0 | 14.5 | -30.7 | |
| Las Vegas, NV | 26.3 | 21.0 | 27.9 | 33.7 | 32.8 | 33.6 | 36.8 | 35.7 | 27.9 | 35.6 | 33.9 | 34.9 | 35.8 | 33.0 | 39.6 | 50.5 | |
| Long Beach, CA | 34.7 | 34.2 | 38.1 | 34.3 | 30.1 | 27.9 | 35.3 | 36.8 | 39.6 | 18.9 | 30.2 | 29.5 | 29.1 | 27.3 | 23.3 | -32.8 | |
| Los Angeles, CA | 34.0 | 32.5 | 32.4 | 33.0 | 30.0 | 30.7 | 31.9 | 35.0 | 38.2 | 22.8 | 37.1 | 35.1 | 36.8 | 37.3 | 33.7 | -0.7 | |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.8 | 19.7 | 23.4 | 27.3 | 21.2 | 18.0 | --- |
| Memphis, TN | 32.8 | 29.1 | 31.2 | 36.5 | 36.5 | 32.7 | 37.0 | 36.2 | 31.8 | 29.5 | 35.5 | 33.6 | 28.4 | 27.2 | 25.8 | -21.2 | |
| Mesa, AZ | 28.1 | 30.7 | 26.0 | 27.5 | 25.8 | 20.1 | 17.9 | 18.1 | 24.4 | 29.9 | 26.4 | 25.8 | 26.2 | 25.1 | 19.1 | -32.1 | |
| Miami, FL | 26.1 | 19.0 | 24.3 | 26.3 | 26.0 | 27.0 | 25.3 | 24.3 | 25.2 | 33.0 | 21.9 | 28.9 | 26.3 | 27.1 | 28.0 | 7.2 | |
| Milwaukee, WI | 26.1 | 28.5 | 25.3 | 27.9 | 25.1 | 24.9 | 25.1 | 21.4 | 23.3 | 27.7 | 26.9 | 20.2 | 21.3 | 22.4 | 17.0 | -34.9 | |
| Minneapolis, MN | 29.1 | 27.2 | 24.7 | 27.6 | 27.4 | 26.0 | 23.1 | 25.3 | 23.8 | 20.0 | 23.3 | 18.1 | 18.6 | 18.4 | 13.9 | -52.3 | |
| Nashville-Davidson, TN | 31.5 | 30.4 | 31.9 | 28.8 | 36.3 | 32.5 | 27.9 | 31.2 | 31.6 | 25.4 | 22.4 | 19.7 | 23.8 | 23.3 | 21.0 | -33.3 | |
| New Orleans, LA | 17.6 | 16.7 | 18.8 | 15.5 | 16.0 | 16.7 | 16.5 | 14.9 | 13.7 | 19.2 | 18.2 | 17.9 | 14.9 | 13.9 | 16.7 | -5.3 | |
| New York, NY | 36.5 | 31.5 | 26.1 | 28.7 | 24.4 | 25.1 | 25.2 | 24.3 | 24.9 | 33.5 | 33.3 | 31.8 | 32.1 | 34.0 | 37.1 | 1.5 | |
| Oakland, CA | 32.3 | 28.8 | 29.5 | 30.5 | 27.4 | 30.4 | 29.8 | 37.2 | 34.3 | 14.4 | 24.1 | 27.0 | 26.5 | 24.2 | 26.7 | -17.3 | |
| Oklahoma City, OK | 26.8 | 25.8 | 28.1 | 27.6 | 29.5 | 25.6 | 24.8 | 23.5 | 26.2 | 21.3 | 19.0 | 20.0 | 17.7 | 20.6 | 21.4 | -20.2 | |
| Omaha, NB | 26.3 | 25.7 | 22.5 | 26.5 | 22.3 | 24.1 | 20.0 | 21.7 | 27.2 | 24.7 | 23.0 | 18.1 | 20.9 | 20.2 | 20.7 | -21.1 | |
| Philadelphia, PA | 24.5 | 20.7 | 21.1 | 24.1 | 21.8 | 22.0 | 21.4 | 22.5 | 23.7 | 22.2 | 22.6 | 19.6 | 17.5 | 17.9 | 16.2 | -33.9 | |
| Phoenix, AZ | 34.2 | 30.7 | 26.3 | 29.3 | 25.6 | 24.9 | 23.3 | 21.9 | 22.8 | 26.1 | 26.3 | 20.2 | 24.7 | 24.2 | 22.4 | -34.6 | |
| Pittsburgh, PA | 28.3 | 27.9 | 26.1 | 30.8 | 29.3 | 26.4 | 28.5 | 30.0 | 23.8 | 26.4 | 24.6 | 23.2 | 24.4 | 20.8 | 18.7 | -33.9 | |
| Portland, OR | 30.5 | 21.1 | 23.9 | 23.2 | 25.4 | 25.3 | 24.8 | 19.9 | 25.3 | 20.3 | 22.1 | 18.3 | 18.6 | 14.8 | 13.2 | -56.7 | |
| Sacramento, CA | 46.3 | 47.0 | 51.4 | 52.2 | 59.0 | 69.9 | 3.5 | 0.4 | 6.1 | 33.5 | 51.8 | 53.2 | 53.1 | 52.0 | 45.7 | -1.2 | |
| San Antonio, TX | 26.0 | 23.2 | 26.0 | 21.7 | 21.6 | 20.0 | 18.9 | 21.1 | 19.9 | 24.2 | 23.1 | 16.2 | 19.5 | 20.0 | 15.3 | -41.1 | |
| San Diego, CA | 27.1 | 27.2 | 28.9 | 29.3 | 26.8 | 24.7 | 28.1 | 29.6 | 32.6 | 13.8 | 29.9 | 28.9 | 23.8 | 23.2 | 16.8 | -38.0 | |
| San Francisco, CA | 33.5 | 33.4 | 30.6 | 35.8 | 33.1 | 36.2 | 33.5 | 39.3 | 41.7 | 19.4 | 34.8 | 32.9 | 34.3 | 29.6 | 28.3 | -15.6 | |
| San Jose, CA | 27.8 | 34.6 | 36.3 | 37.2 | 37.3 | 36.6 | 37.0 | 38.1 | 37.0 | 17.3 | 31.6 | 27.2 | 32.6 | 28.9 | 27.0 | -2.8 | |
| Seattle, WA | 24.4 | 24.7 | 24.1 | 27.9 | 27.0 | 25.1 | 25.2 | 24.6 | 25.6 | 23.1 | 19.9 | 15.1 | 16.0 | 22.3 | 13.9 | -43.1 | |
| St. Louis, MO | 26.9 | 28.7 | 26.7 | 31.8 | 31.4 | 30.3 | 32.8 | 29.5 | 28.8 | 32.7 | 32.2 | 26.4 | 27.3 | 27.3 | 22.1 | -17.8 | |
| Tucson, AZ | 23.5 | 25.4 | 26.3 | 27.6 | 26.1 | 24.9 | 37.3 | 32.3 | 31.6 | 54.8 | 40.2 | 17.4 | 18.1 | 47.6 | 41.2 | 75.7 | |
| Tulsa, OK | 24.1 | 25.6 | 25.0 | 29.1 | 24.7 | 24.6 | 26.8 | 19.5 | 22.7 | 20.1 | 16.1 | 51.4 | 52.2 | 23.8 | 21.5 | -10.7 | |
| Virginia Beach, VA | 26.4 | 23.5 | 28.6 | 19.3 | 22.3 | 21.5 | 18.9 | 21.8 | 20.8 | 22.8 | 17.6 | 20.2 | 21.4 | 29.0 | 25.9 | -1.9 | |
| Washington, DC | 26.5 | 23.5 | 26.7 | 25.2 | 24.4 | 27.7 | 25.6 | 23.4 | 25.5 | 20.4 | 19.6 | 15.2 | 14.3 | 15.3 | 16.2 | -38.9 | |
| Wichita, KS | 23.4 | 23.5 | 22.7 | 25.1 | 20.5 | 24.4 | 23.9 | 27.4 | 22.7 | 20.5 | 21.8 | 14.8 | 22.2 | 25.4 | 15.1 | -35.4 | |

YEAR 2010 GOAL: 20.4

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

** Represents the city of Louisville and Jefferson County.

TABLE 3.19: DIABETES MORTALITY RATE, 1990—2004

| City* | Annual Rate† | | | | | | | | | | | | | | | Percent Change |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 1990—2004 |
| Albuquerque, NM | 23.2 | 32.6 | 25.4 | 28.1 | 30.5 | 26.0 | 27.8 | 23.6 | 25.8 | 27.0 | 26.5 | 30.7 | 32.7 | 24.6 | 30.0 | 29.1 |
| Arlington, TX | 32.5 | 20.3 | --- | 21.1 | 21.8 | 27.9 | 19.8 | 20.4 | 25.1 | 21.4 | 15.5 | 26.3 | 24.6 | 17.0 | 27.6 | -15.1 |
| Atlanta, GA | 22.8 | 24.0 | 26.0 | 31.4 | 28.4 | 34.6 | 29.4 | 35.1 | 38.1 | 34.6 | 34.7 | 32.6 | 30.6 | 27.7 | 20.4 | -10.6 |
| Austin, TX | 21.6 | 17.9 | 26.5 | 27.4 | 28.4 | 28.8 | 24.1 | 29.1 | 24.3 | 27.3 | 22.0 | 29.9 | 26.4 | 26.7 | 29.9 | 38.3 |
| Baltimore, MD | 36.2 | 40.5 | 38.6 | 41.9 | 40.7 | 45.1 | 46.5 | 45.5 | 48.6 | 44.9 | 45.8 | 43.9 | 41.7 | 40.4 | 38.5 | 6.5 |
| Boston, MA | 24.6 | 26.1 | 25.5 | 24.4 | 24.5 | 24.6 | 19.8 | 24.8 | 23.8 | 22.4 | 19.8 | 21.2 | 28.5 | 24.2 | 21.6 | -12.4 |
| Charlotte, NC | 23.5 | 29.8 | 24.4 | 27.3 | 26.8 | 28.6 | 29.7 | 29.8 | 27.5 | 27.4 | 25.8 | 28.6 | 31.7 | 27.7 | 25.8 | 9.6 |
| Chicago, IL | 28.3 | 29.0 | 28.8 | 30.8 | 32.2 | 30.8 | 31.3 | 29.4 | 31.3 | 32.5 | 29.4 | 32.8 | 30.0 | 31.2 | 28.4 | 0.4 |
| Cincinnati, OH | 26.0 | 32.6 | 29.8 | 30.3 | 29.6 | 36.1 | 40.6 | 43.4 | 44.2 | 48.4 | 44.7 | 42.0 | 49.7 | 51.6 | 42.2 | 62.6 |
| Cleveland, OH | 36.4 | 35.8 | 39.7 | 36.0 | 44.2 | 40.0 | 36.6 | 39.1 | 30.6 | 30.6 | 34.2 | 35.0 | 35.9 | 34.0 | 31.4 | -13.6 |
| Colorado Springs, CO | 15.8 | 16.1 | 12.8 | 12.6 | 12.2 | 16.7 | 14.4 | 17.6 | 17.1 | 20.0 | 15.9 | 21.4 | 15.5 | 15.7 | 16.2 | 2.8 |
| Columbus, OH | 34.6 | 35.0 | 34.2 | 29.5 | 32.4 | 40.1 | 44.7 | 47.6 | 41.9 | 39.1 | 39.2 | 47.0 | 42.4 | 37.3 | 38.9 | 12.3 |
| Dallas, TX | 25.0 | 25.3 | 29.5 | 31.0 | 27.5 | 30.1 | 26.4 | 27.0 | 28.4 | 24.8 | 28.5 | 24.3 | 29.3 | 24.6 | 25.2 | 0.6 |
| Denver, CO | 10.9 | 22.3 | 20.0 | 19.4 | 21.7 | 19.2 | 22.5 | 20.8 | 18.6 | 23.0 | 20.0 | 18.8 | 21.8 | 21.9 | 21.5 | 97.1 |
| Detroit, MI | 35.4 | 38.6 | 34.6 | 33.9 | 37.2 | 34.9 | 33.4 | 35.8 | 32.3 | 35.2 | 34.1 | 33.3 | 37.1 | 27.6 | 32.4 | -8.3 |
| El Paso, TX | 36.3 | 33.5 | 29.7 | 49.6 | 46.5 | 50.9 | 42.3 | 45.2 | 49.0 | 53.0 | 49.9 | 41.9 | 50.0 | 54.1 | 45.8 | 26.3 |
| Fort Worth, TX | 30.5 | 26.1 | 28.7 | 34.4 | 30.3 | 31.1 | 35.9 | 35.4 | 38.1 | 40.1 | 30.5 | 34.9 | 39.9 | 38.7 | 35.0 | 14.7 |
| Fresno, CA | 23.7 | 21.7 | 23.1 | 25.9 | 36.6 | 30.4 | 30.9 | 31.2 | 38.6 | 36.4 | 36.4 | 33.1 | 33.6 | 38.1 | 41.2 | 73.6 |
| Honolulu, HI | 13.5 | 15.3 | 14.2 | 16.6 | 10.2 | 11.4 | 16.4 | 13.9 | 15.9 | 15.4 | 12.4 | 11.2 | 14.7 | 14.8 | 13.5 | -0.3 |
| Houston, TX | 28.7 | 31.5 | 31.5 | 35.8 | 35.1 | 34.6 | 34.2 | 36.5 | 34.2 | 27.9 | 31.9 | 33.8 | 33.7 | 33.0 | 31.9 | 11.2 |
| Indianapolis, IN | 26.4 | 23.4 | 28.3 | 25.9 | 26.6 | 29.0 | 29.4 | 29.9 | 27.9 | 25.1 | 30.3 | 28.5 | 23.8 | 30.1 | 28.9 | 9.6 |
| Jacksonville, FL | 28.7 | 25.7 | 25.5 | 25.8 | 26.1 | 31.4 | 28.1 | 28.9 | 29.2 | 36.1 | 34.0 | 33.2 | 33.8 | 39.1 | 37.1 | 29.3 |
| Kansas City, MO | 22.8 | 25.5 | 24.2 | 25.9 | 30.3 | 27.6 | 27.5 | 26.8 | 30.6 | 33.4 | 31.0 | 34.2 | 29.7 | 33.3 | 25.9 | 13.5 |
| Las Vegas, NV | 17.9 | 25.8 | 24.7 | 22.8 | 22.3 | 28.4 | 29.9 | 22.3 | 24.9 | 17.8 | 20.5 | 25.8 | 24.4 | 23.2 | 24.1 | 34.8 |
| Long Beach, CA | 12.3 | 12.4 | 15.4 | 17.4 | 18.1 | 22.2 | 17.5 | 21.3 | 23.4 | 21.1 | 27.2 | 21.9 | 25.0 | 32.8 | 26.7 | 116.7 |
| Los Angeles, CA | 17.9 | 17.5 | 17.0 | 18.0 | 23.2 | 23.6 | 26.6 | 26.5 | 26.1 | 28.5 | 26.3 | 27.8 | 29.6 | 32.1 | 30.4 | 70.1 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 26.8 | 25.2 | 25.0 | 30.3 | 29.8 | 31.7 | --- |
| Memphis, TN | 19.2 | 18.0 | 20.0 | 22.1 | 23.4 | 24.9 | 30.7 | 28.3 | 31.9 | 37.1 | 40.7 | 40.5 | 35.2 | 40.8 | 34.8 | 81.3 |
| Mesa, AZ | 12.2 | 14.2 | 13.1 | 14.6 | 18.2 | 15.5 | 20.6 | 19.5 | 27.4 | 24.6 | 19.0 | 25.9 | 30.0 | 28.5 | 24.1 | 97.2 |
| Miami, FL | 32.6 | 30.0 | 33.1 | 34.2 | 30.5 | 34.2 | 33.8 | 35.7 | 39.1 | 39.6 | 37.5 | 37.0 | 38.9 | 43.4 | 39.8 | 22.0 |
| Milwaukee, WI | 26.9 | 24.4 | 23.1 | 26.2 | 27.0 | 26.6 | 27.0 | 28.4 | 27.5 | 31.3 | 29.9 | 33.1 | 29.1 | 33.2 | 33.3 | 23.9 |
| Minneapolis, MN | 18.7 | 22.0 | 20.0 | 25.8 | 26.2 | 30.0 | 34.9 | 27.2 | 30.9 | 33.2 | 34.0 | 29.6 | 33.9 | 29.9 | 23.0 | 23.1 |
| Nashville-Davidson, TN | 22.9 | 23.8 | 29.5 | 29.6 | 29.8 | 27.7 | 29.7 | 32.8 | 28.7 | 29.6 | 30.6 | 30.9 | 30.0 | 27.2 | 32.1 | 40.0 |
| New Orleans, LA | 44.7 | 56.6 | 46.0 | 55.3 | 53.8 | 55.1 | 60.0 | 61.7 | 74.3 | 70.5 | 60.7 | 67.1 | 64.8 | 65.1 | 66.3 | 48.2 |
| New York, NY | 17.3 | 17.7 | 18.4 | 18.4 | 24.8 | 23.7 | 22.4 | 22.0 | 21.9 | 23.5 | 22.6 | 22.8 | 22.5 | 24.8 | 22.8 | 32.0 |
| Oakland, CA | 19.4 | 21.2 | 16.9 | 20.7 | 23.1 | 29.3 | 29.8 | 28.6 | 24.8 | 33.5 | 30.4 | 28.0 | 27.0 | 33.1 | 30.1 | 55.2 |
| Oklahoma City, OK | 15.3 | 17.1 | 18.9 | 23.0 | 18.2 | 18.5 | 18.0 | 30.8 | 28.3 | 27.1 | 25.9 | 28.8 | 30.7 | 27.7 | 26.2 | 71.8 |
| Omaha, NB | 15.8 | 20.2 | 16.4 | 19.0 | 17.5 | 19.8 | 22.2 | 21.4 | 18.0 | 24.7 | 21.5 | 25.1 | 24.6 | 26.4 | 27.7 | 75.8 |
| Philadelphia, PA | 26.6 | 28.9 | 26.8 | 28.5 | 28.8 | 28.4 | 28.4 | 29.5 | 27.0 | 26.5 | 27.7 | 28.9 | 27.2 | 27.6 | 26.6 | 0.1 |
| Phoenix, AZ | 18.0 | 19.0 | 21.4 | 20.2 | 21.7 | 25.1 | 27.6 | 27.3 | 25.6 | 25.3 | 24.1 | 25.8 | 28.1 | 24.6 | 22.9 | 27.4 |
| Pittsburgh, PA | 28.2 | 28.6 | 23.8 | 27.7 | 26.5 | 25.4 | 31.0 | 36.7 | 28.4 | 28.3 | 30.0 | 39.9 | 30.2 | 27.6 | 24.2 | -14.1 |
| Portland, OR | 18.8 | 22.4 | 21.2 | 19.1 | 20.9 | 24.2 | 23.9 | 32.2 | 28.5 | 35.0 | 30.2 | 33.9 | 27.9 | 30.5 | 34.1 | 81.5 |
| Sacramento, CA | 26.8 | 22.3 | 24.0 | 31.6 | 31.8 | 39.3 | 38.1 | 35.0 | 41.3 | 43.5 | 34.6 | 40.4 | 37.0 | 42.9 | 42.5 | 58.8 |
| San Antonio, TX | 30.9 | 32.1 | 31.5 | 42.5 | 37.7 | 37.3 | 39.3 | 41.4 | 44.7 | 44.2 | 50.5 | 49.3 | 49.0 | 51.8 | 49.8 | 61.1 |
| San Diego, CA | 12.2 | 10.8 | 13.0 | 12.5 | 16.3 | 16.5 | 14.6 | 18.9 | 16.5 | 17.4 | 20.3 | 21.0 | 17.5 | 19.0 | 21.7 | 77.6 |
| San Francisco, CA | 12.6 | 14.3 | 13.2 | 14.3 | 14.5 | 11.7 | 17.1 | 17.6 | 12.6 | 18.7 | 13.5 | 18.3 | 15.1 | 17.1 | 17.0 | 34.7 |
| San Jose, CA | 17.8 | 14.1 | 17.2 | 15.0 | 22.4 | 26.0 | 21.2 | 24.2 | 21.0 | 26.1 | 22.2 | 21.7 | 18.7 | 24.8 | 28.0 | 57.5 |
| Seattle, WA | 21.5 | 18.6 | 23.1 | 19.0 | 24.5 | 24.6 | 28.4 | 24.9 | 25.4 | 27.2 | 22.0 | 24.1 | 28.1 | 27.2 | 24.6 | 14.3 |
| St. Louis, MO | 32.3 | 33.8 | 29.3 | 32.3 | 32.2 | 32.8 | 38.0 | 33.6 | 38.7 | 47.4 | 33.8 | 40.1 | 37.1 | 39.3 | 35.6 | 10.1 |
| Tucson, AZ | 15.5 | 20.2 | 22.7 | 19.9 | 21.3 | 26.5 | 22.3 | 24.9 | 24.4 | 30.9 | 35.9 | 22.7 | 20.8 | 37.1 | 40.7 | 163.4 |
| Tulsa, OK | 13.1 | 14.2 | 20.5 | 19.8 | 22.8 | 14.8 | 21.9 | 25.3 | 26.6 | 29.7 | 30.7 | 35.1 | 41.7 | 24.4 | 27.3 | 107.9 |
| Virginia Beach, VA | 14.9 | 14.9 | 22.2 | 19.0 | 15.6 | 21.1 | 29.3 | 17.2 | 20.5 | 28.7 | 21.4 | 21.6 | 19.6 | 18.8 | 21.4 | 43.2 |
| Washington, DC | 34.4 | 30.6 | 30.7 | 36.0 | 34.6 | 39.0 | 36.3 | 36.9 | 34.5 | 39.3 | 39.3 | 37.3 | 34.0 | 32.0 | 39.8 | 15.6 |
| Wichita, KS | 21.7 | 24.4 | 23.7 | 19.6 | 24.9 | 29.2 | 30.1 | 29.0 | 29.9 | 24.6 | 24.3 | 29.0 | 28.3 | 28.4 | 30.5 | 40.5 |

YEAR 2010 GOAL: 46.0

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "----" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

TABLE 3.20: INFANT MORTALITY RATE, 1990—2003

| City* | Annual Rate† | | | | | | | | | | | | | | Percent Change 1990—2003 |
|------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | |
| Albuquerque, NM | 8.1 | 9.4 | 7.1 | 10.0 | 11.0 | 6.4 | 5.4 | 4.8 | 7.0 | 6.9 | 6.5 | 5.7 | 6.9 | 4.5 | -44.4 |
| Arlington, TX | 9.9 | 7.8 | 8.2 | 6.7 | 7.6 | 6.6 | 6.5 | 8.3 | 6.2 | 8.5 | 6.7 | 8.2 | 6.5 | 6.2 | -37.4 |
| Atlanta, GA | 15.6 | 14.4 | 13.3 | 13.7 | 12.2 | 12.4 | 10.1 | 10.0 | 9.9 | 9.2 | 7.8 | 7.7 | . | . | --- |
| Austin, TX | 6.4 | 5.8 | 6.0 | 5.1 | 6.3 | 5.1 | 5.2 | 5.9 | 5.3 | 5.1 | 4.6 | 5.3 | 4.6 | 6.2 | -3.1 |
| Baltimore, MD | 15.0 | 13.2 | 14.9 | 14.5 | 13.8 | 12.4 | 12.0 | 14.0 | 12.6 | 14.1 | 11.7 | 11.3 | 9.9 | 12.8 | -14.7 |
| Boston, MA | 10.0 | 8.4 | 10.4 | 10.0 | 9.1 | 6.7 | 7.1 | 8.0 | 5.8 | 7.4 | 6.7 | 7.2 | 6.9 | 6.1 | -39.0 |
| Charlotte, NC | 12.0 | 9.9 | 10.9 | 10.3 | 9.5 | 6.0 | 6.3 | 7.9 | 7.4 | 6.5 | 8.9 | 8.3 | 8.6 | 7.2 | -40.0 |
| Chicago, IL | 15.6 | 15.2 | 13.3 | 13.7 | 12.5 | 12.8 | 11.5 | 11.2 | 11.3 | 12.2 | 10.9 | 9.5 | 9.0 | 10.0 | -35.9 |
| Cincinnati, OH | 14.8 | 11.7 | 13.6 | 13.6 | 12.3 | 14.9 | 13.1 | 12.6 | 12.3 | 13.7 | 12.9 | 14.1 | 12.3 | 10.3 | -30.4 |
| Cleveland, OH | 17.9 | 17.0 | 16.7 | 16.2 | 15.6 | 16.3 | 12.0 | 13.6 | 10.7 | 13.0 | 13.2 | 11.2 | 14.7 | 10.0 | -44.1 |
| Colorado Springs, CO | 10.4 | 9.1 | 9.7 | 9.1 | 6.7 | 5.2 | 7.2 | 7.5 | 8.0 | 8.8 | 7.7 | 6.2 | 6.9 | 7.2 | -30.8 |
| Columbus, OH | 11.9 | 10.9 | 10.0 | 10.4 | 9.9 | 12.6 | 10.9 | 9.7 | 9.1 | 9.8 | 9.9 | 9.2 | 10.8 | 9.8 | -17.6 |
| Dallas, TX | 9.4 | 8.9 | 8.6 | 8.7 | 7.3 | 7.0 | 5.8 | 6.3 | 6.6 | 6.7 | 5.4 | 6.5 | 6.7 | 8.1 | -13.8 |
| Denver, CO | 11.6 | 10.8 | 10.0 | 8.7 | 8.8 | 8.3 | 6.1 | 7.7 | 8.6 | 6.2 | 6.0 | 5.3 | 7.1 | 6.9 | -40.5 |
| Detroit, MI | 20.3 | 19.4 | 21.3 | 17.1 | 16.8 | 15.6 | 15.1 | 15.1 | 14.7 | 14.6 | 14.8 | 14.0 | 16.7 | 16.4 | -19.2 |
| El Paso, TX | 6.0 | 6.4 | 7.0 | 6.1 | 5.0 | 4.8 | 5.1 | 4.4 | 5.9 | 5.0 | 4.4 | 5.0 | 3.5 | 3.9 | -35.0 |
| Fort Worth, TX | 10.6 | 10.0 | 8.8 | 9.7 | 9.8 | 7.9 | 5.1 | 8.3 | 7.6 | 9.2 | 6.3 | 8.7 | 7.5 | 8.8 | -17.0 |
| Fresno, CA | 9.4 | 10.6 | 10.7 | 8.7 | 10.9 | 8.1 | 7.3 | 9.3 | 6.7 | 6.7 | 6.8 | 5.9 | 8.3 | 7.0 | -25.5 |
| Honolulu, HI | 6.5 | 6.5 | 7.0 | 5.9 | 7.0 | 6.5 | 5.5 | 8.5 | 5.2 | 6.9 | 7.2 | 6.3 | 6.0 | 8.0 | 23.1 |
| Houston, TX | 9.3 | 9.4 | 9.0 | 8.6 | 8.5 | 6.6 | 6.6 | 6.5 | 6.5 | 6.5 | 5.1 | 5.5 | 7.1 | 6.9 | -25.8 |
| Indianapolis, IN | 12.4 | 10.8 | 12.2 | 10.5 | 10.2 | 9.6 | 10.3 | 10.3 | 8.0 | 11.0 | 9.9 | 7.8 | 8.5 | 9.4 | -24.2 |
| Jacksonville, FL | 12.1 | 11.0 | 8.7 | 9.8 | 9.0 | 9.4 | 8.1 | 9.9 | 9.8 | 10.6 | 9.3 | 11.3 | 9.6 | 10.2 | -15.7 |
| Kansas City, MO | 11.2 | 12.7 | 11.8 | 12.0 | 10.3 | 9.7 | 10.9 | 8.2 | 8.8 | 8.9 | 7.2 | 7.6 | 9.8 | 8.3 | -25.9 |
| Las Vegas, NV | 5.1 | 6.0 | 5.5 | 3.4 | 5.6 | 3.7 | 4.8 | 4.9 | 5.2 | 4.9 | 3.8 | 5.7 | 5.3 | 3.7 | -27.5 |
| Long Beach, CA | 8.7 | 8.7 | 4.9 | 8.2 | 9.3 | 8.1 | 4.8 | 4.4 | 7.0 | 6.1 | 6.6 | 4.6 | 4.3 | 7.0 | -19.5 |
| Los Angeles, CA | 8.2 | 8.2 | 7.8 | 7.6 | 7.2 | 6.7 | 6.0 | 6.3 | 5.6 | 6.1 | 4.9 | 5.6 | 5.8 | 5.5 | -32.9 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.7 | 7.4 | 5.9 | 8.9 | 6.4 | --- |
| Memphis, TN | 16.9 | 16.3 | 16.4 | 16.0 | 16.8 | 17.5 | 14.3 | 14.3 | 16.3 | 13.3 | 16.1 | 14.9 | 16.7 | 17.3 | 2.4 |
| Mesa, AZ | 6.7 | 7.4 | 7.5 | 7.8 | 6.4 | 6.0 | 7.9 | 6.7 | 7.8 | 7.6 | 7.2 | 5.2 | 5.2 | 6.0 | -10.4 |
| Miami, FL | 6.3 | 5.3 | 4.3 | 4.9 | 4.1 | 3.9 | 4.3 | 3.8 | 4.7 | 5.2 | 5.4 | 4.9 | 4.7 | 5.0 | -20.6 |
| Milwaukee, WI | 12.6 | 11.2 | 10.6 | 11.3 | 13.1 | 12.3 | 12.7 | 10.2 | 12.0 | 10.5 | 11.4 | 11.5 | 12.1 | 11.4 | -9.5 |
| Minneapolis, MN | 11.8 | 12.8 | 12.1 | 11.3 | 9.8 | 12.0 | 10.2 | 8.6 | 6.2 | 7.9 | 6.2 | 5.6 | 6.7 | 5.4 | -54.2 |
| Nashville-Davidson, TN | 9.4 | 8.6 | 10.3 | 12.3 | 9.6 | 8.0 | 6.9 | 8.7 | 7.7 | 9.2 | 10.2 | 8.7 | 10.2 | 7.4 | -21.3 |
| New Orleans, LA | 16.5 | 14.6 | 11.1 | 12.5 | 11.8 | 11.1 | 8.8 | 12.3 | 6.9 | 9.8 | 7.0 | 10.6 | 12.9 | 11.3 | -31.5 |
| New York, NY | 11.5 | 11.4 | 10.1 | 9.9 | 8.9 | 8.7 | 7.7 | 7.0 | 6.7 | 6.7 | 6.4 | 5.6 | 5.9 | 6.2 | -46.1 |
| Oakland, CA | 12.3 | 9.8 | 9.0 | 8.3 | 7.1 | 8.1 | 8.0 | 7.5 | 7.4 | 6.5 | 5.9 | 7.8 | 5.4 | 6.5 | -47.2 |
| Oklahoma City, OK | 13.3 | 12.4 | 11.4 | 10.0 | 9.0 | 11.3 | 11.2 | 9.3 | 11.8 | 9.3 | 12.6 | 8.9 | 8.7 | 10.3 | -22.6 |
| Omaha, NB | 10.0 | 10.5 | 10.1 | 11.4 | 10.0 | 7.6 | 8.6 | 9.9 | 10.1 | 7.9 | 8.9 | 7.5 | 9.8 | 7.3 | -27.0 |
| Philadelphia, PA | 15.5 | 14.5 | 14.7 | 13.4 | 13.4 | 12.2 | 12.4 | 13.2 | 11.8 | 12.2 | 10.5 | 10.5 | 10.7 | 10.6 | -31.6 |
| Phoenix, AZ | 10.0 | 8.2 | 9.3 | 8.6 | 8.8 | 8.3 | 8.1 | 8.2 | 7.6 | 8.0 | 6.6 | 7.8 | 6.6 | 6.8 | -32.0 |
| Pittsburgh, PA | 13.4 | 14.6 | 15.1 | 14.6 | 13.5 | 12.1 | 10.5 | 9.5 | 8.9 | 12.3 | 12.5 | 11.0 | 13.6 | 14.5 | 8.2 |
| Portland, OR | 8.3 | 10.5 | 8.4 | 9.5 | 7.3 | 6.7 | 5.3 | 5.3 | 4.7 | 5.1 | 5.9 | 3.2 | 4.5 | 3.9 | -53.0 |
| Sacramento, CA | 10.3 | 9.7 | 6.7 | 7.7 | 8.4 | 7.4 | 7.0 | 8.1 | 7.1 | 6.5 | 6.6 | 7.2 | 7.1 | 5.9 | -42.7 |
| San Antonio, TX | 6.8 | 7.1 | 6.9 | 8.2 | 7.1 | 7.3 | 8.0 | 7.4 | 6.5 | 6.5 | 4.9 | 5.7 | 7.2 | 7.5 | 10.3 |
| San Diego, CA | 6.7 | 6.8 | 6.4 | 5.8 | 6.7 | 5.5 | 5.1 | 5.6 | 5.3 | 5.4 | 6.5 | 6.2 | 4.2 | 4.5 | -32.8 |
| San Francisco, CA | 7.2 | 6.8 | 7.2 | 5.0 | 8.2 | 4.3 | 4.8 | 4.8 | 5.1 | 3.8 | 4.0 | 3.8 | 4.5 | 3.1 | -56.9 |
| San Jose, CA | 4.8 | 6.9 | 6.3 | 6.3 | 6.3 | 5.8 | 5.4 | 6.1 | 3.7 | 4.7 | 4.8 | 4.2 | 3.6 | 4.0 | -16.7 |
| Seattle, WA | 8.1 | 9.1 | 6.4 | 7.2 | 6.1 | 7.1 | 6.0 | 6.6 | 6.2 | 6.5 | 4.6 | 4.8 | 4.0 | 5.6 | -30.9 |
| St. Louis, MO | 12.7 | 17.2 | 12.9 | 12.0 | 12.6 | 11.9 | 12.3 | 14.2 | 13.0 | 15.8 | 12.9 | 11.5 | 13.7 | 12.7 | 0.0 |
| Tucson, AZ | 7.1 | 8.7 | 8.0 | 7.1 | 7.5 | 8.0 | 5.5 | 6.0 | 4.8 | 5.1 | 5.5 | 4.7 | 5.6 | 12.1 | 70.4 |
| Tulsa, OK | 9.5 | 9.6 | 9.7 | 11.4 | 10.7 | 9.9 | 9.6 | 8.0 | 7.7 | 8.2 | 9.6 | 12.9 | 12.4 | 4.5 | -52.6 |
| Virginia Beach, VA | 9.7 | 12.9 | 10.1 | 9.7 | 8.3 | 6.4 | 7.4 | 9.0 | 8.9 | 9.3 | 6.0 | 7.1 | 7.2 | 6.7 | -30.9 |
| Washington, DC | 20.7 | 21.0 | 19.6 | 17.4 | 18.2 | 16.2 | 14.9 | 13.2 | 12.5 | 15.0 | 12.0 | 10.6 | 11.3 | 10.5 | -49.3 |
| Wichita, KS | 13.1 | 11.9 | 10.8 | 10.9 | 10.4 | 7.0 | 8.8 | 10.0 | 8.2 | 7.8 | 7.4 | 10.5 | 10.6 | 6.3 | -51.9 |

YEAR 2010 GOAL: 4.5

† Per 1,000 live births.
 "—" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

TABLE 3.21: FERTILITY RATE, 1990—2003

| City* | Annual Rate† | | | | | | | | | | | | | Percent Change 1990—2003 | |
|------------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------------------|-------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | | 2003 |
| Albuquerque, NM | 77.1 | 78.0 | 79.2 | 78.7 | 78.7 | 77.5 | 76.1 | 75.1 | 77.6 | 77.8 | 77.7 | 78.2 | 82.3 | 81.7 | 6.0 |
| Arlington, TX | 75.4 | 71.7 | 70.5 | 70.7 | 70.6 | 69.6 | 71.3 | 69.0 | 70.3 | 72.2 | 73.0 | 73.3 | 74.0 | 77.3 | 2.5 |
| Atlanta, GA | 89.4 | 86.0 | 87.0 | 83.6 | 83.2 | 79.6 | 79.3 | 81.9 | 85.1 | 87.0 | 91.9 | 90.6 | 87.6 | 90.1 | 0.8 |
| Austin, TX | 68.8 | 65.7 | 65.8 | 64.5 | 63.8 | 64.7 | 65.1 | 64.9 | 67.9 | 69.5 | 73.3 | 73.6 | 73.0 | 73.2 | 6.4 |
| Baltimore, MD | 78.7 | 77.1 | 74.0 | 71.0 | 68.6 | 63.9 | 63.4 | 60.8 | 62.1 | 66.3 | 66.9 | 64.3 | 63.2 | 62.2 | -21.0 |
| Boston, MA | 63.2 | 59.3 | 56.7 | 53.9 | 51.7 | 49.3 | 47.3 | 47.8 | 48.1 | 48.8 | 49.2 | 50.1 | 49.1 | 47.6 | -24.7 |
| Charlotte, NC | 68.5 | 68.7 | 63.4 | 63.1 | 60.7 | 67.2 | 69.1 | 69.7 | 72.6 | 73.7 | 79.4 | 77.8 | 79.2 | 82.2 | 20.0 |
| Chicago, IL | 87.9 | 87.9 | 86.4 | 85.5 | 82.9 | 78.6 | 76.0 | 73.4 | 73.8 | 72.2 | 72.4 | 70.6 | 68.4 | 68.5 | -22.1 |
| Cincinnati, OH | 78.9 | 78.7 | 75.6 | 74.8 | 69.0 | 66.0 | 67.9 | 66.6 | 69.1 | 71.7 | 75.7 | 72.9 | 68.9 | 71.1 | -9.9 |
| Cleveland, OH | 94.8 | 95.9 | 94.0 | 91.6 | 86.4 | 83.9 | 82.9 | 85.3 | 81.1 | 77.8 | 79.1 | 74.6 | 70.4 | 70.4 | -25.7 |
| Colorado Springs, CO | 80.6 | 80.8 | 81.5 | 79.7 | 84.5 | 83.0 | 82.7 | 80.8 | 79.4 | 82.9 | 83.2 | 83.3 | 81.1 | 79.5 | -1.4 |
| Columbus, OH | 64.4 | 62.6 | 61.7 | 60.0 | 58.2 | 56.4 | 60.4 | 60.1 | 61.5 | 57.8 | 57.6 | 57.5 | 59.0 | 57.9 | -10.1 |
| Dallas, TX | 81.6 | 82.0 | 80.8 | 80.2 | 78.8 | 79.4 | 80.8 | 81.3 | 82.8 | 84.0 | 85.4 | 87.9 | 86.3 | 83.7 | 2.6 |
| Denver, CO | 75.7 | 76.3 | 77.0 | 73.7 | 71.6 | 71.2 | 74.3 | 74.4 | 77.6 | 79.1 | 84.4 | 87.5 | 87.9 | 88.5 | 16.9 |
| Detroit, MI | 93.7 | 92.7 | 86.7 | 82.8 | 80.3 | 74.1 | 71.1 | 72.9 | 72.8 | 71.3 | 72.8 | 70.3 | 65.9 | 64.7 | -30.9 |
| El Paso, TX | 105.1 | 103.2 | 110.5 | 111.9 | 109.3 | 107.5 | 104.4 | 101.5 | 101.8 | 98.0 | 99.9 | 99.9 | 98.9 | 99.6 | -5.2 |
| Fort Worth, TX | 88.7 | 85.6 | 82.7 | 79.3 | 76.1 | 77.8 | 78.8 | 78.5 | 80.6 | 83.6 | 85.9 | 89.5 | 90.5 | 91.8 | 3.5 |
| Fresno, CA | 116.8 | 122.4 | 120.3 | 118.5 | 112.5 | 107.4 | 103.7 | 96.1 | 96.4 | 94.6 | 93.7 | 94.2 | 97.2 | 101.5 | -13.1 |
| Honolulu, HI | 70.9 | 69.6 | 68.7 | 68.5 | 68.3 | 63.4 | 62.2 | 58.4 | 61.0 | 58.4 | 61.5 | 59.7 | 61.3 | 63.6 | -10.3 |
| Houston, TX | 95.9 | 97.0 | 95.8 | 95.1 | 92.0 | 92.0 | 93.6 | 92.4 | 92.3 | 93.5 | 96.2 | 95.0 | 96.8 | 97.7 | 1.9 |
| Indianapolis, IN | 79.5 | 77.6 | 76.9 | 75.0 | 73.4 | 72.3 | 72.3 | 72.1 | 72.1 | 73.6 | 76.1 | 74.6 | 75.8 | 76.2 | -4.2 |
| Jacksonville, FL | 78.1 | 76.3 | 74.2 | 70.7 | 67.7 | 66.6 | 67.8 | 67.6 | 67.7 | 66.8 | 66.5 | 66.7 | 66.0 | 68.2 | -12.7 |
| Kansas City, MO | 75.4 | 74.1 | 70.7 | 70.0 | 62.4 | 65.5 | 70.5 | 73.7 | 69.6 | 70.7 | 71.4 | 72.0 | 71.7 | 71.5 | -5.2 |
| Las Vegas, NV | 153.7 | 157.6 | 147.4 | 132.9 | 125.8 | 137.3 | 143.3 | 133.8 | 134.6 | 132.2 | 135.6 | 141.1 | 151.6 | 173.0 | 12.6 |
| Long Beach, CA | 103.3 | 102.9 | 100.1 | 95.7 | 89.7 | 85.0 | 83.1 | 80.4 | 77.2 | 76.9 | 75.7 | 73.8 | 71.3 | 72.2 | -30.1 |
| Los Angeles, CA | 103.6 | 102.6 | 99.3 | 94.2 | 84.0 | 81.4 | 80.8 | 77.6 | 75.2 | 74.1 | 74.7 | 73.8 | 72.2 | 72.0 | -30.5 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 63.7 | 66.4 | 64.1 | 63.7 | 64.2 | --- |
| Memphis, TN | 83.2 | 82.8 | 81.9 | 79.8 | 76.2 | 72.8 | 72.9 | 73.9 | 74.6 | 74.6 | 74.4 | 73.4 | 71.9 | 71.4 | -14.2 |
| Mesa, AZ | 87.0 | 82.4 | 81.2 | 79.6 | 80.2 | 83.5 | 83.0 | 79.8 | 82.5 | 87.2 | 89.4 | 92.9 | 93.3 | 97.1 | 11.6 |
| Miami, FL | 259.3 | 236.1 | 225.4 | 229.6 | 217.5 | 208.9 | 202.4 | 191.7 | 179.7 | 177.3 | 185.6 | 184.3 | 175.7 | 182.9 | -29.5 |
| Milwaukee, WI | 81.6 | 81.0 | 80.7 | 79.8 | 77.7 | 74.6 | 75.7 | 73.0 | 75.4 | 77.8 | 77.7 | 78.1 | 75.5 | 77.8 | -4.7 |
| Minneapolis, MN | 66.8 | 66.6 | 63.2 | 60.7 | 59.7 | 57.7 | 58.4 | 61.0 | 63.7 | 63.3 | 66.9 | 66.3 | 62.7 | 64.8 | -3.0 |
| Nashville-Davidson, TN | 66.5 | 65.4 | 63.5 | 62.0 | 60.5 | 60.2 | 59.9 | 60.1 | 60.7 | 60.4 | 63.0 | 61.6 | 61.7 | 62.7 | -5.7 |
| New Orleans, LA | 76.0 | 76.1 | 74.7 | 76.0 | 72.9 | 68.2 | 64.4 | 66.0 | 65.1 | 66.3 | 65.9 | 62.9 | 61.4 | 60.1 | -20.9 |
| New York, NY | 74.1 | 73.0 | 71.5 | 70.0 | 68.6 | 67.4 | 65.4 | 63.0 | 63.2 | 62.6 | 63.2 | 62.4 | 61.7 | 62.5 | -15.7 |
| Oakland, CA | 82.9 | 83.1 | 80.0 | 75.7 | 70.4 | 67.3 | 67.0 | 66.9 | 66.5 | 65.9 | 70.3 | 70.4 | 67.5 | 64.5 | -22.2 |
| Oklahoma City, OK | 67.5 | 68.5 | 67.4 | 65.9 | 65.1 | 64.1 | 65.7 | 67.8 | 68.0 | 66.0 | 67.7 | 69.3 | 73.1 | 73.6 | 9.0 |
| Omaha, NB | 74.0 | 71.2 | 68.2 | 65.0 | 62.6 | 64.5 | 65.4 | 65.9 | 65.9 | 67.2 | 71.8 | 71.8 | 76.5 | 77.9 | 5.3 |
| Philadelphia, PA | 78.7 | 77.6 | 75.4 | 72.9 | 71.0 | 66.4 | 63.0 | 61.5 | 62.0 | 61.3 | 62.3 | 60.3 | 61.1 | 63.0 | -19.9 |
| Phoenix, AZ | 85.5 | 83.5 | 81.4 | 79.7 | 81.1 | 82.3 | 84.9 | 80.2 | 80.2 | 81.6 | 83.1 | 83.5 | 83.3 | 85.3 | -0.2 |
| Pittsburgh, PA | 62.4 | 60.6 | 62.5 | 59.6 | 56.7 | 57.2 | 57.4 | 57.5 | 59.6 | 51.9 | 50.4 | 50.6 | 47.6 | 47.1 | -24.5 |
| Portland, OR | 67.1 | 65.8 | 61.9 | 58.0 | 61.2 | 62.1 | 60.7 | 59.5 | 60.7 | 58.3 | 62.8 | 64.5 | 67.2 | 69.1 | 3.0 |
| Sacramento, CA | 139.0 | 140.9 | 140.1 | 138.7 | 127.5 | 123.3 | 117.1 | 113.4 | 114.5 | 114.2 | 117.2 | 120.8 | 122.3 | 129.9 | -6.5 |
| San Antonio, TX | 81.6 | 83.5 | 85.3 | 86.1 | 86.6 | 84.5 | 85.2 | 84.0 | 83.9 | 82.8 | 82.7 | 82.2 | 86.5 | 85.8 | 5.1 |
| San Diego, CA | 78.4 | 77.5 | 78.3 | 75.8 | 74.0 | 70.0 | 68.4 | 64.9 | 64.0 | 63.8 | 65.0 | 63.8 | 63.4 | 65.6 | -16.3 |
| San Francisco, CA | 55.6 | 54.0 | 52.4 | 49.0 | 49.0 | 46.3 | 44.9 | 43.8 | 43.4 | 43.1 | 45.7 | 43.5 | 44.1 | 45.7 | -17.8 |
| San Jose, CA | 88.0 | 87.7 | 85.2 | 82.7 | 80.8 | 77.7 | 79.3 | 78.5 | 78.7 | 77.0 | 80.7 | 78.6 | 77.2 | 76.0 | -13.6 |
| Seattle, WA | 52.5 | 52.7 | 50.6 | 51.7 | 52.0 | 50.0 | 50.0 | 49.1 | 51.3 | 51.5 | 51.7 | 49.4 | 50.9 | 46.2 | -12.0 |
| St. Louis, MO | 91.2 | 90.4 | 86.5 | 83.8 | 76.2 | 69.3 | 68.3 | 68.1 | 67.2 | 67.0 | 66.8 | 65.1 | 63.5 | 65.0 | -28.7 |
| Tucson, AZ | 83.1 | 81.4 | 82.6 | 84.1 | 83.4 | 78.4 | 79.8 | 79.7 | 96.7 | 98.2 | 102.1 | 99.4 | 101.8 | 57.2 | -31.2 |
| Tulsa, OK | 74.6 | 76.3 | 71.5 | 72.8 | 69.8 | 67.9 | 67.7 | 72.7 | 76.1 | 75.4 | 76.2 | 75.7 | 74.7 | 138.0 | 85.0 |
| Virginia Beach, VA | 74.1 | 70.5 | 74.8 | 71.5 | 69.6 | 65.6 | 63.5 | 63.1 | 62.8 | 61.3 | 63.8 | 61.0 | 61.6 | 63.0 | -15.0 |
| Washington, DC | 71.7 | 72.2 | 68.2 | 67.1 | 63.5 | 58.5 | 55.2 | 52.9 | 52.0 | 51.6 | 53.3 | 53.0 | 52.2 | 53.0 | -26.1 |
| Wichita, KS | 92.5 | 90.9 | 91.6 | 89.2 | 84.6 | 79.0 | 80.8 | 84.0 | 86.2 | 86.4 | 88.4 | 83.6 | 85.1 | 84.9 | -8.2 |

YEAR 2010 GOAL: NA

† Rate per 1,000 women age 15-44 using U.S. Census Bureau 2000 figures.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

TABLE 3.22: PERCENT LOW BIRTHWEIGHT[‡], 1990–2003

| City* | Percent | | | | | | | | | | | | | | Percent Change 1990–2003 |
|------------------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | |
| Albuquerque, NM | 8.2 | 7.6 | 7.7 | 7.3 | 8.2 | 8.1 | 7.7 | 8.2 | 8.0 | 8.1 | 7.8 | 8.1 | 8.2 | 9.1 | 11.0 |
| Arlington, TX | 6.7 | 6.6 | 6.2 | 7.0 | 6.6 | 6.7 | 7.4 | 7.3 | 7.5 | 7.7 | 6.1 | 7.4 | 7.9 | 8.0 | 19.4 |
| Atlanta, GA | 12.5 | 12.5 | 12.9 | 12.0 | 11.4 | 11.9 | 10.7 | 10.8 | 11.4 | 10.6 | 10.6 | 10.6 | 10.8 | 10.4 | -16.8 |
| Austin, TX | 6.8 | 6.7 | 6.2 | 7.0 | 6.0 | 6.7 | 6.8 | 6.8 | 7.3 | 6.6 | 6.9 | 6.9 | 6.9 | 7.1 | 4.4 |
| Baltimore, MD | 12.6 | 13.8 | 13.9 | 13.8 | 13.6 | 13.8 | 14.3 | 14.1 | 14.2 | 14.7 | 13.5 | 13.2 | 12.9 | 13.2 | 4.8 |
| Boston, MA | 8.7 | 8.3 | 8.8 | 8.9 | 8.8 | 8.8 | 9.0 | 9.2 | 8.8 | 8.4 | 9.0 | 8.5 | 9.4 | 8.9 | 2.3 |
| Charlotte, NC | 9.4 | 9.9 | 9.4 | 9.7 | 10.1 | 9.5 | 9.0 | 9.5 | 9.5 | 8.9 | 9.1 | 8.8 | 8.9 | 9.1 | -3.2 |
| Chicago, IL | 10.5 | 10.9 | 10.7 | 11.2 | 10.9 | 10.7 | 10.6 | 10.3 | 10.4 | 10.0 | 9.7 | 10.0 | 9.9 | 10.1 | -3.8 |
| Cincinnati, OH | 10.1 | 10.2 | 10.4 | 10.6 | 11.3 | 10.6 | 10.2 | 11.1 | 10.7 | 11.5 | 10.1 | 11.0 | 11.3 | 11.2 | 10.9 |
| Cleveland, OH | 12.0 | 12.9 | 12.6 | 12.6 | 12.0 | 12.6 | 11.7 | 11.5 | 11.2 | 11.6 | 11.4 | 11.7 | 12.4 | 11.4 | -5.0 |
| Colorado Springs, CO | 8.7 | 9.8 | 9.4 | 9.0 | 8.6 | 7.8 | 8.5 | 9.4 | 9.2 | 9.7 | 8.8 | 9.2 | 9.8 | 10.3 | 18.4 |
| Columbus, OH | 8.2 | 8.8 | 8.6 | 9.1 | 8.9 | 9.3 | 9.2 | 9.1 | 8.6 | 8.9 | 9.6 | 9.3 | 9.9 | 9.8 | 19.5 |
| Dallas, TX | 8.8 | 8.9 | 9.0 | 9.5 | 8.9 | 8.3 | 8.0 | 8.1 | 8.4 | 8.0 | 8.2 | 8.0 | 7.8 | 8.2 | -6.8 |
| Denver, CO | 10.1 | 10.3 | 10.2 | 10.3 | 10.3 | 10.4 | 9.8 | 9.9 | 9.6 | 9.1 | 9.4 | 9.4 | 9.5 | 9.3 | -7.9 |
| Detroit, MI | 14.0 | 14.4 | 14.2 | 13.6 | 13.7 | 13.5 | 12.8 | 12.6 | 13.4 | 14.7 | 13.8 | 13.3 | 12.8 | 13.5 | -3.6 |
| El Paso, TX | 6.9 | 7.2 | 6.6 | 6.8 | 6.6 | 7.2 | 7.1 | 7.2 | 7.2 | 7.1 | 7.1 | 7.8 | 8.1 | 7.9 | 14.5 |
| Fort Worth, TX | 7.6 | 7.8 | 7.6 | 8.3 | 7.9 | 7.3 | 8.0 | 8.1 | 8.0 | 8.1 | 8.4 | 8.5 | 8.4 | 8.4 | 10.5 |
| Fresno, CA | 7.0 | 7.1 | 7.7 | 6.9 | 7.3 | 7.1 | 6.9 | 7.1 | 7.0 | 6.9 | 7.0 | 7.2 | 7.0 | 7.1 | 1.4 |
| Honolulu, HI | 6.8 | 6.3 | 8.0 | 7.8 | 7.1 | 6.9 | 7.0 | 7.0 | 7.2 | 7.6 | 7.9 | 8.9 | 8.3 | 8.6 | 26.5 |
| Houston, TX | 8.1 | 8.0 | 7.9 | 8.0 | 7.9 | 7.7 | 7.7 | 7.8 | 7.9 | 7.9 | 7.7 | 7.7 | 8.2 | 8.2 | 1.2 |
| Indianapolis, IN | 8.2 | 8.2 | 8.3 | 8.9 | 8.0 | 8.7 | 9.3 | 9.6 | 9.6 | 9.4 | 8.4 | 8.7 | 8.7 | 8.8 | 7.3 |
| Jacksonville, FL | 8.2 | 8.0 | 8.2 | 8.2 | 8.5 | 8.7 | 8.2 | 9.1 | 9.9 | 9.4 | 9.5 | 9.3 | 9.7 | 9.8 | 19.5 |
| Kansas City, MO | 9.0 | 9.6 | 9.3 | 9.8 | 9.8 | 9.1 | 9.1 | 9.1 | 9.7 | 9.4 | 8.8 | 8.4 | 9.0 | 8.3 | -7.8 |
| Las Vegas, NV | 6.5 | 7.0 | 6.6 | 6.9 | 7.1 | 7.2 | 7.5 | 8.1 | 7.5 | 7.4 | 7.2 | 7.1 | 7.6 | 8.1 | 24.6 |
| Long Beach, CA | 7.0 | 7.0 | 6.7 | 6.8 | 6.7 | 7.3 | 6.9 | 7.4 | 6.2 | 7.3 | 7.2 | 7.1 | 7.3 | 7.4 | 5.7 |
| Los Angeles, CA | 6.5 | 6.4 | 6.7 | 6.5 | 6.7 | 6.8 | 6.6 | 6.6 | 6.9 | 6.7 | 6.6 | 6.8 | 6.8 | 7.2 | 10.8 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.9 | 8.8 | 8.9 | 8.9 | --- |
| Memphis, TN | 11.9 | 13.3 | 12.3 | 13.1 | 13.6 | 12.6 | 12.2 | 12.0 | 12.8 | 13.0 | 12.8 | 12.0 | 12.3 | 12.0 | 0.8 |
| Mesa, AZ | 5.5 | 5.7 | 5.6 | 6.2 | 6.1 | 5.3 | 6.3 | 6.2 | 5.9 | 6.5 | 6.0 | 6.3 | 6.6 | 6.2 | 12.7 |
| Miami, FL | 9.4 | 9.3 | 9.1 | 9.4 | 9.1 | 9.4 | 9.5 | 9.0 | 9.5 | 8.8 | 8.9 | 9.4 | 9.5 | 10.3 | 9.6 |
| Milwaukee, WI | 9.9 | 9.8 | 9.9 | 10.3 | 10.4 | 9.8 | 9.8 | 10.1 | 9.6 | 10.1 | 10.2 | 9.6 | 9.3 | 9.8 | -1.0 |
| Minneapolis, MN | 7.8 | 8.5 | 7.8 | 7.3 | 8.6 | 7.6 | 8.3 | 7.9 | 7.8 | 7.5 | 8.0 | 7.3 | 7.8 | 7.5 | -3.8 |
| Nashville-Davidson, TN | 9.0 | 8.9 | 9.0 | 9.5 | 9.8 | 9.3 | 9.2 | 9.5 | 9.7 | 9.7 | 9.2 | 9.1 | 9.1 | 9.5 | 5.6 |
| New Orleans, LA | 12.8 | 12.8 | 12.2 | 11.6 | 12.2 | 12.1 | 12.4 | 13.0 | 12.8 | 12.9 | 12.6 | 13.5 | 13.6 | 13.5 | 5.5 |
| New York, NY | 9.3 | 9.6 | 9.1 | 9.2 | 9.0 | 8.9 | 8.7 | 8.8 | 8.8 | 8.5 | 8.2 | 8.4 | 8.4 | 8.5 | -8.6 |
| Oakland, CA | 8.8 | 9.8 | 9.9 | 9.4 | 9.9 | 8.9 | 8.7 | 8.9 | 9.0 | 8.0 | 7.1 | 8.9 | 7.6 | 7.4 | -15.9 |
| Oklahoma City, OK | 7.6 | 7.3 | 8.0 | 8.3 | 8.5 | 7.8 | 8.5 | 9.0 | 8.4 | 8.1 | 8.7 | 9.0 | 9.2 | 8.4 | 10.5 |
| Omaha, NB | 7.0 | 6.6 | 7.0 | 7.1 | 7.5 | 7.5 | 6.9 | 8.0 | 7.6 | 7.9 | 8.0 | 7.8 | 7.7 | 7.8 | 11.4 |
| Philadelphia, PA | 11.5 | 11.8 | 11.6 | 11.3 | 11.4 | 11.2 | 11.6 | 11.1 | 11.0 | 11.3 | 10.8 | 11.2 | 11.6 | 11.7 | 1.7 |
| Phoenix, AZ | 7.0 | 7.2 | 7.2 | 6.9 | 7.2 | 6.9 | 7.0 | 7.0 | 7.0 | 7.3 | 7.1 | 7.0 | 6.8 | 7.1 | 1.4 |
| Pittsburgh, PA | 11.2 | 10.9 | 10.3 | 11.6 | 10.8 | 11.1 | 9.1 | 9.7 | 9.3 | 10.4 | 10.3 | 10.3 | 11.0 | 11.2 | 0.0 |
| Portland, OR | 6.1 | 6.3 | 6.1 | 6.1 | 6.2 | 6.1 | 6.2 | 6.0 | 6.3 | 5.4 | 6.8 | 6.0 | 6.3 | 6.5 | 6.6 |
| Sacramento, CA | 6.6 | 6.4 | 6.9 | 6.8 | 7.1 | 7.0 | 7.0 | 7.6 | 7.3 | 7.2 | 7.2 | 7.5 | 6.6 | 6.9 | 4.5 |
| San Antonio, TX | 6.9 | 7.0 | 7.1 | 7.0 | 6.6 | 7.1 | 7.4 | 7.2 | 7.4 | 7.6 | 7.7 | 8.2 | 8.2 | 8.9 | 29.0 |
| San Diego, CA | 6.1 | 5.8 | 6.0 | 6.5 | 6.2 | 5.9 | 6.3 | 5.9 | 6.1 | 6.3 | 6.3 | 6.2 | 6.1 | 6.7 | 9.8 |
| San Francisco, CA | 6.7 | 7.5 | 6.4 | 6.9 | 6.7 | 7.1 | 6.7 | 6.6 | 7.2 | 6.8 | 6.5 | 7.4 | 6.6 | 7.3 | 9.0 |
| San Jose, CA | 5.7 | 5.3 | 5.4 | 5.5 | 5.9 | 6.2 | 5.9 | 5.8 | 6.0 | 6.1 | 5.9 | 5.7 | 6.2 | 6.3 | 10.5 |
| Seattle, WA | 6.6 | 6.1 | 6.0 | 5.3 | 6.1 | 6.0 | 6.2 | 6.3 | 6.6 | 6.4 | 6.3 | 6.0 | 6.5 | 6.6 | 0.0 |
| St. Louis, MO | 11.4 | 11.7 | 11.9 | 12.5 | 11.3 | 12.8 | 11.1 | 11.7 | 12.6 | 11.7 | 11.6 | 11.5 | 12.4 | 11.4 | 0.0 |
| Tucson, AZ | 6.2 | 6.4 | 7.1 | 7.0 | 7.3 | 7.7 | 7.1 | 7.9 | 7.0 | 6.7 | 8.2 | 7.2 | 7.3 | 8.3 | 33.9 |
| Tulsa, OK | 6.7 | 6.7 | 6.8 | 7.1 | 7.3 | 7.5 | 8.2 | 7.8 | 7.8 | 8.3 | 8.4 | 8.6 | 8.5 | 7.7 | 14.9 |
| Virginia Beach, VA | 6.1 | 7.1 | 6.5 | 6.9 | 7.2 | 7.2 | 7.3 | 7.1 | 7.9 | 7.4 | 7.1 | 7.1 | 7.2 | 7.6 | 24.6 |
| Washington, DC | 15.1 | 15.4 | 14.3 | 14.6 | 14.2 | 13.4 | 14.3 | 13.4 | 13.1 | 13.1 | 11.9 | 12.1 | 11.6 | 10.9 | -27.8 |
| Wichita, KS | 7.0 | 7.5 | 7.4 | 7.5 | 7.3 | 7.5 | 7.2 | 7.5 | 7.8 | 7.7 | 7.9 | 8.1 | 7.7 | 8.3 | 18.6 |

YEAR 2010 GOAL: 5.0

[‡] Under 2,500 gms.
 "—" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

TABLE 3.23: PERCENT OF MOTHERS UNDER AGE TWENTY, 1990—2003

| City* | Percent | | | | | | | | | | | | | Percent Change | |
|------------------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-----------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 1990—2003 |
| Albuquerque, NM | 13.9 | 13.9 | 14.7 | 15.5 | 15.4 | 15.4 | 14.7 | 15.7 | 16.0 | 15.7 | 14.9 | 14.5 | 14.1 | 13.9 | 0.0 |
| Arlington, TX | 9.4 | 10.1 | 9.9 | 9.2 | 9.6 | 10.5 | 10.0 | 10.9 | 11.2 | 11.5 | 11.3 | 10.6 | 11.1 | 10.8 | 14.9 |
| Atlanta, GA | 22.3 | 21.5 | 21.5 | 21.2 | 20.4 | 20.0 | 20.0 | 19.0 | 17.2 | 17.7 | 16.5 | 14.7 | 13.5 | 12.3 | -44.8 |
| Austin, TX | 14.7 | 14.6 | 13.8 | 14.1 | 14.3 | 14.6 | 14.0 | 14.4 | 13.8 | 13.6 | 12.3 | 12.1 | 11.0 | 10.8 | -26.5 |
| Baltimore, MD | 21.0 | 20.9 | 20.4 | 21.7 | 22.1 | 22.3 | 22.5 | 22.9 | 22.5 | 22.5 | 21.6 | 21.3 | 20.0 | 18.3 | -12.9 |
| Boston, MA | 11.3 | 11.5 | 11.6 | 11.7 | 12.1 | 11.4 | 10.5 | 10.8 | 10.6 | 9.8 | 10.1 | 8.8 | 8.4 | 7.5 | -33.6 |
| Charlotte, NC | 15.2 | 14.3 | 14.3 | 12.7 | 12.3 | 11.9 | 11.9 | 11.0 | 10.9 | 10.6 | 10.3 | 9.5 | 8.7 | 8.7 | -42.8 |
| Chicago, IL | 19.2 | 19.1 | 18.8 | 18.7 | 18.9 | 18.8 | 18.5 | 18.2 | 18.1 | 17.2 | 16.2 | 15.5 | 14.5 | 13.6 | -29.2 |
| Cincinnati, OH | 19.8 | 20.8 | 20.2 | 20.8 | 19.2 | 20.3 | 19.8 | 20.5 | 18.5 | 18.3 | 17.9 | 17.1 | 17.1 | 16.6 | -16.2 |
| Cleveland, OH | 21.3 | 20.5 | 20.3 | 20.9 | 20.5 | 20.9 | 20.8 | 20.6 | 20.7 | 19.8 | 19.3 | 19.1 | 18.4 | 17.8 | -16.4 |
| Colorado Springs, CO | 11.4 | 12.4 | 12.0 | 12.0 | 12.4 | 12.9 | 12.3 | 12.2 | 12.9 | 12.2 | 12.6 | 11.7 | 11.6 | 10.5 | -7.9 |
| Columbus, OH | 15.6 | 15.9 | 16.1 | 16.0 | 16.4 | 16.2 | 14.6 | 15.2 | 14.8 | 14.2 | 14.0 | 13.4 | 11.9 | 11.7 | -25.0 |
| Dallas, TX | 17.9 | 18.4 | 18.5 | 18.3 | 18.0 | 18.0 | 17.3 | 17.1 | 17.5 | 17.1 | 16.7 | 16.1 | 15.4 | 15.0 | -16.2 |
| Denver, CO | 14.7 | 16.3 | 16.1 | 16.4 | 16.1 | 15.9 | 15.8 | 15.9 | 15.4 | 15.8 | 14.7 | 13.7 | 13.6 | 12.3 | -16.3 |
| Detroit, MI | 24.2 | 23.8 | 23.1 | 22.5 | 22.1 | 21.7 | 20.7 | 20.1 | 19.4 | 18.2 | 17.3 | 17.6 | 17.2 | 17.6 | -27.3 |
| El Paso, TX | 15.8 | 16.4 | 16.7 | 16.9 | 16.8 | 16.9 | 16.3 | 16.4 | 16.4 | 16.9 | 16.5 | 16.4 | 16.4 | 16.1 | 1.9 |
| Fort Worth, TX | 16.9 | 16.6 | 17.0 | 17.4 | 18.4 | 18.2 | 17.0 | 17.5 | 17.5 | 17.1 | 16.8 | 16.4 | 15.4 | 14.7 | -13.0 |
| Fresno, CA | 17.3 | 17.2 | 17.2 | 18.0 | 18.3 | 18.2 | 18.6 | 19.2 | 18.0 | 18.5 | 17.8 | 16.8 | 15.7 | 15.5 | -10.4 |
| Honolulu, HI | 8.3 | 7.4 | 7.6 | 7.1 | 7.0 | 7.2 | 7.5 | 7.1 | 7.5 | 7.3 | 6.8 | 6.7 | 6.7 | 5.2 | -37.3 |
| Houston, TX | 16.2 | 16.3 | 16.3 | 15.7 | 16.2 | 15.4 | 15.6 | 15.6 | 15.3 | 14.8 | 14.5 | 13.7 | 13.5 | 13.0 | -19.8 |
| Indianapolis, IN | 16.7 | 16.5 | 16.7 | 15.9 | 15.2 | 15.3 | 15.5 | 15.8 | 15.6 | 15.2 | 14.0 | 13.5 | 13.3 | 13.1 | -21.6 |
| Jacksonville, FL | 16.2 | 16.0 | 16.2 | 15.6 | 15.1 | 15.1 | 15.2 | 15.3 | 15.0 | 14.4 | 14.0 | 14.0 | 13.3 | 12.7 | -21.6 |
| Kansas City, MO | 18.1 | 17.4 | 17.4 | 16.0 | 17.2 | 16.6 | 16.4 | 15.5 | 16.0 | 15.4 | 14.7 | 14.0 | 13.8 | 13.3 | -26.5 |
| Las Vegas, NV | 13.7 | 13.9 | 13.0 | 13.9 | 13.1 | 12.7 | 13.1 | 12.8 | 12.4 | 11.5 | 12.2 | 11.2 | 11.2 | 11.0 | -19.7 |
| Long Beach, CA | 12.7 | 13.4 | 12.7 | 13.1 | 13.5 | 14.3 | 13.2 | 13.1 | 12.6 | 12.5 | 12.5 | 11.3 | 10.9 | 10.4 | -18.1 |
| Los Angeles, CA | 13.1 | 13.1 | 13.2 | 13.2 | 13.6 | 13.6 | 13.0 | 12.4 | 12.3 | 12.0 | 11.7 | 11.1 | 10.6 | 10.2 | -22.1 |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.8 | 13.1 | 12.1 | 11.3 | 11.0 | --- |
| Memphis, TN | 21.0 | 20.6 | 20.8 | 20.9 | 22.2 | 21.5 | 21.5 | 21.4 | 21.0 | 19.8 | 19.5 | 18.3 | 17.7 | 17.8 | -15.2 |
| Mesa, AZ | 10.5 | 12.4 | 12.2 | 12.5 | 13.2 | 13.2 | 12.4 | 13.4 | 13.0 | 11.5 | 11.6 | 10.9 | 10.7 | 10.7 | 1.9 |
| Miami, FL | 14.9 | 15.1 | 14.3 | 14.1 | 14.6 | 14.3 | 15.0 | 14.3 | 14.7 | 14.9 | 14.1 | 13.3 | 12.6 | 11.0 | -26.2 |
| Milwaukee, WI | 20.8 | 20.9 | 21.1 | 20.7 | 20.6 | 21.5 | 21.3 | 20.9 | 20.2 | 20.4 | 19.2 | 19.4 | 18.8 | 17.4 | -16.3 |
| Minneapolis, MN | 13.6 | 14.3 | 14.2 | 14.2 | 14.4 | 14.4 | 14.2 | 14.5 | 13.9 | 13.3 | 13.2 | 12.2 | 11.8 | 10.3 | -24.3 |
| Nashville-Davidson, TN | 15.1 | 15.7 | 14.9 | 15.6 | 15.8 | 14.8 | 15.7 | 14.2 | 14.9 | 13.9 | 13.0 | 12.3 | 11.8 | 11.6 | -23.2 |
| New Orleans, LA | 21.8 | 22.6 | 23.8 | 23.4 | 23.8 | 22.4 | 21.1 | 20.5 | 21.2 | 19.8 | 19.7 | 18.1 | 18.6 | 17.5 | -19.7 |
| New York, NY | 10.5 | 10.5 | 10.5 | 10.7 | 11.1 | 10.9 | 10.7 | 10.0 | 9.9 | 9.4 | 9.0 | 8.7 | 7.8 | 7.4 | -29.5 |
| Oakland, CA | 15.1 | 14.9 | 15.8 | 15.1 | 14.4 | 14.9 | 13.9 | 13.7 | 13.3 | 12.3 | 12.8 | 11.7 | 10.3 | 9.8 | -35.1 |
| Oklahoma City, OK | 16.9 | 18.6 | 17.5 | 18.1 | 17.4 | 17.2 | 17.1 | 16.3 | 16.5 | 17.1 | 16.3 | 16.0 | 15.3 | 14.6 | -13.6 |
| Omaha, NB | 13.0 | 12.7 | 12.4 | 12.7 | 14.5 | 12.6 | 12.9 | 13.2 | 12.1 | 12.4 | 12.0 | 11.3 | 11.8 | 10.2 | -21.5 |
| Philadelphia, PA | 17.3 | 17.6 | 17.5 | 17.7 | 18.3 | 18.5 | 18.4 | 18.6 | 18.3 | 17.5 | 17.0 | 16.6 | 16.8 | 16.0 | -7.5 |
| Phoenix, AZ | 15.6 | 16.2 | 16.6 | 16.4 | 16.8 | 16.6 | 16.6 | 16.7 | 17.1 | 17.0 | 16.5 | 16.7 | 15.7 | 15.3 | -1.9 |
| Pittsburgh, PA | 15.7 | 15.7 | 15.8 | 16.0 | 15.8 | 13.9 | 13.9 | 13.9 | 13.4 | 13.9 | 14.7 | 13.4 | 13.5 | 11.9 | -24.2 |
| Portland, OR | 11.8 | 12.3 | 12.1 | 13.4 | 13.4 | 12.6 | 12.4 | 10.7 | 11.4 | 11.1 | 9.8 | 8.8 | 8.1 | 7.0 | -40.7 |
| Sacramento, CA | 14.9 | 13.7 | 14.6 | 14.9 | 15.4 | 15.0 | 13.9 | 14.2 | 14.2 | 13.6 | 12.8 | 11.8 | 11.6 | 11.4 | -23.5 |
| San Antonio, TX | 18.1 | 17.5 | 17.2 | 17.9 | 17.6 | 17.8 | 17.0 | 17.5 | 17.2 | 17.2 | 16.7 | 16.0 | 16.1 | 15.3 | -15.5 |
| San Diego, CA | 11.4 | 11.5 | 11.1 | 10.8 | 11.2 | 10.5 | 10.6 | 9.5 | 9.6 | 9.4 | 9.2 | 8.9 | 8.5 | 7.9 | -30.7 |
| San Francisco, CA | 8.3 | 8.5 | 7.6 | 7.5 | 7.6 | 7.6 | 7.3 | 7.4 | 6.2 | 6.2 | 5.4 | 5.2 | 4.6 | 4.3 | -48.2 |
| San Jose, CA | 10.6 | 10.6 | 10.9 | 10.5 | 10.9 | 10.4 | 9.9 | 10.1 | 9.3 | 8.7 | 8.1 | 8.1 | 6.7 | 6.0 | -43.4 |
| Seattle, WA | 8.1 | 7.9 | 7.6 | 7.2 | 8.2 | 7.1 | 6.7 | 6.3 | 6.1 | 6.7 | 5.8 | 5.9 | 4.3 | 3.8 | -53.1 |
| St. Louis, MO | 23.0 | 23.0 | 24.5 | 23.6 | 25.2 | 22.5 | 22.1 | 21.5 | 20.9 | 19.7 | 19.7 | 18.9 | 18.5 | 17.7 | -23.0 |
| Tucson, AZ | 14.4 | 15.6 | 15.4 | 15.3 | 16.0 | 16.0 | 16.0 | 15.7 | 15.5 | 15.4 | 14.7 | 14.3 | 14.0 | 13.9 | -3.5 |
| Tulsa, OK | 15.1 | 16.0 | 15.0 | 15.7 | 16.0 | 15.4 | 16.7 | 16.0 | 15.6 | 15.0 | 15.6 | 15.1 | 14.0 | 13.8 | -8.6 |
| Virginia Beach, VA | 9.0 | 9.3 | 8.4 | 8.3 | 9.7 | 9.5 | 9.5 | 9.8 | 9.7 | 9.4 | 8.1 | 9.0 | 8.6 | 7.8 | -13.3 |
| Washington, DC | 17.9 | 17.5 | 16.3 | 17.4 | 16.5 | 16.4 | 16.9 | 15.7 | 15.4 | 14.9 | 14.3 | 13.5 | 12.9 | 11.4 | -36.3 |
| Wichita, KS | 13.6 | 13.5 | 14.3 | 14.9 | 14.4 | 15.0 | 15.2 | 15.1 | 13.9 | 14.4 | 13.5 | 12.7 | 12.9 | 12.2 | -10.3 |

YEAR 2010 GOAL: NA

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

TABLE 3.24: PERCENT OF MOTHERS WHO SMOKE, 1990–2002

| City* | Percent | | | | | | | | | | | | | Percent Change 1990–2002 |
|------------------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
| Albuquerque, NM | 9.9 | 12.5 | 13.3 | 12.0 | 9.6 | 10.4 | 13.0 | 10.8 | 12.5 | 12.3 | 10.7 | 12.1 | 11.5 | 16.2 |
| Arlington, TX | 11.1 | 9.4 | 10.8 | 9.8 | 9.6 | 10.4 | 9.1 | 7.9 | 7.8 | 7.4 | 6.6 | 6.7 | 6.6 | -40.5 |
| Atlanta, GA | 13.3 | 12.1 | 10.5 | 9.4 | 9.7 | 8.3 | 7.4 | 6.8 | 7.0 | 6.5 | 6.1 | 4.0 | 2.4 | -82.0 |
| Austin, TX | 10.9 | 10.6 | 8.9 | 7.5 | 7.4 | 5.6 | 5.0 | 4.4 | 3.8 | 4.4 | 4.3 | 3.8 | 4.0 | -63.3 |
| Baltimore, MD | 23.4 | 22.2 | 22.2 | 20.4 | 17.9 | 18.3 | 17.2 | 14.8 | 15.4 | 16.7 | 14.7 | 14.5 | 13.8 | -41.0 |
| Boston, MA | 18.8 | 17.0 | 14.9 | 11.7 | 11.6 | 9.7 | 10.1 | 8.2 | 8.2 | 6.8 | 6.1 | 5.3 | 4.5 | -76.1 |
| Charlotte, NC | 15.9 | 13.4 | 13.6 | 12.1 | 12.8 | 11.6 | 10.6 | 10.1 | 9.4 | 8.4 | 7.3 | 7.6 | 6.5 | -59.1 |
| Chicago, IL | 12.6 | 12.1 | 12.9 | 11.7 | 10.2 | 9.9 | 9.9 | 9.5 | 8.8 | 8.5 | 7.8 | 7.2 | 6.8 | -46.0 |
| Cincinnati, OH | 26.3 | 25.2 | 24.8 | 23.8 | 22.9 | 21.5 | 20.0 | 19.0 | 19.4 | 16.4 | 17.5 | 16.7 | 16.1 | -38.8 |
| Cleveland, OH | 33.3 | 31.5 | 28.4 | 26.8 | 24.9 | 19.9 | 19.6 | 19.2 | 18.6 | 16.6 | 18.0 | 17.8 | 18.4 | -44.7 |
| Colorado Springs, CO | 19.3 | 17.7 | 12.9 | 13.4 | 11.8 | 12.2 | 12.6 | 12.0 | 11.8 | 10.7 | 8.1 | 9.3 | 8.2 | -57.5 |
| Columbus, OH | 26.4 | 27.1 | 25.2 | 24.6 | 24.1 | 21.8 | 18.8 | 20.0 | 18.9 | 18.8 | 18.8 | 16.9 | 15.7 | -40.5 |
| Dallas, TX | 5.9 | 6.1 | 5.3 | 3.9 | 6.0 | 4.8 | 4.3 | 3.7 | 3.6 | 3.3 | 3.1 | 3.4 | 3.0 | -49.2 |
| Denver, CO | 21.0 | 20.9 | 17.3 | 17.2 | 14.5 | 15.2 | 14.4 | 11.5 | 11.0 | 10.1 | 9.1 | 7.3 | 7.0 | -66.7 |
| Detroit, MI | 23.6 | 22.9 | 21.2 | 19.6 | 19.1 | 18.2 | 17.8 | 17.4 | 16.0 | 14.7 | 15.2 | 14.1 | 13.8 | -41.5 |
| El Paso, TX | 5.2 | 4.9 | 4.6 | 4.2 | 3.2 | 2.6 | 2.6 | 3.0 | 3.2 | 3.5 | 2.9 | 2.3 | 2.2 | -57.7 |
| Fort Worth, TX | 10.8 | 9.6 | 9.9 | 8.0 | 8.6 | 8.6 | 7.6 | 6.3 | 5.6 | 5.4 | 5.0 | 4.4 | 4.4 | -59.3 |
| Fresno, CA | 14.3 | --- | 50.0 | --- | 25.0 | 40.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- |
| Honolulu, HI | 10.8 | 9.7 | 9.7 | 6.9 | 5.8 | 4.8 | 5.3 | 4.6 | 5.2 | 5.2 | 4.7 | 5.2 | 5.6 | -48.1 |
| Houston, TX | 9.8 | 8.4 | 7.2 | 6.5 | 6.1 | 5.0 | 4.8 | 4.6 | 3.8 | 3.5 | 3.2 | 3.1 | 2.8 | -71.4 |
| Indianapolis, IN | 39.0 | 29.0 | 23.0 | 20.5 | 21.3 | 16.7 | 14.3 | 18.5 | --- | 21.1 | 19.7 | 19.3 | 18.0 | -53.8 |
| Jacksonville, FL | 20.0 | 19.2 | 16.7 | 15.6 | 14.9 | 12.1 | 11.0 | 11.9 | 12.0 | 11.1 | 10.4 | 10.4 | 9.8 | -51.0 |
| Kansas City, MO | 23.7 | 22.7 | 22.2 | 20.6 | 19.9 | 17.6 | 16.5 | 15.9 | 16.6 | 14.6 | 14.0 | 14.1 | 12.9 | -45.6 |
| Las Vegas, NV | 21.6 | 22.7 | 21.7 | 19.8 | 16.8 | 15.8 | 11.6 | 12.3 | 11.4 | 10.7 | 10.6 | 10.4 | 9.5 | -56.0 |
| Long Beach, CA | 20.0 | 20.0 | 50.0 | 16.7 | 40.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Los Angeles, CA | 8.6 | 19.7 | 11.9 | 19.2 | 11.8 | 6.0 | 14.9 | 6.5 | --- | --- | --- | --- | --- | --- |
| Louisville, KY** | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.4 | 19.9 | 18.6 | 18.3 | --- |
| Memphis, TN | 15.8 | 13.1 | 15.7 | 14.3 | 13.0 | 13.2 | 11.6 | 10.7 | 9.4 | 8.9 | 8.8 | 8.2 | 7.3 | -53.8 |
| Mesa, AZ | 15.6 | 16.0 | 14.1 | 14.5 | 13.4 | 11.7 | 10.7 | 9.5 | 8.1 | 8.3 | 7.3 | 7.4 | 6.9 | -55.8 |
| Miami, FL | 8.4 | 7.7 | 6.9 | 5.4 | 3.9 | 3.4 | 3.6 | 3.0 | 2.1 | 1.9 | 1.5 | 1.2 | 1.2 | -85.7 |
| Milwaukee, WI | 28.3 | 27.2 | 26.2 | 24.4 | 22.9 | 21.2 | 20.8 | 19.6 | 19.0 | 18.0 | 16.2 | 15.7 | 13.5 | -52.3 |
| Minneapolis, MN | 21.7 | 21.0 | 20.1 | 20.2 | 18.3 | 16.4 | 15.3 | 15.2 | 12.5 | 11.3 | 10.4 | 9.6 | 8.4 | -61.3 |
| Nashville-Davidson, TN | 19.0 | 18.9 | 18.0 | 16.2 | 14.8 | 13.7 | 12.9 | 12.4 | 11.4 | 10.6 | 10.2 | 10.8 | 10.6 | -44.2 |
| New Orleans, LA | 13.4 | 10.9 | 7.2 | 5.3 | 5.9 | 4.2 | 3.6 | 2.7 | 2.4 | 2.1 | 1.9 | 1.9 | 1.8 | -86.6 |
| New York, NY | 14.1 | 9.9 | 10.8 | 8.0 | 6.5 | 5.5 | 4.9 | 4.8 | 4.3 | 3.8 | 3.4 | 2.8 | 2.4 | -83.0 |
| Oakland, CA | 25.0 | 14.3 | 33.3 | --- | 16.7 | --- | --- | 14.3 | --- | --- | --- | --- | --- | --- |
| Oklahoma City, OK | 16.7 | 20.0 | 17.8 | 18.8 | 19.5 | 18.5 | 17.5 | 17.2 | 19.2 | 18.0 | 15.4 | 16.9 | 16.4 | -1.8 |
| Omaha, NB | 25.3 | 24.0 | 23.3 | 23.1 | 22.3 | 20.7 | 17.8 | 18.6 | 18.4 | 16.0 | 14.9 | 15.5 | 13.9 | -45.1 |
| Philadelphia, PA | 23.5 | 22.8 | 22.2 | 22.0 | 20.4 | 19.5 | 18.4 | 17.5 | 16.5 | 15.8 | 14.1 | 13.6 | 12.2 | -48.1 |
| Phoenix, AZ | 17.2 | 16.0 | 13.6 | 13.7 | 13.7 | 12.9 | 11.0 | 9.5 | 8.0 | 7.2 | 6.6 | 6.2 | 5.9 | -65.7 |
| Pittsburgh, PA | 31.8 | 32.2 | 31.4 | 30.0 | 29.1 | 26.2 | 24.6 | 23.6 | 24.0 | 25.1 | 23.3 | 22.7 | 21.9 | -31.1 |
| Portland, OR | 25.5 | 24.8 | 23.7 | 21.9 | 21.1 | 19.7 | 18.6 | 16.7 | 15.0 | 13.6 | 13.4 | 12.0 | 10.9 | -57.3 |
| Sacramento, CA | 28.6 | 18.2 | 25.0 | 30.0 | 26.7 | 30.0 | 75.0 | --- | --- | --- | --- | --- | --- | --- |
| San Antonio, TX | 6.2 | 5.1 | 4.6 | 4.6 | 4.4 | 3.7 | 4.4 | 4.4 | 4.3 | 4.5 | 4.0 | 3.9 | 3.4 | -45.2 |
| San Diego, CA | 7.7 | 21.9 | 20.6 | 3.4 | 16.0 | 18.2 | 11.1 | 6.3 | --- | --- | --- | --- | --- | --- |
| San Francisco, CA | --- | 20.0 | --- | 14.3 | 8.3 | --- | --- | 22.2 | --- | --- | --- | --- | --- | --- |
| San Jose, CA | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Seattle, WA | 10.1 | 10.9 | 14.6 | 12.1 | 12.4 | 9.3 | 9.7 | 8.2 | 9.2 | 9.2 | 7.2 | 6.4 | 5.6 | -44.6 |
| St. Louis, MO | 26.8 | 25.3 | 25.0 | 22.9 | 19.5 | 17.2 | 17.5 | 18.3 | 16.8 | 15.1 | 15.8 | 16.6 | 16.1 | -39.9 |
| Tucson, AZ | 15.0 | 13.9 | 13.0 | 11.9 | 11.4 | 11.2 | 10.1 | 8.8 | 7.0 | 7.8 | 7.1 | 7.1 | 5.7 | -62.0 |
| Tulsa, OK | 45.0 | 18.3 | 17.6 | 18.4 | 18.2 | 17.8 | 17.3 | 17.4 | 16.8 | 15.6 | 15.2 | 16.1 | 15.6 | -65.3 |
| Virginia Beach, VA | 16.3 | 15.3 | 15.0 | 14.9 | 14.5 | 13.3 | 12.0 | 10.7 | 10.1 | 6.0 | 5.1 | 6.2 | 5.8 | -64.4 |
| Washington, DC | 16.2 | 13.2 | 13.0 | 10.2 | 9.6 | 8.2 | 6.9 | 5.5 | 4.8 | 3.8 | 2.6 | 3.7 | 3.9 | -75.9 |
| Wichita, KS | 13.8 | 14.4 | 11.9 | 11.5 | 14.0 | 14.3 | 14.5 | 14.2 | 14.1 | 15.8 | 15.4 | 15.8 | 14.3 | 3.6 |

YEAR 2010 GOAL: 1.0

“---” Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
 * See technical notes on limitations of reported versus geocoded cities.
 ** Represents the city of Louisville and Jefferson County.

Section 4 — City Profiles

ALBUQUERQUE, NM (BERNALILLO COUNTY) *

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 | |
|----------------------------------|---------|--------|--|----------|--|----------|--|----------|-------------------------------|-------------------|--|---------------------------------------|
| | Male | Female | NHW alone or in combination [‡] | Hispanic | NHW alone or in combination [‡] | Hispanic | NHW alone or in combination [‡] | Hispanic | Rate/ Percent [†] | Rank [‡] | U.S. [‡] Rate/ Percent [†] | Goal Rate/ Percent [†] |
| HIV Prevalence, 2005 | 135.7 | 17.2 | 39 | 167.9 | 68.1 | 75.1 | 38 of 41 | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 209.3 | 40 | 19.3 | 44 | 114.9 | 226.3 | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | 12.1 | 37 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 13.2 | 39 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,250.4 | 17 | 782.0 | 27 | 889.9 | 1,149.3 | 20 of 54 | 801.0 | --- | --- | --- | --- |
| Heart Disease Mortality, 2004 | 299.4 | 38 | 157.2 | 44 | 198.9 | 250.2 | 39 of 54 | 217.5 | --- | --- | --- | --- |
| Cancer Mortality, 2004 | 273.5 | 26 | 175.2 | 27 | 202.4 | 257.7 | 26 of 54 | 184.6 | --- | --- | --- | --- |
| Lung Cancer Mortality, 2004 | 63.3 | 44 | 39.2 | 35 | 54.7 | 48.9 | 43 of 54 | 43.3 | --- | --- | --- | --- |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.6 | 21 | 31.7 | 31.2 | 21 of 54 | 21.3 | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 36.5 | 3 | 9.7 | 11 | 17.7 | 17.4 | 6 of 54 | 8.0 | --- | --- | --- | --- |
| Homicide, 2004 | 11.4 | 42 | --- | --- | --- | --- | --- | 5.6 | --- | --- | --- | --- |
| Firearm-related Mortality, 2004 | 31.8 | 19 | --- | --- | --- | --- | --- | 9.8 | --- | --- | --- | --- |
| Suicide, 2004 | 37.8 | 4 | --- | --- | --- | --- | --- | 10.7 | --- | --- | --- | --- |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | 4.4 | --- | --- | --- | --- |
| Pneumonia, 2004 | 27.2 | 24 | 18.3 | 25 | 19.7 | 21.4 | 24 of 54 | 20.4 | --- | --- | --- | --- |
| Diabetes, 2004 | 38.0 | 19 | 23.3 | 33 | 21.8 | 30.0 | 26 of 54 | 24.4 | --- | --- | --- | --- |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | 66.1 | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | 6.8 | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | 7.9 | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | 10.3 | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | 10.7 | --- | --- | --- | --- |

ARLINGTON, TX *

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 | |
|----------------------------------|---------|--------|--|----------|--|----------|--|----------|-------------------------------|-------------------|--|---------------------------------------|
| | Male | Female | NHW alone or in combination [‡] | Hispanic | NHW alone or in combination [‡] | Hispanic | NHW alone or in combination [‡] | Hispanic | Rate/ Percent [†] | Rank [‡] | U.S. [‡] Rate/ Percent [†] | Goal Rate/ Percent [†] |
| HIV Prevalence, 2005 | 127.4 | 38 | 58.9 | 29 | 310.7 | 61.8 | 297.1 | 59.2 | 93.1 | 35 of 41 | --- | --- |
| AIDS Prevalence, 2005 | 356.8 | 31 | 69.7 | 27 | 415.0 | 211.4 | 396.9 | 136.5 | 213.2 | 30 of 48 | --- | --- |
| HIV Incidence, 2005 | 21.0 | 30 | 13.2 | 12 | 68.8 | --- | 65.8 | --- | 17.1 | 28 of 39 | --- | --- |
| AIDS Incidence, 2005 | 12.0 | 40 | --- | --- | --- | --- | --- | --- | 9.0 | 38 of 47 | --- | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 18 of 32 | --- | 0.2 |
| Chlamydia Incidence, 2005 | 116.5 | 42 | 547.7 | 37 | 978.7 | 125.6 | 936.0 | 470.3 | 332.5 | 43 of 43 | --- | --- |
| Gonorrhea Incidence, 2005 | 128.0 | 34 | 121.9 | 32 | 577.0 | 39.7 | 551.8 | 75.6 | 124.9 | 35 of 43 | 115.6 | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 22 of 36 | --- | --- |
| Overall Mortality, 2004 | 1,176.1 | 26 | 885.5 | 9 | 999.2 | 899.3 | 1,533.2 | 930.8 | 1,004.5 | 17 of 54 | 801.0 | --- |
| Heart Disease Mortality, 2004 | 340.7 | 20 | 230.1 | 10 | 368.3 | 281.4 | 357.0 | --- | 279.0 | 13 of 54 | 217.5 | --- |
| Cancer Mortality, 2004 | 296.0 | 16 | 207.1 | 7 | 396.4 | 232.6 | 380.6 | 298.4 | 238.2 | 11 of 54 | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 102.5 | 8 | 54.5 | 15 | 73.7 | 72.9 | 72.4 | --- | 72.4 | 12 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 26.4 | 36 | 27.7 | 27.3 | --- | --- | 26.4 | 36 of 54 | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 18.2 | 27 | --- | --- | --- | --- | --- | --- | 15.0 | 18 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Firearm-related Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Suicide, 2004 | 15.4 | 41 | --- | --- | --- | --- | --- | --- | 7.0 | 48 of 53 | 9.8 | 3.6 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 40 of 54 | 10.7 | 4.8 |
| Pneumonia, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Diabetes, 2004 | 38.2 | 17 | 21.2 | 41 | 27.0 | 17.2 | 27.6 | --- | 17.8 | 36 of 54 | 20.4 | --- |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 77.3 | 21 of 54 | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 6.2 | 36 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 36 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 10.8 | 36 of 54 | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 5.6 | 30 of 44 | 10.7 | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, ‡alone represents the population that indicated being only of that race; ‡alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

ATLANTA, GA (FULTON COUNTY)

| Health Indicator* | Male | | Female | | Race/Ethnicity | | Total | | Year 2010 Goal | | | |
|----------------------------------|---------------|-------|---------------|-------|---|-----------------------------------|---|---------------------|----------------|-------|--------------------|------------------------------|
| | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ | NHW alone or in combination ^f Rate/Pct.† | NHW alone ^g Rate/Pct.† | NHB alone or in combination ^f Rate/Pct.† | Hispanic Rate/Pct.† | Rate/Percent† | Rank‡ | U.S. Rate/Percent‡ | Year 2010 Goal Rate/Percent† |
| HIV Prevalence, 2005 | 2,242.6 | 3 | 463.4 | 4 | 1,131.9 | 1,111.2 | 1,553.2 | 817.3 | 1,346.5 | --- | --- | --- |
| HIV Incidence, 2005 | 114.6 | 4 | 31.5 | 4 | 38.4 | 37.7 | 95.3 | --- | 72.8 | --- | 13.7 | --- |
| PMS Sypilis Incidence, 2005 | 71.2 | 2 | 5.8 | 5 | --- | --- | --- | --- | 38.0 | --- | 3.0 | 0.2 |
| Chlamydia Incidence, 2005 | 240.7 | 30 | 680.7 | 28 | --- | --- | --- | --- | 464.1 | --- | 332.5 | --- |
| Gonorrhea Incidence, 2005 | 396.8 | 12 | 241.9 | 20 | --- | --- | --- | --- | 318.1 | --- | 115.6 | 19.0 |
| Tuberculosis Incidence, 2005 | 14.2 | 15 | 7.2 | 14 | --- | --- | --- | --- | 10.7 | --- | 4.8 | 1.0 |
| Overall Mortality, 2004 | 1,216.7 | 24 | 796.2 | 22 | 736.0 | 728.5 | 1,141.9 | 671.3 | 974.3 | --- | 801.0 | --- |
| Heart Disease Mortality, 2004 | 292.5 | 39 | 183.9 | 33 | 154.6 | 153.2 | 280.0 | --- | 230.2 | --- | 217.5 | --- |
| Cancer Mortality, 2004 | 276.4 | 25 | 174.8 | 30 | 191.8 | 189.8 | 229.0 | --- | 211.3 | --- | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 71.5 | 37 | 38.5 | 38 | 49.4 | 48.9 | 54.9 | --- | 51.5 | --- | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.4 | 22 | 34.2 | 33.8 | 29.0 | --- | 29.4 | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 18.6 | 25 | 10.2 | 9 | --- | --- | 14.6 | --- | 14.5 | --- | 14.8 | 8.0 |
| Homicide, 2004 | 35.1 | 8 | --- | --- | --- | --- | 33.8 | --- | 21.9 | --- | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 34.2 | 13 | --- | --- | --- | --- | 28.6 | --- | 20.8 | --- | 9.8 | 3.6 |
| Suicide, 2004 | 21.3 | 21 | --- | --- | 22.6 | 22.3 | 9.8 | --- | 13.8 | --- | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 57.5 | 3 | 26.1 | 4 | 17.5 | 17.3 | 60.0 | --- | 42.1 | --- | 4.4 | 0.7 |
| Pneumonia, 2004 | 27.4 | 23 | 13.1 | 44 | 14.8 | 14.7 | 20.5 | --- | 18.4 | --- | 20.4 | --- |
| Diabetes, 2004 | 19.1 | 52 | 21.1 | 42 | 75.1 | 73.6 | 75.6 | 408.5 | 20.4 | --- | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 90.1 | --- | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 8.1 | --- | 13.6 | --- | 10.4 | --- | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 1.4 | --- | 18.7 | --- | 12.3 | --- | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 2.3 | --- | 4.7 | --- | 3.0 | --- | 10.7 | 1.0 |

AUSTIN, TX*

| Health Indicator* | Male | | Female | | Race/Ethnicity | | Total | | Year 2010 Goal | | | |
|----------------------------------|---------------|-------|---------------|-------|---|-----------------------------------|---|---------------------|----------------|-------|--------------------|------------------------------|
| | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ | NHW alone or in combination ^f Rate/Pct.† | NHW alone ^g Rate/Pct.† | NHB alone or in combination ^f Rate/Pct.† | Hispanic Rate/Pct.† | Rate/Percent† | Rank‡ | U.S. Rate/Percent‡ | Year 2010 Goal Rate/Percent† |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.7 | --- |
| PMS Sypilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | 1.0 |
| Overall Mortality, 2004 | 1,014.9 | 46 | 693.5 | 42 | 804.2 | 796.2 | 1,058.8 | 829.6 | 826.5 | --- | 801.0 | --- |
| Heart Disease Mortality, 2004 | 257.4 | 46 | 146.6 | 47 | 185.7 | 184.0 | 231.0 | 191.6 | 188.7 | --- | 217.5 | --- |
| Cancer Mortality, 2004 | 255.5 | 34 | 158.3 | 43 | 191.4 | 189.5 | 254.6 | 194.9 | 196.4 | --- | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 72.8 | 36 | 36.6 | 41 | 53.8 | 53.3 | 76.7 | --- | 51.0 | --- | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 27.4 | 30 | 31.3 | 30.9 | --- | --- | 27.4 | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 17.4 | 30 | 9.6 | 12 | 11.0 | 10.8 | --- | 17.7 | 13.2 | --- | 14.8 | 8.0 |
| Homicide, 2004 | 6.0 | 48 | --- | --- | --- | --- | --- | --- | 4.0 | --- | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 14.4 | 46 | --- | --- | 8.1 | 8.0 | --- | --- | 7.7 | --- | 9.8 | 3.6 |
| Suicide, 2004 | 21.1 | 22 | --- | --- | 17.3 | 17.0 | --- | --- | 13.6 | --- | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 9.3 | 34 | --- | --- | --- | --- | --- | --- | 5.8 | --- | 4.4 | 0.7 |
| Pneumonia, 2004 | 16.8 | 53 | 10.6 | 52 | 12.6 | 12.5 | --- | --- | 13.2 | --- | 20.4 | --- |
| Diabetes, 2004 | 33.8 | 28 | 27.9 | 21 | 18.4 | 18.3 | 50.2 | 72.4 | 29.9 | --- | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 73.2 | --- | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 6.2 | --- | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.2 | --- | 12.8 | 7.0 | 7.1 | --- | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 3.7 | --- | 16.7 | 16.5 | 10.8 | --- | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 5.7 | --- | 7.4 | 1.7 | 3.6 | --- | 10.7 | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.

† County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Sypilis, Gonorrhea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

†† Numerator data used in rate or percent calculation is less than 20 or data not available.

††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, %Alone represents the population that indicated being only of that race; %Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

BALTIMORE, MD*

| Health Indicator [#] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [§] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|--|--|--|---------------------|---------------------------|---------------------------|-------------------|---|--|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [†] | | NHW alone or in combination [†] | | Hispanic Rate/Pct.† | | Rate/Percent [†] | | | | Rank [‡] | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone or in combination [†] | NHW alone or in combination [†] | NHW alone or in combination [†] | NHW alone or in combination [†] | Rate/Pct.† | Rate/Percent [†] | Rate/Percent [†] | Rank [‡] | | | Rate/Percent [†] | Rank [‡] |
| HIV Prevalence, 2005 | 1,729.4 | 3 | 997.2 | 3 | 368.1 | 358.6 | 1,570.0 | 1,551.4 | 307.4 | 1,343.3 | 3 of 41 | --- | --- | | | |
| AIDS Prevalence, 2005 | 1,356.7 | 5 | 648.1 | 3 | 316.0 | 307.8 | 1,356.3 | 1,340.3 | 560.5 | 978.6 | 5 of 48 | --- | --- | | | |
| HIV Incidence, 2005 | 224.6 | 2 | 110.8 | 2 | 43.7 | 42.5 | 184.9 | 182.7 | --- | 164.0 | 2 of 39 | --- | --- | | | |
| AIDS Incidence, 2005 | 123.8 | 3 | 68.8 | 3 | 20.3 | 19.8 | 135.5 | 133.9 | --- | 94.4 | 3 of 47 | 13.7 | --- | | | |
| P&S Syphilis Incidence, 2005 | 39.8 | 4 | 21.3 | 4 | 18.4 | 17.9 | 35.0 | 34.6 | --- | 29.9 | 4 of 32 | 3.0 | 0.2 | | | |
| Chlamydia Incidence, 2005 | 363.9 | 15 | 1,518.1 | 4 | 288.2 | 280.8 | 1,118.2 | 1,105.0 | 587.7 | 979.8 | 6 of 43 | 332.5 | --- | | | |
| Gonorrhea Incidence, 2005 | 576.9 | 3 | 496.5 | 5 | 84.8 | 82.6 | 737.2 | 728.4 | 198.9 | 534.0 | 5 of 43 | 115.6 | 19.0 | | | |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | | | |
| Overall Mortality, 2004 | 1,497.2 | 5 | 881.8 | 11 | 933.4 | 920.5 | 1,309.3 | 1,298.5 | 384.5 | 1,139.6 | 5 of 54 | 801.0 | --- | | | |
| Heart Disease Mortality, 2004 | 385.6 | 9 | 220.5 | 14 | 247.6 | 244.7 | 324.2 | 321.8 | --- | 287.2 | 10 of 54 | 217.5 | --- | | | |
| Cancer Mortality, 2004 | 298.6 | 14 | 190.1 | 16 | 204.3 | 201.7 | 260.2 | 258.2 | --- | 231.0 | 15 of 54 | 184.6 | 158.6 | | | |
| Lung Cancer Mortality, 2004 | 95.8 | 13 | 54.3 | 16 | 68.0 | 67.1 | 75.4 | 75.4 | --- | 70.6 | 15 of 54 | 52.9 | 43.3 | | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 33.2 | 11 | 23.3 | 23.0 | 39.9 | 39.6 | --- | 33.2 | 11 of 54 | --- | 21.3 | | | |
| Motor Vehicle Injury Mort., 2004 | 14.4 | 38 | --- | --- | 9.6 | 9.4 | 9.8 | 9.7 | --- | 9.5 | 40 of 54 | 14.8 | 8.0 | | | |
| Homicide, 2004 | 73.5 | 2 | 8.7 | 3 | --- | --- | 56.6 | 55.9 | --- | 39.5 | 2 of 49 | 5.6 | 2.8 | | | |
| Fertility, 2003 | 64.7 | 2 | --- | --- | --- | --- | 48.5 | 48.0 | --- | 32.0 | 4 of 53 | 9.8 | 3.6 | | | |
| Firearm-related Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | | | |
| Suicide, 2004 | 11.9 | 48 | --- | --- | --- | --- | 5.3 | 5.2 | --- | 5.6 | 52 of 54 | 10.7 | 4.8 | | | |
| HIV/AIDS Mortality, 2004 | 68.8 | 2 | 35.0 | 2 | --- | --- | 75.0 | 74.2 | --- | 50.5 | 2 of 41 | 4.4 | 0.7 | | | |
| Pneumonia, 2004 | 37.1 | 8 | 20.9 | 17 | 29.0 | 28.7 | 27.2 | 27.0 | --- | 26.9 | 11 of 54 | 20.4 | --- | | | |
| Diabetes, 2004 | 41.4 | 13 | 36.4 | 5 | 28.6 | 28.3 | 49.1 | 48.7 | --- | 38.5 | 11 of 54 | 24.4 | 46.0 | | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 59.0 | 57.4 | 63.1 | 62.4 | 120.5 | 62.2 | 46 of 54 | 66.1 | --- | | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 18.0 | --- | --- | --- | --- | 12.8 | 4 of 53 | 6.8 | 4.5 | | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 9.4 | --- | 15.4 | --- | 6.4 | 13.2 | 3 of 54 | 7.9 | 5.0 | | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 8.9 | --- | 23.1 | --- | 13.8 | 18.3 | 1 of 54 | 10.3 | --- | | | |
| --- | --- | --- | --- | --- | 16.7 | --- | 12.5 | --- | --- | 13.1 | 12 of 44 | 10.7 | 1.0 | | | |

BOSTON, MA*

| Health Indicator [#] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [§] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|--|--|--|---------------------|---------------------------|---------------------------|-------------------|---|--|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [†] | | NHW alone or in combination [†] | | Hispanic Rate/Pct.† | | Rate/Percent [†] | | | | Rank [‡] | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone or in combination [†] | NHW alone or in combination [†] | NHW alone or in combination [†] | NHW alone or in combination [†] | Rate/Pct.† | Rate/Percent [†] | Rate/Percent [†] | Rank [‡] | | | Rate/Percent [†] | Rank [‡] |
| HIV Prevalence, 2005 | 563.5 | 12 | 159.4 | 13 | 326.5 | 317.2 | 517.4 | 480.0 | 411.3 | 353.9 | 14 of 41 | --- | --- | | | |
| AIDS Prevalence, 2005 | 698.5 | 14 | 205.5 | 9 | 334.1 | 324.5 | 818.2 | 759.0 | 528.9 | 442.8 | 14 of 48 | --- | --- | | | |
| HIV Incidence, 2005 | 48.0 | 15 | 12.1 | 14 | 20.6 | 20.0 | 45.6 | 42.3 | 51.7 | 29.4 | 17 of 39 | --- | --- | | | |
| AIDS Incidence, 2005 | 37.0 | 22 | 12.1 | 15 | 14.4 | 14.0 | 52.7 | 48.9 | 28.2 | 24.1 | 20 of 47 | 13.7 | --- | | | |
| P&S Syphilis Incidence, 2005 | 22.2 | 10 | --- | --- | --- | --- | --- | --- | --- | 10.9 | 13 of 32 | 3.0 | 0.2 | | | |
| Chlamydia Incidence, 2005 | 448.2 | 11 | 820.8 | 22 | 137.2 | 133.3 | 1,128.3 | 1,046.6 | 678.1 | 641.4 | 16 of 43 | 332.5 | --- | | | |
| Gonorrhea Incidence, 2005 | 170.0 | 30 | 119.5 | 34 | 53.8 | 52.3 | 290.1 | 269.1 | 74.0 | 143.8 | 32 of 43 | 115.6 | 19.0 | | | |
| Tuberculosis Incidence, 2005 | 12.0 | 20 | 7.5 | 12 | --- | --- | 20.7 | 19.2 | --- | 9.7 | 19 of 36 | 4.8 | 1.0 | | | |
| Overall Mortality, 2004 | 1,030.8 | 44 | 666.2 | 46 | 829.6 | 817.6 | 1,025.2 | 970.5 | 578.5 | 820.9 | 46 of 54 | 801.0 | --- | | | |
| Heart Disease Mortality, 2004 | 250.2 | 47 | 136.3 | 48 | 196.0 | 193.3 | 213.3 | 202.4 | 114.7 | 184.6 | 47 of 54 | 217.5 | --- | | | |
| Cancer Mortality, 2004 | 263.9 | 31 | 172.3 | 34 | 213.1 | 210.0 | 232.0 | 219.9 | 129.7 | 205.7 | 33 of 54 | 184.6 | 158.6 | | | |
| Lung Cancer Mortality, 2004 | 75.3 | 32 | 40.1 | 34 | 57.4 | 56.6 | 57.7 | 54.8 | --- | 53.3 | 34 of 54 | 52.9 | 43.3 | | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 26.7 | 35 | 28.8 | 28.3 | 30.4 | 28.7 | --- | 26.7 | 35 of 54 | --- | 21.3 | | | |
| Motor Vehicle Injury Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | 54 of 54 | 14.8 | 8.0 | | | |
| Homicide, 2004 | 15.2 | 34 | --- | --- | --- | --- | 27.1 | 24.8 | --- | 8.3 | 39 of 49 | 5.6 | 2.8 | | | |
| Fertility, 2003 | 14.1 | 47 | --- | --- | --- | --- | 25.1 | 22.9 | --- | 7.1 | 47 of 53 | 9.8 | 3.6 | | | |
| Firearm-related Mortality, 2004 | 6.9 | 54 | --- | --- | --- | --- | --- | --- | --- | 4.2 | 54 of 54 | 10.7 | 4.8 | | | |
| Suicide, 2004 | 15.3 | 21 | --- | --- | --- | --- | 21.7 | 20.3 | --- | 9.7 | 20 of 41 | 4.4 | 0.7 | | | |
| HIV/AIDS Mortality, 2004 | 33.4 | 15 | 23.7 | 8 | 31.5 | 31.1 | --- | --- | --- | 27.1 | 9 of 54 | 20.4 | --- | | | |
| Pneumonia, 2004 | 23.6 | 49 | 19.6 | 46 | 18.9 | 18.7 | 42.0 | 39.9 | --- | 21.6 | 48 of 54 | 24.4 | 46.0 | | | |
| Diabetes, 2004 | --- | --- | --- | --- | 35.9 | 34.9 | 69.1 | 63.4 | 73.6 | 47.6 | 51 of 54 | 66.1 | --- | | | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | 13.0 | --- | --- | 6.1 | 39 of 53 | 6.8 | 4.5 | | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.5 | --- | 13.1 | --- | 7.3 | 8.9 | 23 of 54 | 7.9 | 5.0 | | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 2.8 | --- | 10.8 | --- | 13.0 | 7.5 | 48 of 54 | 10.3 | --- | | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 4.6 | --- | 5.2 | --- | 2.2 | 4.0 | 34 of 44 | 10.7 | 1.0 | | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 †††† For the Non-Hispanic (NHW) group specified above, \$ Alone represents the population that indicated being only of that race; % Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

| Health Indicator [‡] | Gender | | | | | | Race/Ethnicity | | | | | Total | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--------------------------------------|---|--------------------------------------|------------------------|--------------------------------------|---|------------------------|-------------------------------|-------------------|-------|--|--|
| | Male | | Female | | NHW alone [§] Rate/Pct.† | NHW alone or in combination ^f Rate/Pct.† | NHW alone [§] Rate/Pct.† | Hispanic Rate/Pct.† | NHB alone [§] Rate/Pct.† | NHB alone or in combination ^f Rate/Pct.† | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [‡] | | | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | | | | | | | | | | | | |
| HIV Prevalence, 2005 | 528.7 | 16 | 282.4 | 4 | 143.4 | 141.2 | 956.4 | 940.1 | 940.1 | 138.2 | 403.1 | 10 of 41 | --- | --- | | |
| AIDS Prevalence, 2005 | 291.0 | 35 | 81.9 | 23 | 78.9 | 77.7 | 413.9 | 406.8 | 406.8 | --- | 184.3 | 33 of 48 | --- | --- | | |
| HIV Incidence, 2005 | 56.6 | 10 | 20.3 | 8 | 15.1 | 14.9 | 84.3 | 82.8 | 82.8 | --- | 38.1 | 8 of 39 | --- | --- | | |
| AIDS Incidence, 2005 | 38.5 | 19 | 16.0 | 13 | 9.4 | 9.3 | 58.6 | 57.6 | 57.6 | --- | 27.0 | 19 of 47 | --- | --- | | |
| PS & Syphilis Incidence, 2005 | 23.8 | 9 | --- | --- | 10.1 | 9.9 | 25.6 | 25.2 | 25.2 | --- | 14.6 | 7 of 32 | 3.0 | 0.2 | | |
| Chlamydia Incidence, 2005 | 260.0 | 26 | 910.3 | 16 | 120.2 | 118.4 | 1,364.6 | 1,341.4 | 1,341.4 | 846.7 | 591.7 | 21 of 43 | 332.5 | --- | | |
| Gonorrhea Incidence, 2005 | 424.9 | 10 | 312.5 | 15 | 50.7 | 49.9 | 998.5 | 981.5 | 981.5 | 110.6 | 367.6 | 10 of 43 | 115.6 | 19.0 | | |
| Tuberculosis Incidence 2005 | 12.5 | 19 | --- | --- | --- | --- | 13.1 | 12.9 | 12.9 | --- | 8.5 | 24 of 36 | 4.8 | 1.0 | | |
| Overall Mortality, 2004 | 1,232.4 | 21 | 811.4 | 19 | 866.1 | 861.4 | 1,300.1 | 1,287.4 | 1,287.4 | 548.2 | 973.0 | 22 of 54 | 801.0 | --- | | |
| Heart Disease Mortality, 2004 | 301.0 | 37 | 154.3 | 45 | 194.5 | 193.6 | 297.7 | 295.3 | 295.3 | --- | 210.1 | 43 of 54 | 217.5 | --- | | |
| Cancer Mortality, 2004 | 263.2 | 32 | 191.0 | 15 | 193.2 | 192.2 | 295.7 | 293.3 | 293.3 | --- | 214.9 | 25 of 54 | 184.6 | 158.6 | | |
| Lung Cancer Mortality, 2004 | 84.8 | 26 | 52.6 | 19 | 74.5 | 62.3 | 75.2 | 74.5 | 74.5 | --- | 65.5 | 22 of 54 | 52.9 | 43.3 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 30.3 | 17 | 27.2 | 27.0 | 41.3 | 40.9 | 40.9 | --- | 30.3 | 17 of 54 | --- | 21.3 | | |
| Motor Vehicle Injury Mort., 2004 | 16.9 | 31 | --- | --- | --- | --- | 19.8 | 19.5 | 19.5 | --- | 11.1 | 35 of 54 | 14.8 | 8.0 | | |
| Homicide, 2004 | 19.6 | 28 | --- | --- | --- | --- | 25.3 | 25.0 | 25.0 | --- | 11.7 | 31 of 49 | 5.6 | 2.8 | | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Firearm-related Mortality, 2004 | 29.2 | 21 | --- | --- | 13.5 | 13.3 | 25.1 | 24.7 | 24.7 | --- | 16.8 | 21 of 53 | 9.8 | 3.6 | | |
| Suicide, 2004 | --- | --- | --- | --- | 16.5 | 16.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| HIV/AIDS Mortality, 2004 | 21.8 | 12 | 9.4 | 8 | --- | --- | 43.4 | 42.9 | 42.9 | --- | 15.3 | 10 of 41 | 4.4 | 0.7 | | |
| Pneumonia, 2004 | 23.0 | 34 | 13.9 | 40 | 16.6 | 16.6 | --- | --- | --- | --- | 17.1 | 39 of 54 | 20.4 | --- | | |
| Diabetes, 2004 | 31.8 | 33 | 20.8 | 43 | 19.3 | 19.2 | 48.4 | 48.0 | 48.0 | --- | 25.8 | 36 of 54 | 24.4 | 46.0 | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 71.4 | 70.4 | 73.7 | 72.7 | 72.7 | 208.0 | 82.2 | 16 of 54 | 66.1 | --- | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 4.0 | --- | 12.7 | --- | --- | --- | 7.2 | 25 of 53 | 6.8 | 4.5 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.0 | --- | 13.6 | --- | --- | 6.9 | 9.1 | 20 of 54 | 7.9 | 5.0 | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 3.3 | --- | 15.1 | --- | --- | 12.0 | 8.7 | 45 of 54 | 10.3 | --- | | |
| --- | --- | --- | --- | --- | 7.1 | --- | 8.6 | --- | --- | --- | 6.2 | 26 of 44 | 10.7 | 1.0 | | |

| Health Indicator [‡] | Gender | | | | | | Race/Ethnicity | | | | | Total | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--------------------------------------|---|--------------------------------------|------------------------|--------------------------------------|---|------------------------|-------------------------------|-------------------|-------|--|--|
| | Male | | Female | | NHW alone [§] Rate/Pct.† | NHW alone or in combination ^f Rate/Pct.† | NHW alone [§] Rate/Pct.† | Hispanic Rate/Pct.† | NHB alone [§] Rate/Pct.† | NHB alone or in combination ^f Rate/Pct.† | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [‡] | | | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | | | | | | | | | | | | |
| HIV Prevalence, 2005 | 532.6 | 15 | 163.5 | 12 | 318.0 | 305.8 | 500.7 | 494.0 | 494.0 | 191.9 | 342.6 | 16 of 41 | --- | --- | | |
| AIDS Prevalence, 2005 | 572.1 | 17 | 130.9 | 18 | 271.4 | 261.0 | 540.7 | 535.5 | 535.5 | 221.9 | 345.0 | 17 of 48 | --- | --- | | |
| HIV Incidence, 2005 | 61.9 | 6 | 16.4 | 11 | 31.2 | 30.0 | 61.0 | 60.2 | 60.2 | 19.0 | 38.5 | 7 of 39 | --- | --- | | |
| AIDS Incidence, 2005 | 49.7 | 16 | 12.1 | 15 | 20.8 | 20.0 | 49.3 | 48.6 | 48.6 | 20.6 | 30.4 | 15 of 47 | 13.7 | --- | | |
| PS & Syphilis Incidence, 2005 | 27.0 | 7 | 2.5 | 10 | 20.7 | 19.9 | 16.1 | 15.9 | 15.9 | 5.8 | 14.4 | 8 of 32 | 3.0 | 0.2 | | |
| Chlamydia Incidence, 2005 | 451.1 | 10 | 1,107.6 | 11 | 102.1 | 98.2 | 1,395.7 | 1,377.0 | 1,377.0 | 283.3 | 789.2 | 11 of 43 | 332.5 | --- | | |
| Gonorrhea Incidence, 2005 | 335.1 | 19 | 347.4 | 11 | 41.0 | 39.4 | 694.2 | 684.9 | 684.9 | 39.5 | 341.5 | 12 of 43 | 115.6 | 19.0 | | |
| Tuberculosis Incidence 2005 | 14.7 | 13 | 8.3 | 7 | 2.8 | 2.7 | 16.2 | 16.0 | 16.0 | 10.5 | 11.4 | 10 of 36 | 4.8 | 1.0 | | |
| Overall Mortality, 2004 | 1,072.6 | 42 | 720.7 | 37 | 756.0 | 738.5 | 1,176.0 | 1,164.3 | 1,164.3 | 611.1 | 868.1 | 38 of 54 | 801.0 | --- | | |
| Heart Disease Mortality, 2004 | 338.3 | 21 | 203.1 | 24 | 238.5 | 233.6 | 333.3 | 330.1 | 330.1 | 154.4 | 258.3 | 23 of 54 | 217.5 | --- | | |
| Cancer Mortality, 2004 | 251.2 | 40 | 177.1 | 25 | 188.0 | 183.6 | 270.4 | 267.9 | 267.9 | 133.7 | 204.8 | 35 of 54 | 184.6 | 158.6 | | |
| Lung Cancer Mortality, 2004 | 74.1 | 34 | 40.9 | 33 | 51.2 | 50.0 | 72.4 | 71.7 | 71.7 | 28.8 | 54.1 | 33 of 54 | 52.9 | 43.3 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.9 | 18 | 25.6 | 24.9 | 40.8 | 40.4 | 40.4 | 14.8 | 29.9 | 18 of 54 | --- | 21.3 | | |
| Motor Vehicle Injury Mort., 2004 | 13.7 | 40 | 5.3 | 27 | 7.9 | 7.6 | 12.4 | 12.2 | 12.2 | 8.5 | 9.3 | 41 of 54 | 14.8 | 8.0 | | |
| Homicide, 2004 | 24.9 | 18 | 4.2 | 10 | 3.5 | 3.3 | 31.6 | 31.1 | 31.1 | 9.3 | 14.5 | 18 of 49 | 5.6 | 2.8 | | |
| Firearm-related Mortality, 2004 | 23.2 | 37 | 1.8 | 11 | 4.8 | 4.6 | 24.3 | 23.9 | 23.9 | 8.3 | 12.2 | 38 of 53 | 9.8 | 3.6 | | |
| Suicide, 2004 | 10.5 | 51 | 2.7 | 19 | 10.4 | 10.1 | 3.7 | 3.6 | 3.6 | 5.2 | 6.3 | 49 of 54 | 10.7 | 4.8 | | |
| HIV/AIDS Mortality, 2004 | 14.3 | 24 | 5.5 | 14 | 3.5 | 3.3 | 19.7 | 19.5 | 19.5 | 6.3 | 9.7 | 20 of 41 | 4.4 | 0.7 | | |
| Pneumonia, 2004 | 30.6 | 18 | 17.2 | 28 | 19.4 | 19.0 | 28.0 | 27.7 | 27.7 | 19.3 | 22.4 | 19 of 54 | 20.4 | --- | | |
| Diabetes, 2004 | 32.8 | 30 | 25.0 | 30 | 20.1 | 19.7 | 41.1 | 40.8 | 40.8 | 37.4 | 28.4 | 29 of 54 | 24.4 | 46.0 | | |
| Fertility, 2003 | --- | --- | --- | --- | 48.4 | 46.6 | 67.6 | 66.6 | 66.6 | 99.0 | 66.1 | 33 of 54 | 66.1 | --- | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.0 | --- | 17.0 | --- | --- | 5.9 | 10.0 | 14 of 53 | 6.8 | 4.5 | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.5 | --- | 15.6 | --- | --- | 6.6 | 10.1 | 14 of 54 | 7.9 | 5.0 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 2.8 | --- | 21.6 | --- | --- | 13.8 | 13.6 | 20 of 54 | 10.3 | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 5.1 | --- | 12.9 | --- | --- | 1.3 | 6.2 | 26 of 44 | 10.7 | 1.0 | | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Rank of cities for which data are available and numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 †††† For the Non-Hispanic (NHB) group specified above, † alone represents the population that indicated being only of that race; † alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

CINCINNATI, OH*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 Goal | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------|-----------------------------------|------------|---|-------------------|--------------------------------|---------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] Rate/Pct.† | | U.S. Rate/Percent [‡] | |
| | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rank [‡] | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rate/Percent [‡] |
| HIV Prevalence, 2005 | 443.2 | 19 | 113.2 | 20 | 228.4 | 223.7 | 337.7 | 330.2 | 330.2 | 269.0 | 19 of 41 | --- |
| AIDS Prevalence, 2005 | 430.4 | 25 | 70.3 | 25 | 202.6 | 198.3 | 303.1 | 296.3 | 296.3 | 240.3 | 26 of 48 | --- |
| HIV Incidence, 2005 | 34.5 | 23 | --- | --- | 16.1 | 15.8 | 29.7 | 29.0 | 29.0 | 21.7 | 22 of 39 | --- |
| AIDS Incidence, 2005 | 38.4 | 20 | --- | --- | 12.1 | 11.8 | 35.3 | 34.5 | 34.5 | 22.0 | 21 of 47 | 13.7 |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 |
| Chlamydia Incidence, 2005 | 601.8 | 4 | 2,067.7 | 2 | 123.1 | 120.6 | 734.8 | 718.4 | 718.4 | 1,386.7 | 2 of 43 | --- |
| Gonorrhea Incidence, 2005 | 706.1 | 2 | 927.8 | 1 | 53.5 | 52.4 | 706.5 | 690.8 | 690.8 | 829.5 | 1 of 43 | 115.6 |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 31 of 36 | 4.8 |
| Overall Mortality, 2004 | 1,344.7 | 10 | 894.5 | 8 | 938.7 | 930.1 | 1,351.1 | 1,333.4 | 1,333.4 | 1,072.9 | 10 of 54 | 801.0 |
| Heart Disease Mortality, 2004 | 335.3 | 22 | 191.9 | 30 | 219.9 | 218.2 | 308.1 | 304.5 | 304.5 | 248.8 | 27 of 54 | 217.5 |
| Cancer Mortality, 2004 | 310.0 | 8 | 223.6 | 4 | 221.2 | 219.4 | 331.9 | 328.3 | 328.3 | 254.6 | 6 of 54 | 184.6 |
| Lung Cancer Mortality, 2004 | 88.2 | 21 | 67.6 | 4 | 60.2 | 59.7 | 104.7 | 103.6 | 103.6 | 75.0 | 9 of 54 | 52.9 |
| Female Breast Cancer Mort., 2004 | --- | --- | 36.4 | 6 | 32.1 | 31.8 | 47.7 | 47.2 | 47.2 | 36.4 | 6 of 54 | --- |
| Motor Vehicle Injury Mort., 2004 | 15.5 | 32 | --- | --- | --- | --- | 14.3 | 14.1 | 14.1 | 12.0 | 33 of 54 | 14.8 |
| Homicide, 2004 | 26.4 | 15 | --- | --- | --- | --- | 32.4 | 31.7 | 31.7 | 15.8 | 17 of 49 | 5.6 |
| Firearm-related Mortality, 2004 | 28.3 | 24 | --- | --- | --- | --- | 30.4 | 29.7 | 29.7 | 16.5 | 23 of 53 | 9.8 |
| Suicide, 2004 | 16.8 | 35 | --- | --- | 14.4 | 14.2 | --- | --- | --- | 13.3 | 20 of 54 | 10.7 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.4 |
| Pneumonia, 2004 | 26.8 | 25 | 16.9 | 29 | 16.7 | 16.5 | 26.3 | 26.0 | 26.0 | 19.5 | 29 of 54 | 20.4 |
| Diabetes, 2004 | 56.8 | 3 | 35.0 | 7 | 27.2 | 27.0 | 72.4 | 71.6 | 71.6 | 42.2 | 5 of 54 | 24.4 |
| Fertility, 2003 | --- | --- | --- | --- | 62.2 | 79.2 | 80.8 | 79.2 | 79.2 | 71.1 | 30 of 54 | 66.1 |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | 15.0 | --- | --- | 10.3 | 11 of 53 | 6.8 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 8.5 | --- | 14.2 | --- | --- | 11.2 | 8 of 54 | 7.9 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.9 | --- | 24.4 | --- | --- | 16.6 | 8 of 54 | 10.3 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 19.8 | --- | 13.2 | --- | --- | 15.6 | 7 of 44 | 10.7 |

CLEVELAND, OH*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 Goal | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------|-----------------------------------|------------|---|-------------------|--------------------------------|---------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] Rate/Pct.† | | U.S. Rate/Percent [‡] | |
| | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rank [‡] | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rate/Percent [‡] |
| HIV Prevalence, 2005 | 313.4 | 27 | 123.9 | 17 | 119.6 | 115.8 | 245.5 | 241.2 | 241.2 | 213.6 | 24 of 41 | --- |
| AIDS Prevalence, 2005 | 501.0 | 20 | 123.1 | 19 | 203.6 | 197.1 | 355.3 | 348.9 | 348.9 | 302.0 | 20 of 48 | --- |
| HIV Incidence, 2005 | 41.5 | 19 | 8.3 | 20 | 14.0 | 13.6 | 30.2 | 29.7 | 29.7 | 24.0 | 20 of 39 | --- |
| AIDS Incidence, 2005 | 16.8 | 36 | --- | --- | --- | --- | 14.1 | 13.8 | 13.8 | 9.8 | 36 of 47 | 13.7 |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 |
| Chlamydia Incidence, 2005 | 557.1 | 6 | 1,319.8 | 7 | 190.7 | 184.6 | 1,204.9 | 1,183.5 | 1,183.5 | 972.6 | 7 of 43 | --- |
| Gonorrhea Incidence, 2005 | 742.0 | 1 | 619.4 | 3 | 88.9 | 86.1 | 939.9 | 923.2 | 923.2 | 683.3 | 2 of 43 | 115.6 |
| Tuberculosis Incidence 2005 | 12.8 | 18 | --- | --- | --- | --- | --- | --- | --- | 9.2 | 21 of 36 | 4.8 |
| Overall Mortality, 2004 | 1,430.4 | 6 | 922.7 | 6 | 1,061.9 | 1,043.5 | 1,273.3 | 1,259.3 | 1,259.3 | 1,131.0 | 7 of 54 | --- |
| Heart Disease Mortality, 2004 | 474.5 | 4 | 286.3 | 5 | 347.0 | 341.6 | 402.2 | 398.2 | 398.2 | 362.8 | 5 of 54 | --- |
| Cancer Mortality, 2004 | 339.9 | 4 | 207.2 | 6 | 243.7 | 239.7 | 294.0 | 291.0 | 291.0 | 258.1 | 5 of 54 | 184.6 |
| Lung Cancer Mortality, 2004 | 115.9 | 4 | 58.0 | 9 | 80.2 | 78.9 | 88.6 | 87.7 | 87.7 | 81.0 | 4 of 54 | 52.9 |
| Female Breast Cancer Mort., 2004 | --- | --- | 38.3 | 5 | 39.3 | 38.6 | 39.6 | 39.1 | 39.1 | 38.3 | 5 of 54 | --- |
| Motor Vehicle Injury Mort., 2004 | 12.6 | 44 | --- | --- | --- | --- | --- | --- | --- | 7.3 | 48 of 54 | 14.8 |
| Homicide, 2004 | 28.2 | 12 | --- | --- | --- | --- | 22.6 | 22.3 | 22.3 | 15.9 | 16 of 49 | 5.6 |
| Firearm-related Mortality, 2004 | 27.4 | 28 | --- | --- | 10.9 | 10.6 | 17.7 | 17.4 | 17.4 | 14.2 | 33 of 53 | 9.8 |
| Suicide, 2004 | 19.7 | 25 | --- | --- | 18.2 | 17.8 | --- | --- | --- | 12.2 | 27 of 54 | 10.7 |
| HIV/AIDS Mortality, 2004 | 11.5 | 30 | --- | --- | --- | --- | 10.4 | 10.3 | 10.3 | 7.9 | 26 of 41 | 4.4 |
| Pneumonia, 2004 | 20.3 | 44 | 13.4 | 42 | 15.0 | 14.8 | 18.8 | 18.7 | 18.7 | 16.2 | 43 of 54 | 20.4 |
| Diabetes, 2004 | 31.0 | 37 | 31.0 | 16 | 21.1 | 20.8 | 44.2 | 43.7 | 43.7 | 31.4 | 22 of 54 | 24.4 |
| Fertility, 2003 | --- | --- | --- | --- | 60.8 | 59.1 | 77.7 | 76.5 | 76.5 | 70.4 | 31 of 54 | 66.1 |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | 13.1 | --- | --- | 10.0 | 14 of 53 | 6.8 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 8.9 | --- | 13.2 | --- | --- | 11.4 | 6 of 54 | 7.9 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 11.2 | --- | 21.7 | --- | --- | 17.8 | 2 of 54 | 10.3 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 26.8 | --- | 13.0 | --- | --- | 17.3 | 4 of 44 | 10.7 |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

¶ For the Non-Hispanic (NHB) group specified above, § alone represents the population that indicated being only of that race; ¶ alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

| Health Indicator [†] | Gender | | | | Race/Ethnicity | | | | Total | | U.S. [‡] | | | |
|-----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|----------------|------------------------|----------------|--|----------------|--------------------|-------------------------------|----------------------|-------------------------------|
| | Male | | Female | | NHW alone or in combination [†] | | NHB alone [§] | | NHB alone or in combination [†] | | Rate/ [†] | | Percent [†] | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rank [‡] | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] |
| HIV Prevalence, 2005 | 118.6 | 39 | 24.5 | 37 | 62.7 | 225.4 | --- | --- | --- | 71.9 | 39 of 41 | --- | --- | --- |
| AIDS Prevalence, 2005 | 80.9 | 46 | 13.2 | 46 | 41.4 | 132.7 | --- | --- | --- | 56.5 | 46 of 48 | --- | --- | --- |
| HIV Incidence, 2005 | 8.9 | 39 | --- | --- | --- | --- | --- | --- | --- | --- | 39 of 39 | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 47 of 47 | --- | --- | --- |
| PRIS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 |
| Chlamydia Incidence, 2005 | 328.2 | 17 | 601.6 | 34 | 219.1 | 1,583.7 | --- | --- | --- | 703.8 | 31 of 43 | --- | --- | --- |
| Gonorrhea Incidence, 2005 | 106.7 | 37 | 125.9 | 31 | 39.9 | 694.6 | --- | --- | --- | 172.9 | 37 of 43 | --- | --- | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 |
| Overall Mortality, 2004 | 1,131.2 | 34 | 764.2 | 33 | 902.5 | 1,205.3 | 1,123.3 | 1,030.2 | 1,123.3 | 911.7 | 33 of 54 | --- | --- | --- |
| Heart Disease Mortality, 2004 | 244.2 | 49 | 133.7 | 49 | 174.7 | 329.4 | 308.6 | 186.3 | 308.6 | 177.5 | 49 of 54 | --- | --- | --- |
| Cancer Mortality, 2004 | 252.9 | 38 | 173.6 | 32 | 201.5 | 230.1 | 216.6 | 179.4 | 216.6 | 201.2 | 36 of 54 | --- | --- | 158.6 |
| Lung Cancer Mortality, 2004 | --- | 30 | 36.5 | 42 | 52.5 | --- | --- | --- | --- | 51.8 | 35 of 54 | --- | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | 7 | 36.1 | 7 | 35.2 | --- | --- | --- | --- | 36.1 | 7 of 54 | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 14.7 | 36 | --- | --- | 12.0 | --- | --- | --- | --- | 12.2 | 32 of 54 | --- | --- | 8.0 |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2.8 |
| F firearm-related Mortality, 2004 | --- | 15 | --- | --- | 17.5 | --- | --- | --- | --- | --- | --- | --- | --- | 3.6 |
| Suicide, 2004 | 45.0 | 2 | --- | --- | 27.1 | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 21.2 | 41 | 17.5 | 27 | 18.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Diabetes, 2004 | 17.8 | 53 | 15.5 | 52 | 14.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Fertility, 2003 | --- | --- | --- | --- | 71.7 | 90.6 | 81.0 | 136.1 | 81.0 | 79.5 | 18 of 54 | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 5.7 | --- | --- | --- | --- | 7.2 | 25 of 53 | --- | --- | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 9.9 | --- | --- | 9.3 | --- | 10.3 | 12 of 54 | --- | --- | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.2 | --- | --- | 19.5 | --- | 10.5 | 39 of 54 | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 10.9 | 10.1 | --- | 5.9 | --- | 9.5 | 19 of 44 | --- | --- | 1.0 |

| Health Indicator [†] | Gender | | | | Race/Ethnicity | | | | Total | | U.S. [‡] | | | |
|-----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|----------------|------------------------|----------------|--|----------------|--------------------|-------------------------------|----------------------|-------------------------------|
| | Male | | Female | | NHW alone or in combination [†] | | NHB alone [§] | | NHB alone or in combination [†] | | Rate/ [†] | | Percent [†] | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rate/ Pct.† | Rank [‡] | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] |
| HIV Prevalence, 2005 | 314.9 | 26 | 76.3 | 24 | 158.2 | 325.9 | 154.4 | 307.3 | 307.3 | 192.3 | 28 of 41 | --- | --- | --- |
| AIDS Prevalence, 2005 | 215.7 | 38 | 37.7 | 37 | 111.2 | 182.9 | 108.5 | 172.5 | 172.5 | 124.2 | 38 of 48 | --- | --- | --- |
| HIV Incidence, 2005 | 33.8 | 24 | 8.5 | 19 | 13.3 | 45.2 | 13.3 | 42.6 | 42.6 | 20.8 | 24 of 39 | --- | --- | --- |
| AIDS Incidence, 2005 | 21.4 | 31 | --- | --- | 7.8 | 24.9 | 7.6 | 23.5 | 23.5 | 11.9 | 32 of 47 | --- | --- | --- |
| PRIS Syphilis Incidence, 2005 | 21.7 | 11 | 5.7 | 6 | 10.7 | 26.0 | 10.5 | 24.6 | 24.6 | 13.5 | 10 of 32 | --- | --- | 0.2 |
| Chlamydia Incidence, 2005 | 292.0 | 25 | 857.2 | 21 | 133.2 | 931.4 | 130.0 | 878.2 | 878.2 | 589.2 | 22 of 43 | --- | --- | --- |
| Gonorrhea Incidence, 2005 | 373.3 | 13 | 410.8 | 9 | 86.4 | 824.3 | 84.3 | 777.2 | 777.2 | 293.3 | 20 of 43 | --- | --- | 19.0 |
| Tuberculosis Incidence, 2005 | 14.7 | 13 | 6.6 | 18 | --- | --- | --- | 21.3 | --- | --- | --- | --- | --- | 4.8 |
| Overall Mortality, 2004 | 1,340.7 | 11 | 859.6 | 13 | 996.8 | 1,314.8 | 986.9 | 1,277.7 | 1,277.7 | 1,051.0 | 12 of 54 | --- | --- | --- |
| Heart Disease Mortality, 2004 | 329.3 | 25 | 200.6 | 26 | 243.7 | 287.7 | 241.5 | 280.6 | 280.6 | 250.4 | 26 of 54 | --- | --- | --- |
| Cancer Mortality, 2004 | 336.4 | 5 | 194.1 | 12 | 238.1 | 307.2 | 235.9 | 299.9 | 299.9 | 247.4 | 7 of 54 | --- | --- | 158.6 |
| Lung Cancer Mortality, 2004 | 116.9 | 3 | 61.5 | 7 | 83.6 | 95.0 | 82.8 | 92.9 | 92.9 | 83.7 | 3 of 54 | --- | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 28.1 | 28 | 24.0 | 44.6 | 23.7 | 43.5 | 43.5 | 28.1 | 28 of 54 | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 12.8 | 43 | 5.2 | 28 | 8.7 | --- | 8.6 | --- | --- | 8.8 | 42 of 54 | --- | --- | 8.0 |
| Homicide, 2004 | 20.0 | 27 | --- | --- | 5.6 | --- | 5.5 | 29.1 | --- | 12.3 | 28 of 49 | --- | --- | 2.8 |
| F firearm-related Mortality, 2004 | 23.4 | 36 | --- | --- | 9.3 | 25.9 | 9.2 | 24.6 | --- | 13.1 | 37 of 53 | --- | --- | 3.6 |
| Suicide, 2004 | 17.3 | 34 | --- | --- | 11.6 | --- | 11.4 | --- | --- | 10.8 | 34 of 54 | --- | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 37.1 | 8 | 22.0 | 13 | 27.0 | 24.8 | 26.8 | 24.2 | 24.2 | 26.5 | 13 of 54 | --- | --- | --- |
| Diabetes, 2004 | 48.7 | 8 | 32.7 | 13 | 26.6 | 84.5 | 26.3 | 82.5 | 82.5 | 38.9 | 10 of 54 | --- | --- | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 46.0 | 83.5 | 45.1 | 79.6 | 79.6 | 57.9 | 48 of 54 | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.4 | --- | --- | --- | --- | 9.8 | 16 of 53 | --- | --- | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 8.2 | 13.6 | --- | --- | --- | 9.8 | 15 of 54 | --- | --- | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 9.6 | --- | --- | --- | --- | 11.7 | 29 of 54 | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 19.3 | 14.4 | --- | --- | --- | 15.7 | 6 of 44 | --- | --- | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Rank of cities for which data are available and denominator data used in rate or percent calculation is less than 20 or data not available.
 ††† Numerator data used in rate or percent calculation; indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 †††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ††††† For the Non-Hispanic (NHB) group specified above, § alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

DALLAS, TX*

| Health Indicator† | Gender | | | | | | Race/Ethnicity | | | | Total | U.S.‡ | | Year 2010 Goal Rate/ Percent‡ |
|----------------------------------|-------------------|-------|-------------------|-------|---------------------------------|------------|------------------------|---------------------------------|------------------------|-------------------|----------|-------|-------------------|--|
| | Male | | Female | | NHW alone or in combination‡ | NHW alone‡ | Hispanic Rate/Pct.† | NHW alone or in combination‡ | Hispanic Rate/Pct.† | Rate/ Percent† | | Rank‡ | Rate/ Percent‡ | |
| | Rate/ Percent† | Rank‡ | Rate/ Percent† | Rank‡ | | | | | | | | | | |
| HIV Prevalence, 2005 | 633.2 | 10 | 167.2 | 11 | 510.7 | 499.5 | 628.6 | 617.7 | 165.6 | 402.1 | 11 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 951.4 | 9 | 169.1 | 11 | 753.9 | 737.3 | 789.0 | 775.3 | 264.1 | 563.4 | 9 of 48 | --- | --- | |
| HIV Incidence, 2005 | 98.8 | 4 | 23.9 | 6 | 75.2 | 73.6 | 102.4 | 100.6 | 24.6 | 61.7 | 4 of 39 | --- | --- | |
| AIDS Incidence, 2005 | 76.5 | 7 | 19.0 | 11 | 49.9 | 48.8 | 76.1 | 74.8 | 30.1 | 48.0 | 8 of 47 | 13.7 | --- | |
| P&S Syphilis Incidence, 2005 | 16.2 | 16 | 5.4 | 27 | 6.1 | 6.0 | 29.9 | 29.3 | --- | 10.9 | 13 of 32 | 3.0 | 0.2 | |
| Chlamydia Incidence, 2005 | 179.1 | 38 | 712.9 | 7 | 65.5 | 64.0 | 857.9 | 843.0 | 381.2 | 444.3 | 33 of 43 | 332.5 | --- | |
| Gonorrhea Incidence, 2005 | 277.0 | 22 | 251.0 | 19 | 51.9 | 50.7 | 737.5 | 724.7 | 62.0 | 264.3 | 22 of 43 | 115.6 | 19.0 | |
| Tuberculosis Incidence, 2005 | 16.0 | 7 | 8.7 | 6 | 4.9 | 4.8 | 23.9 | 23.5 | 11.1 | 12.4 | 6 of 36 | 4.8 | 1.0 | |
| Overall Mortality, 2004 | 1,123.0 | 35 | 708.1 | 39 | 768.3 | 761.0 | 1,256.1 | 1,243.3 | 763.2 | 881.6 | 37 of 54 | 801.0 | --- | |
| Heart Disease Mortality, 2004 | 320.9 | 28 | 183.0 | 41 | 206.5 | 204.8 | 354.6 | 351.4 | 210.4 | 239.8 | 31 of 54 | 217.5 | --- | |
| Cancer Mortality, 2004 | 252.6 | 39 | 160.7 | 41 | 174.2 | 172.7 | 287.0 | 284.5 | 151.0 | 195.7 | 40 of 54 | 184.6 | 158.6 | |
| Lung Cancer Mortality, 2004 | 70.9 | 38 | 36.1 | 43 | 44.6 | 44.2 | 79.1 | 79.1 | 31.4 | 50.3 | 40 of 54 | 52.9 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.6 | 39 | 21.4 | 21.2 | 39.8 | 39.4 | --- | 24.6 | 39 of 54 | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 22.0 | 18 | 9.6 | 12 | 10.2 | 10.0 | 14.8 | 14.6 | 24.5 | 15.8 | 14 of 54 | 14.8 | 8.0 | |
| Homicide, 2004 | 26.9 | 14 | 5.4 | 5 | 5.3 | 5.2 | 32.1 | 31.6 | 15.5 | 16.1 | 14 of 49 | 5.6 | 2.8 | |
| Firearm-related Mortality, 2004 | 28.5 | 23 | 5.0 | 4 | 11.0 | 10.8 | 26.1 | 25.7 | 15.1 | 17.2 | 19 of 53 | 9.8 | 3.6 | |
| Suicide, 2004 | 15.5 | 40 | 5.2 | 12 | 14.6 | 14.4 | --- | --- | 6.6 | 10.3 | 38 of 54 | 10.7 | 4.8 | |
| HIV/AIDS Mortality, 2004 | 23.3 | 10 | 3.8 | 15 | 13.0 | 12.8 | 20.6 | 20.3 | 10.5 | 13.4 | 13 of 41 | 4.4 | 0.7 | |
| Pneumonia, 2004 | 24.6 | 29 | 11.1 | 50 | 14.1 | 14.0 | 25.3 | 25.0 | --- | 16.2 | 43 of 54 | 20.4 | --- | |
| Diabetes, 2004 | 28.9 | 40 | 22.9 | 36 | 14.3 | 14.2 | 54.4 | 53.9 | 34.4 | 25.2 | 39 of 54 | 24.4 | 46.0 | |
| Fertility, 2003 | --- | --- | --- | --- | 50.4 | 49.3 | 65.9 | 64.8 | 131.9 | 83.7 | 15 of 54 | 66.1 | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 5.9 | --- | 14.4 | --- | 6.7 | 8.1 | 20 of 53 | 6.8 | 4.5 | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.4 | --- | 14.2 | --- | 6.2 | 8.2 | 33 of 54 | 7.9 | 5.0 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 5.6 | --- | 21.0 | --- | 16.3 | 15.0 | 14 of 54 | 10.3 | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 7.2 | --- | 4.2 | --- | 0.8 | 2.8 | 39 of 44 | 10.7 | 1.0 | |

DENVER, CO*

| Health Indicator† | Gender | | | | | | Race/Ethnicity | | | | Total | U.S.‡ | | Year 2010 Goal Rate/ Percent‡ |
|----------------------------------|-------------------|-------|-------------------|-------|---------------------------------|------------|------------------------|---------------------------------|------------------------|-------------------|----------|-------|-------------------|--|
| | Male | | Female | | NHW alone or in combination‡ | NHW alone‡ | Hispanic Rate/Pct.† | NHW alone or in combination‡ | Hispanic Rate/Pct.† | Rate/ Percent† | | Rank‡ | Rate/ Percent‡ | |
| | Rate/ Percent† | Rank‡ | Rate/ Percent† | Rank‡ | | | | | | | | | | |
| HIV Prevalence, 2005 | 941.8 | 6 | 120.2 | 18 | 651.7 | 634.0 | 834.4 | 776.8 | 293.7 | 535.3 | 6 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 1,154.9 | 6 | 93.6 | 21 | 790.6 | 769.1 | 926.1 | 860.6 | 344.9 | 629.8 | 8 of 48 | --- | --- | |
| HIV Incidence, 2005 | 73.5 | 5 | 9.8 | 16 | 47.6 | 46.3 | 58.4 | 54.4 | 32.4 | 42.0 | 6 of 39 | --- | --- | |
| AIDS Incidence, 2005 | 52.1 | 14 | 8.0 | 18 | 28.8 | 28.0 | 46.7 | 43.5 | 29.0 | 30.3 | 16 of 47 | 13.7 | --- | |
| P&S Syphilis Incidence, 2005 | 12.1 | 18 | --- | --- | 6.9 | 6.8 | --- | --- | --- | 6.3 | 22 of 32 | 3.0 | 0.2 | |
| Chlamydia Incidence, 2005 | 640.6 | 3 | 1,143.1 | 10 | 183.0 | 178.0 | 1,435.2 | 1,336.0 | 972.7 | 889.2 | 9 of 43 | 332.5 | --- | |
| Gonorrhea Incidence, 2005 | 336.5 | 18 | 216.8 | 23 | 100.3 | 97.6 | 814.4 | 758.1 | 215.7 | 277.3 | 21 of 43 | 115.6 | 19.0 | |
| Tuberculosis Incidence, 2005 | 11.8 | 22 | --- | --- | --- | --- | --- | --- | 13.1 | 7.9 | 25 of 36 | 4.8 | 1.0 | |
| Overall Mortality, 2004 | 1,085.8 | 38 | 661.5 | 47 | 803.1 | 793.4 | 1,074.1 | 1,035.0 | 940.1 | 841.9 | 43 of 54 | 801.0 | --- | |
| Heart Disease Mortality, 2004 | 246.4 | 48 | 128.9 | 52 | 176.1 | 174.4 | 204.6 | 198.5 | 165.0 | 175.4 | 51 of 54 | 217.5 | --- | |
| Cancer Mortality, 2004 | 238.4 | 43 | 153.5 | 47 | 176.0 | 174.1 | 251.1 | 243.9 | 209.2 | 185.8 | 45 of 54 | 184.6 | 158.6 | |
| Lung Cancer Mortality, 2004 | 60.3 | 45 | 33.8 | 49 | 43.1 | 42.6 | 67.3 | 65.5 | 45.2 | 44.3 | 47 of 54 | 52.9 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 23.5 | 44 | 24.4 | 24.2 | --- | --- | --- | 23.5 | 44 of 54 | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 19.7 | 24 | --- | --- | 11.6 | 11.4 | --- | --- | 16.0 | 12.5 | 31 of 54 | 14.8 | 8.0 | |
| Homicide, 2004 | 21.7 | 25 | --- | --- | 9.1 | 8.8 | --- | --- | 19.1 | 14.2 | 20 of 49 | 5.6 | 2.8 | |
| Firearm-related Mortality, 2004 | 24.9 | 34 | --- | --- | 12.1 | 11.8 | --- | --- | 14.0 | 14.5 | 31 of 53 | 9.8 | 3.6 | |
| Suicide, 2004 | 23.4 | 13 | 10.0 | 5 | 21.5 | 21.1 | --- | --- | --- | 16.2 | 8 of 54 | 10.7 | 4.8 | |
| HIV/AIDS Mortality, 2004 | 19.1 | 16 | --- | --- | 10.9 | 10.8 | --- | --- | --- | 10.0 | 18 of 41 | 4.4 | 0.7 | |
| Pneumonia, 2004 | 24.6 | 29 | 19.5 | 19 | 23.6 | 23.4 | --- | --- | --- | 21.9 | 22 of 54 | 20.4 | --- | |
| Diabetes, 2004 | 29.2 | 39 | 13.7 | 51 | 14.9 | 14.8 | 51.3 | 49.8 | 32.6 | 21.5 | 49 of 54 | 24.4 | 46.0 | |
| Fertility, 2003 | --- | --- | --- | --- | 59.4 | 57.7 | 77.4 | 72.0 | 145.5 | 88.5 | 11 of 54 | 66.1 | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.9 | 29 of 53 | 6.8 | 4.5 | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 8.9 | --- | 17.3 | --- | 8.1 | 9.3 | 19 of 54 | 7.9 | 5.0 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 4.3 | --- | 17.0 | --- | 17.4 | 12.3 | 25 of 54 | 10.3 | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 8.7 | --- | 11.7 | --- | 5.3 | 7.0 | 22 of 44 | 10.7 | 1.0 | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 †††† For the Non-Hispanic (NHW) group specified above, \$alone represents the population that indicated being only of that race; \$alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

DETROIT, MI*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------|-----------------------------------|------------|--|------------|---------------------------|-------------------|--------------------------------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] | | Hispanic Rate/Pct.† | | U.S. Rate/Percent [‡] | |
| | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rank [‡] | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Year 2010 Goal Rate/Percent [‡] |
| HIV Prevalence, 2005 | 418.2 | 27 | 138.6 | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | 179.4 | 202.2 | 295.6 | --- | 291.5 | 148.4 | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 46.2 | 18 | 14.3 | 14 | --- | --- | 32.4 | --- | 31.9 | --- | --- | 29.3 | 18 of 47 | 13.7 |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 |
| Overall Mortality, 2004 | 1,407.7 | 9 | 885.3 | 10 | 916.7 | 966.3 | 1,176.6 | --- | 1,165.4 | 780.7 | --- | --- | --- | 4.8 |
| Heart Disease Mortality, 2004 | 458.6 | 5 | 307.0 | 2 | 331.2 | 331.2 | 394.5 | --- | 391.1 | 252.3 | --- | --- | --- | 801.0 |
| Cancer Mortality, 2004 | 306.2 | 10 | 182.4 | 21 | 200.2 | 200.2 | 247.1 | --- | 244.8 | 157.2 | --- | --- | --- | 217.5 |
| Lung Cancer Mortality, 2004 | 95.8 | 13 | 47.4 | 25 | 61.1 | 61.1 | 71.2 | --- | 70.5 | 47.2 | --- | --- | --- | 184.6 |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | 58.2 | 58.2 | 34.4 | --- | 34.1 | --- | --- | --- | --- | 52.9 |
| Motor Vehicle Injury Mort., 2004 | 23.2 | 15 | 6.9 | 24 | --- | --- | 14.2 | --- | 14.0 | --- | --- | --- | --- | 21.3 |
| Homicide, 2004 | 68.5 | 3 | 8.9 | 2 | --- | --- | 41.7 | --- | 41.2 | --- | --- | --- | --- | 14.8 |
| Firearm-related Mortality, 2004 | 64.0 | 3 | 6.7 | 3 | --- | --- | 38.2 | --- | 37.8 | --- | --- | --- | --- | 5.6 |
| Suicide, 2004 | 10.8 | 50 | --- | --- | --- | --- | 5.4 | --- | 5.3 | --- | --- | --- | --- | 9.8 |
| HIV/AIDS Mortality, 2004 | 16.9 | 19 | 7.7 | 12 | --- | --- | 13.7 | --- | 13.5 | --- | --- | --- | --- | 10.7 |
| Pneumonia, 2004 | 29.8 | 19 | 18.7 | 21 | 18.8 | 19.6 | 24.1 | --- | 23.9 | --- | --- | --- | --- | 4.4 |
| Diabetes, 2004 | 36.7 | 23 | 29.2 | 18 | 22.5 | 23.6 | 36.6 | --- | 36.2 | --- | --- | --- | --- | 20.4 |
| Fertility, 2003 | --- | --- | --- | --- | 60.8 | 70.7 | 61.6 | --- | 60.8 | 128.9 | --- | --- | --- | 24.4 |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | 18.1 | --- | --- | --- | --- | --- | --- | 66.1 |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | 10.9 | --- | --- | --- | --- | --- | --- | 6.8 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | 12.8 | --- | --- | --- | --- | --- | --- | 7.9 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | 14.5 | --- | --- | --- | --- | --- | --- | 10.3 |

EL PASO, TX*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------|-----------------------------------|------------|--|------------|---------------------------|-------------------|--------------------------------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] | | Hispanic Rate/Pct.† | | U.S. Rate/Percent [‡] | |
| | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Rank [‡] | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Pct.† | Rate/Percent [‡] | Rank [‡] | Rate/Percent [‡] | Year 2010 Goal Rate/Percent [‡] |
| HIV Prevalence, 2005 | 19.1 | 41 | 672.3 | 29 | 137.4 | 142.1 | 596.1 | --- | 550.7 | 451.1 | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 16.8 | 48 | 54.4 | 41 | 27.1 | 28.0 | 336.1 | --- | 310.5 | 40.1 | --- | --- | --- | 19.0 |
| HIV Incidence, 2005 | 19.4 | 33 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 |
| AIDS Incidence, 2005 | 19.4 | 32 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.0 |
| Chlamydia Incidence, 2005 | 128.5 | 41 | 697.5 | 41 | 939.2 | 954.2 | 1,175.8 | --- | 1,148.5 | 811.4 | --- | --- | --- | 8.0 |
| Gonorrhea Incidence, 2005 | 47.8 | 42 | 166.8 | 41 | 246.8 | 250.2 | 326.8 | --- | 321.7 | 193.4 | --- | --- | --- | 13.7 |
| Tuberculosis Incidence 2005 | 1,079.3 | 40 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 |
| Overall Mortality, 2004 | 279.5 | 41 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Heart Disease Mortality, 2004 | 227.8 | 46 | 155.5 | 45 | 206.1 | 209.3 | 278.0 | --- | 271.4 | 173.1 | --- | --- | --- | 0.2 |
| Cancer Mortality, 2004 | 42.0 | 54 | 27.7 | 53 | 48.9 | 49.6 | 49.6 | --- | --- | --- | --- | --- | --- | --- |
| Lung Cancer Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | 39.4 | 40.1 | --- | --- | --- | --- | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 22.1 | 17 | 9.0 | 17 | 18.3 | 18.9 | --- | --- | --- | --- | --- | --- | --- | 158.6 |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 52.9 |
| Firearm-related Mortality, 2004 | 10.2 | 50 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.3 |
| Suicide, 2004 | 16.6 | 37 | --- | --- | 15.7 | 16.1 | --- | --- | --- | --- | --- | --- | --- | 14.8 |
| HIV/AIDS Mortality, 2004 | 11.0 | 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.6 |
| Pneumonia, 2004 | 19.3 | 45 | 15.7 | 32 | 20.2 | 20.6 | --- | --- | --- | --- | --- | --- | --- | 10.7 |
| Diabetes, 2004 | 57.5 | 2 | 38.3 | 4 | 29.1 | 29.5 | --- | --- | --- | --- | --- | --- | --- | 4.4 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.4 |
| Infant Mortality, 2003 | --- | --- | --- | --- | 53.4 | 55.4 | 69.9 | --- | 65.0 | 110.0 | --- | --- | --- | 24.4 |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 66.1 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.8 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.9 |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 § Numerator data used in rate or percent calculation is less than 20 or data not available.
 ¶ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures; Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 For the Non-Hispanic (NHB) group specified above, §alone represents the population that indicated being only of that race; ¶alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

FORT WORTH, TX*

| Health Indicator [‡] | Gender | | | Race/Ethnicity | | | Total | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|--|---|---|-------------------------------|--|--|------------------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | | NHB alone or in combination [‡] | | | | Hispanic Rate/Pct. [†] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Rate/ Percent [†] | | | |
| HIV Prevalence, 2005 | 370.5 | 22 | 155.0 | 14 | 191.9 | 187.7 | 630.9 | 617.1 | 138.0 | 261.3 | 20 of 41 | --- |
| AIDS Prevalence, 2005 | 803.9 | 12 | 175.7 | 10 | 515.6 | 504.4 | 934.7 | 914.3 | 195.8 | 485.5 | 10 of 48 | --- |
| HIV Incidence, 2005 | 57.3 | 8 | 17.7 | 10 | 24.9 | 24.4 | 84.1 | 82.3 | 27.0 | 37.2 | 9 of 39 | --- |
| AIDS Incidence, 2005 | 25.8 | 26 | --- | --- | --- | --- | --- | --- | --- | 15.5 | 25 of 47 | --- |
| PRS Syphilis Incidence, 2005 | 11.8 | 20 | 10.0 | 4 | --- | --- | --- | --- | --- | 10.8 | 16 of 32 | 3.0 |
| Chlamydia Incidence, 2005 | 212.7 | 34 | 948.1 | 14 | 191.0 | 186.9 | 1,417.0 | 1,386.0 | 560.3 | 585.6 | 23 of 43 | --- |
| Gonorrhea Incidence, 2005 | 343.9 | 17 | 328.4 | 3 | 83.3 | 81.5 | 1,274.0 | 1,246.1 | 85.3 | 336.3 | 13 of 43 | 115.6 |
| Tuberculosis Incidence 2005 | 20.9 | 3 | 9.6 | 4 | --- | --- | --- | --- | --- | 15.1 | 3 of 36 | 4.8 |
| Overall Mortality, 2004 | 1,241.1 | 19 | 781.2 | 28 | 919.0 | 909.8 | 1,286.8 | 1,274.0 | 850.1 | 969.2 | 23 of 54 | 801.0 |
| Heart Disease Mortality, 2004 | 356.0 | 15 | 210.4 | 21 | 264.2 | 261.9 | 351.8 | 348.8 | 199.8 | 272.0 | 16 of 54 | 217.5 |
| Cancer Mortality, 2004 | 294.4 | 17 | 175.2 | 27 | 209.3 | 207.2 | 307.9 | 305.4 | 212.7 | 222.0 | 21 of 54 | 184.6 |
| Lung Cancer Mortality, 2004 | 90.1 | 20 | 47.4 | 25 | 67.5 | 66.8 | 88.0 | 87.3 | --- | 65.1 | 23 of 54 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 28.4 | 26 | 24.4 | 24.1 | --- | --- | --- | 28.4 | 26 of 54 | --- |
| Motor Vehicle Injury Mort., 2004 | 25.4 | 12 | --- | --- | 13.0 | 12.8 | --- | --- | 26.1 | 15.1 | 17 of 54 | 14.8 |
| Homicide, 2004 | 14.4 | 38 | --- | --- | --- | 19.4 | --- | --- | --- | 9.8 | 34 of 49 | 5.6 |
| Firmair-related Mortality, 2004 | 17.5 | 43 | --- | --- | 9.5 | 9.4 | 18.4 | 18.1 | --- | 11.3 | 39 of 53 | 9.8 |
| Suicide, 2004 | 16.0 | 38 | --- | --- | 16.4 | 16.1 | --- | --- | --- | 10.9 | 32 of 54 | 10.7 |
| HIV/AIDS Mortality, 2004 | 14.7 | 22 | --- | --- | --- | --- | 27.8 | 27.5 | --- | 9.6 | 22 of 41 | 4.4 |
| Pneumonia, 2004 | 25.1 | 28 | 11.3 | 49 | 15.6 | 15.5 | --- | --- | --- | 15.9 | 47 of 54 | 20.4 |
| Diabetes, 2004 | 38.0 | 19 | 33.7 | 11 | 27.7 | 27.4 | 58.5 | 58.0 | 62.2 | 35.0 | 14 of 54 | 24.4 |
| Fertility, 2003 | --- | --- | --- | --- | 68.3 | 67.9 | 78.4 | 77.1 | 139.8 | 91.8 | 9 of 54 | 66.1 |
| Infant Mortality, 2003 | --- | --- | --- | --- | 7.4 | 7.4 | --- | --- | 6.2 | 8.8 | 18 of 53 | 6.8 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.3 | 7.3 | 14.8 | 14.8 | 6.7 | 8.4 | 28 of 54 | 7.9 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.7 | 7.7 | 21.5 | 21.5 | 17.7 | 14.7 | 15 of 54 | 10.3 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 8.4 | 8.4 | 4.6 | 4.6 | 1.6 | 4.4 | 32 of 44 | 10.7 |

FRESNO, CA (FRESNO COUNTY) *

| Health Indicator [‡] | Gender | | | Race/Ethnicity | | | Total | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|--|---|---|-------------------------------|--|--|------------------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | | NHB alone or in combination [‡] | | | | Hispanic Rate/Pct. [†] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Rate/ Percent [†] | | | |
| HIV Prevalence, 2005 | 127.8 | 37 | 40.9 | 35 | 77.2 | 74.0 | 357.4 | 331.4 | 65.1 | 84.4 | 36 of 41 | --- |
| AIDS Prevalence, 2005 | 127.1 | 45 | 30.1 | 41 | 70.2 | 67.4 | 325.1 | 301.5 | 73.4 | 78.7 | 45 of 48 | --- |
| HIV Incidence, 2005 | 9.0 | 38 | --- | --- | --- | --- | --- | --- | 6.3 | 5.8 | 38 of 39 | --- |
| AIDS Incidence, 2005 | 9.7 | 43 | --- | --- | --- | --- | --- | --- | 6.3 | 6.0 | 44 of 47 | --- |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 |
| Chlamydia Incidence, 2005 | 305.6 | 24 | 907.9 | 17 | 158.4 | 151.9 | 1,511.5 | 1,401.5 | 735.7 | 607.5 | 19 of 43 | --- |
| Gonorrhea Incidence, 2005 | 149.1 | 32 | 175.5 | 7 | 52.6 | 50.4 | 704.9 | 653.6 | 157.3 | 162.6 | 29 of 43 | 115.6 |
| Tuberculosis Incidence 2005 | 9.0 | 26 | 8.3 | 27 | --- | --- | --- | --- | 11.4 | 8.6 | 23 of 36 | 4.8 |
| Overall Mortality, 2004 | 1,427.7 | 8 | 929.0 | 5 | 1,190.8 | 1,164.4 | 1,390.4 | 1,348.4 | 1,006.2 | 1,135.0 | 6 of 54 | 801.0 |
| Heart Disease Mortality, 2004 | 396.8 | 8 | 238.1 | 9 | 323.8 | 317.8 | 396.0 | 386.8 | 242.9 | 301.0 | 8 of 54 | 217.5 |
| Cancer Mortality, 2004 | 299.1 | 13 | 213.6 | 5 | 267.5 | 262.1 | 340.5 | 331.0 | 183.3 | 246.0 | 8 of 54 | 184.6 |
| Lung Cancer Mortality, 2004 | 78.2 | 31 | 58.1 | 8 | 79.2 | 77.6 | --- | --- | 36.8 | 66.2 | 21 of 54 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 30.7 | 14 | 34.9 | 34.2 | --- | --- | --- | 30.7 | 14 of 54 | --- |
| Motor Vehicle Injury Mort., 2004 | 30.6 | 5 | 14.1 | 3 | 22.6 | 21.7 | --- | --- | 22.0 | 22.4 | 5 of 54 | 14.8 |
| Homicide, 2004 | 15.4 | 33 | --- | --- | --- | --- | --- | --- | 14.2 | 12.0 | 30 of 49 | 5.6 |
| Firmair-related Mortality, 2004 | 28.3 | 24 | --- | --- | 13.9 | 13.5 | --- | --- | 14.6 | 17.4 | 18 of 53 | 9.8 |
| Suicide, 2004 | 27.4 | 8 | --- | --- | 23.5 | 22.6 | --- | --- | --- | 14.8 | 13 of 54 | 10.7 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 42.3 | 5 | 30.5 | 3 | 36.8 | 36.2 | --- | --- | 35.0 | 34.7 | 5 of 54 | 20.4 |
| Diabetes, 2004 | 51.3 | 7 | 34.2 | 9 | 30.1 | 29.5 | --- | --- | 74.3 | 41.2 | 5 of 54 | 24.4 |
| Fertility, 2003 | --- | --- | --- | --- | 69.3 | 66.1 | 95.7 | 90.9 | 134.5 | 101.5 | 5 of 54 | 66.1 |
| Infant Mortality, 2003 | --- | --- | --- | --- | 9.3 | 9.3 | --- | --- | 5.8 | 7.0 | 27 of 53 | 6.8 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.6 | 6.6 | --- | --- | 6.4 | 7.1 | 46 of 54 | 7.9 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.7 | 7.7 | --- | --- | 17.3 | 15.5 | 11 of 54 | 10.3 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 § Rank of cities for which data are available and denominator data used in rate or percent calculation is less than 20 or data not available.
 ¶ M morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 For the Non-Hispanic (NHB) group specified above, §alone represents the population that indicated being only of that race; ¶alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

HONOLULU, HI (HONOLULU COUNTY)*

| Health Indicator* | Gender | | | | Race/Ethnicity | | | | Total | U.S. % Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|----------------------|--|--|-------|----------------------------------|--|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | | | | Rate/Percent [†] | Rank [§] |
| | Rate/Percent [†] | Rank [§] | Rate/Percent [†] | Rank [§] | NHW alone Rate/Pct.† | NHB alone Rate/Pct.† | NHW alone or in combination Rate/Pct.† | NHB alone or in combination Rate/Pct.† | | | | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| AIDS Prevalence, 2005 | 151.0 | 43 | 18.6 | 45 | --- | --- | --- | --- | 85.1 | 44 of 48 | --- | | |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| AIDS Incidence, 2005 | 9.1 | 44 | --- | --- | --- | --- | --- | --- | 5.3 | 45 of 47 | 13.7 | | |
| P&S Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | | |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 | | |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 | | |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 | | |
| Overall Mortality, 2004 | 817.9 | 54 | 547.8 | 53 | 749.7 | 1,349.9 | 852.7 | 1,570.6 | 669.9 | 54 of 54 | 801.0 | | |
| Heart Disease Mortality, 2004 | 233.4 | 51 | 132.5 | 50 | 164.2 | 1,399.7 | 507.4 | 507.4 | 177.5 | 49 of 54 | 217.5 | | |
| Cancer Mortality, 2004 | 191.5 | 54 | 119.9 | 54 | 166.1 | 1,399.7 | 253.0 | 253.0 | 150.9 | 54 of 54 | 184.6 | | |
| Lung Cancer Mortality, 2004 | 50.8 | 53 | 26.9 | 54 | 40.7 | 34.5 | --- | --- | 37.4 | 53 of 54 | 43.3 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Motor Vehicle Injury Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Firearm-related Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Suicide, 2004 | 13.5 | 46 | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | | |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Pneumonia, 2004 | 21.1 | 42 | 14.6 | 37 | --- | --- | --- | --- | --- | --- | 4.4 | | |
| Diabetes, 2004 | 17.2 | 54 | 10.3 | 54 | --- | --- | --- | --- | --- | --- | 20.4 | | |
| Fertility, 2003 | --- | --- | --- | --- | 74.6 | 106.0 | 80.5 | 111.7 | 13.5 | 37 of 54 | 24.4 | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | 63.6 | 41 of 54 | 66.1 | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.4 | 15.3 | --- | 7.3 | 8.0 | 21 of 53 | 6.8 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 3.6 | --- | --- | 9.8 | 8.6 | 26 of 54 | 7.9 | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 3.9 | --- | --- | 7.8 | 5.2 | 52 of 54 | 10.3 | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.1 | 33 of 44 | 10.7 | | |

HOUSTON, TX*

| Health Indicator* | Gender | | | | Race/Ethnicity | | | | Total | U.S. % Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|----------------------|--|--|-------|----------------------------------|--|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | | | | Rate/Percent [†] | Rank [§] |
| | Rate/Percent [†] | Rank [§] | Rate/Percent [†] | Rank [§] | NHW alone Rate/Pct.† | NHB alone Rate/Pct.† | NHW alone or in combination Rate/Pct.† | NHB alone or in combination Rate/Pct.† | | | | | |
| HIV Prevalence, 2005 | 473.2 | 17 | 219.7 | 7 | 282.5 | 274.9 | 772.6 | 760.9 | 346.3 | 15 of 41 | --- | | |
| AIDS Prevalence, 2005 | 740.9 | 13 | 215.0 | 7 | 475.5 | 462.7 | 907.0 | 893.3 | 477.6 | 12 of 48 | --- | | |
| HIV Incidence, 2005 | --- | --- | 20.8 | 7 | 22.6 | 22.0 | 77.1 | 75.9 | 36.7 | 11 of 39 | --- | | |
| AIDS Incidence, 2005 | 56.1 | 12 | 24.6 | 7 | 20.6 | 20.0 | 91.4 | 90.0 | 40.3 | 10 of 47 | --- | | |
| P&S Syphilis Incidence, 2005 | 19.3 | 14 | 4.3 | 9 | 11.1 | 20.9 | 20.9 | 20.6 | 11.8 | 11 of 32 | 0.2 | | |
| Chlamydia Incidence, 2005 | 147.5 | 40 | 814.9 | 23 | 107.3 | 104.4 | 866.0 | 853.0 | 481.6 | 29 of 43 | --- | | |
| Gonorrhea Incidence, 2005 | 176.6 | 26 | 227.9 | 21 | 31.1 | 30.2 | 554.3 | 545.9 | 202.3 | 23 of 43 | 115.6 | | |
| Tuberculosis Incidence, 2005 | 17.7 | 5 | 7.2 | 14 | 5.0 | 4.9 | 19.7 | 19.4 | 12.4 | 6 of 36 | 4.8 | | |
| Overall Mortality, 2004 | 1,235.0 | 20 | 822.7 | 16 | 916.3 | 904.6 | 1,318.6 | 1,305.7 | 997.9 | 18 of 54 | 801.0 | | |
| Heart Disease Mortality, 2004 | 356.2 | 14 | 216.3 | 16 | 252.1 | 249.4 | 369.8 | 366.5 | 273.2 | 15 of 54 | 217.5 | | |
| Cancer Mortality, 2004 | 283.2 | 21 | 173.1 | 33 | 209.4 | 206.9 | 285.8 | 283.2 | 217.3 | 23 of 54 | 184.6 | | |
| Lung Cancer Mortality, 2004 | 81.4 | 27 | 42.5 | 32 | 61.0 | 60.3 | 79.9 | 79.2 | 32.9 | 30 of 54 | 52.9 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.9 | 18 | 28.8 | 28.4 | 41.3 | 40.9 | 29.9 | 18 of 54 | --- | | |
| Motor Vehicle Injury Mort., 2004 | 24.9 | 14 | 7.9 | 20 | 14.2 | 13.8 | 15.4 | 15.2 | 16.1 | 13 of 54 | 14.8 | | |
| Homicide, 2004 | 23.5 | 21 | 4.2 | 10 | 5.1 | 4.9 | 26.2 | 25.8 | 14.0 | 21 of 49 | 5.6 | | |
| Firearm-related Mortality, 2004 | 29.5 | 20 | 4.8 | 6 | 13.8 | 13.5 | 23.0 | 22.7 | 17.0 | 20 of 53 | 3.6 | | |
| Suicide, 2004 | 17.9 | 32 | 6.5 | 10 | 20.2 | 19.8 | 4.7 | 4.6 | 12.0 | 30 of 54 | 4.8 | | |
| HIV/AIDS Mortality, 2004 | 20.4 | 14 | 8.0 | 10 | 6.5 | 6.3 | 38.3 | 37.9 | 14.1 | 11 of 41 | 0.7 | | |
| Pneumonia, 2004 | 22.9 | 35 | 18.0 | 26 | 15.6 | 15.5 | 31.9 | 31.6 | 20.0 | 28 of 54 | --- | | |
| Diabetes, 2004 | 33.5 | 29 | 30.5 | 17 | 18.9 | 18.7 | 51.6 | 51.2 | 31.9 | 20 of 54 | 24.4 | | |
| Fertility, 2003 | --- | --- | --- | --- | 60.1 | 58.5 | 76.2 | 75.1 | 97.7 | 7 of 54 | 66.1 | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 7.0 | --- | --- | --- | 6.9 | 29 of 53 | 6.8 | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.4 | --- | --- | --- | 8.2 | 33 of 54 | 7.9 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 6.1 | --- | --- | --- | 13.0 | 23 of 54 | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 6.2 | --- | 3.9 | 0.7 | 2.3 | 41 of 44 | 10.7 | | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 For the Non-Hispanic (NHW) group specified above, \$ alone represents the population that indicated being only of that race; € alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

INDIANAPOLIS, IN (MARION COUNTY) *

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | U.S. ‡ Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|---|--|--|--|---|---------|-------------------------|---|--|-------------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct. † | | NHW alone or in combination [‡] | | Hispanic Rate/Pct. † | | | Rate/ Percent [†] | Rank [‡] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. † | NHB alone or in combination [‡] Rate/Pct. † | NHW alone or in combination [‡] Rate/Pct. † | NHB alone or in combination [‡] Rate/Pct. † | | | | | | | |
| HIV Prevalence, 2005 | 261.3 | 29 | 64.6 | 27 | 122.0 | 280.1 | 271.2 | 159.2 | 29 of 41 | 159.7 | --- | --- | --- | | |
| AIDS Prevalence, 2005 | 385.8 | 28 | 65.2 | 28 | 166.6 | 380.7 | 368.7 | 249.3 | 29 of 48 | 220.2 | --- | --- | --- | | |
| HIV Incidence, 2005 | 24.0 | 29 | 6.5 | 23 | 7.8 | 34.3 | 92.4 | --- | 30 of 39 | 15.0 | --- | --- | --- | | |
| AIDS Incidence, 2005 | 27.4 | 23 | 6.7 | 19 | 11.8 | 29.0 | 28.1 | --- | 23 of 47 | 16.7 | 13.7 | --- | --- | | |
| PRIS Syphilis Incidence, 2005 | 6.7 | 29 | --- | --- | --- | --- | --- | --- | 32 of 32 | 3.6 | 3.0 | --- | 0.2 | | |
| Chlamydia Incidence, 2005 | 490.9 | 8 | 1,162.5 | 9 | 291.4 | 2,144.0 | 2,076.2 | 1,297.7 | 10 of 43 | 840.0 | 332.5 | --- | --- | | |
| Gonorrhea Incidence, 2005 | 442.8 | 9 | 465.3 | 6 | 1,114.6 | 1,388.4 | 1,344.5 | 252.3 | 7 of 43 | 455.1 | 115.6 | --- | 19.0 | | |
| Tuberculosis Incidence 2005 | 6.7 | 31 | --- | --- | --- | --- | --- | --- | 33 of 36 | 5.2 | 4.8 | --- | 1.0 | | |
| Overall Mortality, 2004 | 1,272.3 | 16 | 832.3 | 15 | 974.8 | 1,170.6 | 1,154.1 | 631.7 | 15 of 54 | 1,009.1 | 801.0 | --- | --- | | |
| Heart Disease Mortality, 2004 | 321.0 | 27 | 185.0 | 32 | 230.3 | 288.0 | 284.7 | --- | 33 of 54 | 238.6 | 217.5 | --- | --- | | |
| Cancer Mortality, 2004 | 298.1 | 15 | 193.6 | 13 | 226.9 | 274.5 | 271.5 | --- | 13 of 54 | 233.4 | 184.6 | --- | 158.6 | | |
| Lung Cancer Mortality, 2004 | 99.2 | 11 | 62.4 | 5 | 76.1 | 90.4 | 89.4 | --- | 6 of 54 | 77.6 | 52.9 | --- | 43.3 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 20.1 | 52 | 20.0 | 19.9 | --- | --- | 52 of 54 | 20.1 | --- | --- | 21.3 | | |
| Motor Vehicle Injury Mort., 2004 | 21.5 | 21 | 7.0 | 22 | 13.5 | 13.6 | 13.3 | --- | 26 of 54 | 13.6 | 14.8 | --- | 8.0 | | |
| Homicide, 2004 | 29.0 | 26 | 4.7 | 9 | 4.9 | 33.2 | 32.5 | --- | 26 of 49 | 12.7 | 5.6 | --- | 2.8 | | |
| Firearm-related Mortality, 2004 | 209.0 | 22 | 4.9 | 5 | 11.1 | 27.9 | 27.3 | --- | 24 of 53 | 16.2 | 9.8 | --- | 3.6 | | |
| Suicide, 2004 | 18.5 | 29 | 8.6 | 6 | 15.9 | --- | --- | --- | 23 of 54 | 12.9 | 10.7 | --- | 4.8 | | |
| HIV/AIDS Mortality, 2004 | 9.7 | 33 | --- | --- | --- | 14.9 | 14.7 | --- | 35 of 41 | 5.5 | 4.4 | --- | 0.7 | | |
| Pneumonia, 2004 | 20.7 | 43 | 18.5 | 24 | 20.3 | --- | --- | --- | 30 of 54 | 19.3 | 20.4 | --- | --- | | |
| Diabetes, 2004 | 38.1 | 18 | 23.1 | 35 | 24.3 | 49.9 | 49.4 | --- | 28 of 54 | 28.9 | 24.4 | --- | 46.0 | | |
| Fertility, 2003 | --- | --- | --- | --- | 66.0 | 80.3 | 78.6 | 237.6 | 22 of 54 | 76.2 | 66.1 | --- | --- | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 7.9 | 15.4 | 9.4 | --- | 17 of 53 | 9.4 | 6.8 | --- | 4.5 | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.9 | 12.5 | --- | 4.7 | 25 of 54 | 8.8 | 7.9 | --- | 5.0 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 10.3 | 20.3 | --- | 12.2 | 22 of 54 | 13.1 | 10.3 | --- | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 23.2 | 14.5 | --- | 1.2 | 3 of 44 | 17.6 | 10.7 | --- | 1.0 | | |

JACKSONVILLE, FL *

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | U.S. ‡ Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|---|--|--|--|---|---------|-------------------------|---|--|-------------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct. † | | NHW alone or in combination [‡] | | Hispanic Rate/Pct. † | | | Rate/ Percent [†] | Rank [‡] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. † | NHB alone or in combination [‡] Rate/Pct. † | NHW alone or in combination [‡] Rate/Pct. † | NHB alone or in combination [‡] Rate/Pct. † | | | | | | | |
| HIV Prevalence, 2005 | 241.7 | 30 | 168.5 | 10 | 79.1 | 511.7 | 501.7 | 104.6 | 25 of 41 | 203.9 | --- | --- | --- | | |
| AIDS Prevalence, 2005 | 458.6 | 23 | 210.4 | 8 | 160.4 | 751.7 | 736.9 | 232.1 | 18 of 48 | 330.6 | --- | --- | --- | | |
| HIV Incidence, 2005 | 47.2 | 16 | 27.7 | 4 | 13.1 | 94.2 | 92.4 | --- | 10 of 39 | 37.1 | --- | --- | --- | | |
| AIDS Incidence, 2005 | 51.4 | 15 | 22.1 | 10 | 15.1 | 84.7 | 83.1 | --- | 13 of 47 | 36.3 | 13.7 | --- | --- | | |
| PRIS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | 21 of 32 | 6.7 | 3.0 | --- | 0.2 | | |
| Chlamydia Incidence, 2005 | 312.7 | 21 | 925.6 | 15 | 229.5 | 1,465.1 | 1,436.3 | 552.4 | 17 of 43 | 628.7 | 332.5 | --- | --- | | |
| Gonorrhea Incidence, 2005 | 347.8 | 15 | 291.0 | 17 | 78.3 | 873.4 | 856.2 | 127.5 | 15 of 43 | 318.5 | 115.6 | --- | 19.0 | | |
| Tuberculosis Incidence 2005 | 15.4 | 11 | 6.9 | 16 | 22.7 | 22.7 | 22.3 | --- | 12 of 36 | 11.0 | 4.8 | --- | 1.0 | | |
| Overall Mortality, 2004 | 1,295.7 | 14 | 894.9 | 7 | 1,042.5 | 1,216.2 | 1,203.1 | 775.1 | 11 of 54 | 1,061.2 | 801.0 | --- | --- | | |
| Heart Disease Mortality, 2004 | 334.1 | 24 | 211.7 | 20 | 262.4 | 289.3 | 286.4 | --- | 22 of 54 | 262.3 | 217.5 | --- | --- | | |
| Cancer Mortality, 2004 | 304.4 | 12 | 201.1 | 9 | 243.6 | 253.5 | 251.3 | 216.4 | 10 of 54 | 240.7 | 184.6 | --- | 158.6 | | |
| Lung Cancer Mortality, 2004 | 98.4 | 12 | 57.2 | 12 | 78.7 | 63.4 | 62.9 | --- | 10 of 54 | 73.6 | 52.9 | --- | 43.3 | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 30.6 | 16 | 28.7 | 40.2 | 39.8 | --- | 16 of 54 | 30.6 | --- | --- | 21.3 | | |
| Motor Vehicle Injury Mort., 2004 | 27.0 | 9 | 13.0 | 5 | 20.3 | 18.2 | 18.0 | --- | 7 of 54 | 19.6 | 14.8 | --- | 8.0 | | |
| Homicide, 2004 | 23.7 | 20 | 5.4 | 5 | 6.1 | 34.2 | 33.6 | --- | 19 of 49 | 14.3 | 9.8 | --- | 2.8 | | |
| Firearm-related Mortality, 2004 | 33.3 | 16 | --- | --- | 14.3 | 27.8 | 27.4 | --- | 17 of 53 | 18.1 | 5.6 | --- | 3.6 | | |
| Suicide, 2004 | 28.1 | 7 | 5.9 | 11 | 20.2 | --- | --- | --- | 9 of 54 | 15.6 | 10.7 | --- | 4.8 | | |
| HIV/AIDS Mortality, 2004 | 14.5 | 23 | 7.8 | 11 | --- | 35.9 | 35.5 | --- | 16 of 41 | 11.0 | 4.4 | --- | 0.7 | | |
| Pneumonia, 2004 | 34.5 | 13 | 22.9 | 10 | 25.8 | 33.2 | 32.8 | --- | 13 of 54 | 26.5 | 20.4 | --- | --- | | |
| Diabetes, 2004 | 39.2 | 16 | 34.5 | 8 | 29.9 | 65.9 | 65.3 | --- | 12 of 54 | 37.1 | 24.4 | --- | 46.0 | | |
| Fertility, 2003 | --- | --- | --- | --- | 60.6 | 79.2 | 78.1 | 98.1 | 34 of 54 | 68.2 | 66.1 | --- | --- | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 7.3 | 16.2 | --- | --- | 13 of 53 | 10.2 | 6.8 | --- | 4.5 | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.7 | 13.4 | --- | 6.9 | 15 of 54 | 9.8 | 7.9 | --- | 5.0 | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 9.2 | 19.1 | --- | 12.1 | 24 of 54 | 12.7 | 10.3 | --- | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 14.4 | 4.6 | --- | 4.5 | 18 of 44 | 9.6 | 10.7 | --- | 1.0 | | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Rank of cities for which data are available and numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Numerator data used in rate or percent calculation; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures; Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 †††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures; Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ††††† For the Non-Hispanic (NHW) group specified above, §Alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

| Health Indicator* | Gender | | | | Race/Ethnicity | | | | Total | | U.S.† | |
|----------------------------------|---------------|-------|---------------|-------|---|---|------------------------------|------------------------------|---------------|----------|---------------|-------|
| | Male | | Female | | NHW alone or in combination† | | NHB alone or in combination† | | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ |
| | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ | NHW alone or in combination† Rate/Pct.† | NHB alone or in combination† Rate/Pct.† | Hispanic Rate/Pct.† | Year 2010 Goal Rate/Percent† | | | | |
| HIV Prevalence, 2005 | 968.8 | 5 | 136.6 | 15 | 486.5 | 474.9 | 723.8 | 701.9 | 538.3 | 5 of 41 | --- | --- |
| AIDS Prevalence, 2005 | 533.9 | 19 | 64.4 | 29 | 276.3 | 269.7 | 365.9 | 354.9 | 291.0 | 22 of 48 | --- | --- |
| HIV Incidence, 2005 | 51.1 | 14 | 9.6 | 17 | 25.2 | 24.6 | 42.4 | 41.1 | 29.7 | 16 of 39 | --- | --- |
| AIDS Incidence, 2005 | 24.4 | 29 | --- | --- | 9.4 | 9.2 | 24.8 | 24.1 | 14.3 | 28 of 47 | 13.7 | --- |
| PS SYPHILIS Incidence, 2005 | 27.2 | 6 | --- | --- | 13.0 | 12.7 | 18.3 | 17.7 | 13.8 | 9 of 32 | 3.0 | 0.2 |
| Chlamydia Incidence, 2005 | 588.3 | 5 | 1,306.5 | 8 | 203.6 | 198.7 | 2,041.3 | 1,979.7 | 959.8 | 8 of 43 | 332.5 | --- |
| Gonorrhea Incidence, 2005 | 554.6 | 5 | 546.8 | 4 | 77.0 | 75.2 | 1,408.1 | 1,365.6 | 550.6 | 4 of 43 | 115.6 | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | 5.4 | 32 of 36 | 4.8 | 1.0 |
| Overall Mortality, 2004 | 1,157.6 | 29 | 749.5 | 35 | 829.1 | 819.5 | 1,199.1 | 1,181.0 | 912.6 | 32 of 54 | 801.0 | --- |
| Heart Disease Mortality, 2004 | 305.4 | 35 | 171.5 | 37 | 208.4 | 206.3 | 289.3 | 285.4 | 224.8 | 37 of 54 | 217.5 | --- |
| Cancer Mortality, 2004 | 269.7 | 28 | 180.6 | 23 | 199.9 | 197.7 | 260.1 | 256.7 | 212.0 | 27 of 54 | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 93.4 | 16 | 53.8 | 17 | 64.3 | 63.6 | 89.4 | 88.2 | 68.7 | 16 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 27.2 | 32 | 27.1 | 26.8 | --- | --- | 27.2 | 32 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 17.7 | 29 | --- | --- | 13.2 | 12.9 | --- | --- | 12.8 | 29 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 25.8 | 16 | 9.6 | 1 | --- | --- | 42.4 | 41.3 | 17.5 | 13 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 34.2 | 13 | --- | --- | 10.3 | 10.1 | 39.1 | 38.1 | 19.4 | 13 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 22.9 | 15 | --- | --- | 14.2 | 14.0 | --- | --- | 12.1 | 29 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 17.5 | 17 | --- | --- | --- | --- | 18.1 | 17.7 | 9.4 | 23 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 17.4 | 52 | 13.0 | 45 | 15.1 | 15.0 | --- | --- | 14.5 | 50 of 54 | 20.4 | --- |
| Diabetes, 2004 | 28.5 | 41 | 24.0 | 32 | 17.3 | 17.1 | 51.1 | 50.4 | 25.9 | 37 of 54 | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 61.7 | 60.4 | 73.0 | 71.1 | 71.5 | 28 of 54 | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.5 | --- | 12.6 | --- | 8.3 | 19 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.2 | --- | 11.5 | --- | 8.3 | 30 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.0 | --- | 20.7 | --- | 13.3 | 21 of 54 | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 15.9 | --- | 13.4 | --- | 13.0 | 13 of 44 | 10.7 | 1.0 |

LAS VEGAS, NV*

| Health Indicator* | Gender | | | | Race/Ethnicity | | | | Total | | U.S.† | |
|----------------------------------|---------------|-------|---------------|-------|---|---|------------------------------|------------------------------|---------------|----------|---------------|-------|
| | Male | | Female | | NHW alone or in combination† | | NHB alone or in combination† | | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ |
| | Rate/Percent† | Rank‡ | Rate/Percent† | Rank‡ | NHW alone or in combination† Rate/Pct.† | NHB alone or in combination† Rate/Pct.† | Hispanic Rate/Pct.† | Year 2010 Goal Rate/Percent† | | | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.7 | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | 1.0 |
| Overall Mortality, 2004 | 2,019.3 | 1 | 1,361.2 | 1 | 1,710.2 | 1,685.4 | 1,912.3 | 1,836.6 | 1,660.3 | 1 of 54 | 801.0 | --- |
| Heart Disease Mortality, 2004 | 619.0 | 1 | 340.4 | 1 | 483.4 | 477.4 | 573.8 | 555.0 | 465.0 | 1 of 54 | 217.5 | --- |
| Cancer Mortality, 2004 | 401.4 | 1 | 322.1 | 1 | 365.9 | 361.1 | 387.9 | 375.0 | 354.6 | 1 of 54 | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 120.6 | 1 | 94.7 | 1 | 113.5 | 112.0 | 91.2 | 88.2 | 106.9 | 1 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 53.3 | 1 | 57.3 | 56.5 | --- | --- | 53.3 | 1 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 49.8 | 2 | 18.2 | 1 | 33.2 | 32.2 | --- | --- | 33.9 | 1 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 31.3 | 9 | --- | --- | 11.0 | 10.6 | 60.6 | 57.3 | 19.9 | 9 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 58.9 | 4 | 8.4 | 2 | 30.8 | 30.0 | 57.0 | 54.1 | 33.5 | 2 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 55.5 | 1 | 15.0 | 1 | 42.4 | 41.4 | --- | --- | 34.5 | 1 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 25 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 52.0 | 3 | 30.0 | 5 | 39.3 | 38.8 | --- | --- | 39.6 | 3 of 54 | 20.4 | --- |
| Diabetes, 2004 | 25.8 | 45 | 22.1 | 39 | 19.9 | 19.7 | --- | --- | 24.1 | 42 of 54 | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 130.2 | 125.7 | 178.5 | 168.9 | 173.0 | 2 of 54 | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 3.9 | --- | --- | --- | 3.7 | 52 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.4 | --- | 13.6 | --- | 8.1 | 35 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.3 | --- | 16.7 | --- | 11.0 | 34 of 54 | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 13.5 | --- | 13.2 | --- | 8.3 | 21 of 44 | 10.7 | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.

† County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

†† Numerator data used in rate or percent calculation is less than 20 or data not available.

††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NHB) group specified above, † alone represents the population that indicated being only of that race; † alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

LONG BEACH, CA*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | | | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|---|--------------------------------------|---|--------------------------------------|---|------------------------|-------------------------------|-------------------|---|--|--|--|-------------------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] | | Hispanic Rate/Pct.† | | | | Rate/ Percent [†] | | Rank [‡] | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct.† | NHB alone [§] Rate/Pct.† | NHB alone or in combination [‡] | NHB alone [§] Rate/Pct.† | NHB alone or in combination [‡] | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [‡] | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | |
| HIV Prevalence, 2005 | 84.2 | 40 | 12.8 | 40 | 66.7 | 63.1 | --- | --- | --- | 42.4 | 47.9 | 40 of 41 | --- | --- | | | | |
| AIDS Prevalence, 2005 | 54.3 | 47 | --- | --- | 34.7 | 32.8 | --- | --- | --- | 21.8 | 29.5 | 47 of 48 | --- | --- | | | | |
| HIV Incidence, 2005 | 53.4 | 11 | 10.2 | 15 | 44.5 | 42.1 | --- | --- | --- | 29.7 | 31.4 | 15 of 39 | --- | --- | | | | |
| AIDS Incidence, 2005 | 73.7 | 9 | --- | --- | 49.7 | 47.0 | --- | --- | --- | 29.7 | 40.3 | 10 of 47 | 13.7 | --- | | | | |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 | | | | |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 | --- | | | | |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 | 19.0 | | | | |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | 1.0 | | | | |
| Overall Mortality, 2004 | 1,051.5 | 43 | 707.6 | 40 | 864.0 | 847.5 | 1,343.2 | 1,343.2 | 1,294.3 | 639.5 | 853.5 | 41 of 54 | 801.0 | --- | | | | |
| Heart Disease Mortality, 2004 | 367.0 | 11 | 228.3 | 11 | 293.0 | 288.2 | 475.4 | 475.4 | 458.6 | 199.1 | 285.1 | 11 of 54 | 217.5 | --- | | | | |
| Cancer Mortality, 2004 | 242.1 | 42 | 157.3 | 44 | 196.1 | 192.6 | 309.4 | 309.4 | 298.8 | 120.7 | 191.6 | 43 of 54 | 184.6 | 158.6 | | | | |
| Lung Cancer Mortality, 2004 | 63.4 | 42 | 34.0 | 47 | 51.5 | 50.5 | 91.7 | 91.7 | 88.8 | --- | --- | 44 of 54 | 52.9 | 43.3 | | | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 25.3 | 37 | 22.5 | 22.1 | --- | --- | --- | --- | 25.3 | 37 of 54 | --- | 21.3 | | | | |
| Motor Vehicle Injury Mort., 2004 | 13.2 | 42 | 9.4 | 14 | 13.0 | 12.4 | --- | --- | --- | --- | 11.2 | 34 of 54 | 14.8 | 8.0 | | | | |
| Homicide, 2004 | 22.5 | 24 | --- | --- | --- | --- | 33.0 | 33.0 | 31.3 | 11.9 | 12.5 | 27 of 49 | 5.6 | 2.8 | | | | |
| Firearm-related Mortality, 2004 | --- | --- | --- | --- | 10.2 | 10.0 | --- | --- | --- | 11.6 | 15.0 | 28 of 53 | 9.8 | 3.6 | | | | |
| Suicide, 2004 | 18.6 | 18 | --- | --- | 15.0 | 14.5 | --- | --- | --- | --- | 9.3 | 41 of 54 | 10.7 | 4.8 | | | | |
| HIV/AIDS Mortality, 2004 | 21.1 | 13 | --- | --- | 11.1 | 10.8 | --- | --- | --- | --- | 11.1 | 15 of 41 | 4.4 | 0.7 | | | | |
| Pneumonia, 2004 | 23.9 | 32 | 22.9 | 10 | 25.0 | 24.6 | --- | --- | --- | --- | 23.3 | 17 of 54 | 20.4 | --- | | | | |
| Diabetes, 2004 | 25.7 | 46 | 27.7 | 22 | 19.5 | 19.1 | --- | --- | --- | 53.2 | 26.7 | 34 of 54 | 24.4 | 46.0 | | | | |
| Fertility, 2003 | --- | --- | --- | --- | 48.8 | 45.8 | 57.7 | 57.7 | 54.9 | 104.6 | 72.2 | 26 of 54 | 66.1 | --- | | | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.6 | --- | --- | --- | --- | 6.9 | 7.0 | 27 of 53 | 6.8 | 4.5 | | | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 4.0 | --- | 10.7 | 10.7 | --- | 6.6 | 7.4 | 42 of 54 | 7.9 | 5.0 | | | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | 12.8 | 12.8 | --- | 12.6 | 10.4 | 40 of 54 | 10.3 | --- | | | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 1.0 | | | | |

LOS ANGELES, CA*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | | | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|---|--------------------------------------|---|--------------------------------------|---|------------------------|-------------------------------|-------------------|---|--|--|--|-------------------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct.† | | NHB alone or in combination [‡] | | Hispanic Rate/Pct.† | | | | Rate/ Percent [†] | | Rank [‡] | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct.† | NHB alone [§] Rate/Pct.† | NHB alone or in combination [‡] | NHB alone [§] Rate/Pct.† | NHB alone or in combination [‡] | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [‡] | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] | | |
| HIV Prevalence, 2005 | 434.9 | 20 | 67.6 | 25 | 285.8 | 269.2 | 574.4 | 574.4 | 546.1 | 186.2 | 250.7 | 22 of 41 | --- | --- | | | | |
| AIDS Prevalence, 2005 | 541.1 | 18 | 61.5 | 30 | 342.5 | 322.6 | 609.0 | 609.0 | 579.0 | 262.1 | 300.6 | 21 of 48 | --- | --- | | | | |
| HIV Incidence, 2005 | 17 | 6.8 | --- | --- | --- | --- | --- | --- | --- | --- | 26.1 | 18 of 39 | --- | --- | | | | |
| AIDS Incidence, 2005 | 26.4 | 24 | 3.7 | 22 | 10.1 | 9.5 | 36.8 | 36.8 | 35.0 | 16.5 | 15.0 | 27 of 47 | 13.7 | --- | | | | |
| PS SYPHILIS Incidence, 2005 | 19.9 | 13 | 1.9 | 11 | 15.2 | 14.3 | 21.1 | 21.1 | 20.1 | 8.8 | 10.9 | 13 of 32 | 3.0 | 0.2 | | | | |
| Chlamydia Incidence, 2005 | 242.1 | 29 | 522.9 | 39 | 103.0 | 97.0 | 1,098.8 | 1,044.7 | 1,044.7 | 500.3 | 382.9 | 39 of 43 | 332.5 | --- | | | | |
| Gonorrhea Incidence, 2005 | 126.0 | 35 | 93.8 | 36 | 55.7 | 52.4 | 552.5 | 525.3 | 525.3 | 71.4 | 109.9 | 39 of 43 | 115.6 | 19.0 | | | | |
| Tuberculosis Incidence 2005 | 11.8 | 22 | 6.7 | 17 | --- | --- | 15.7 | 15.7 | 14.9 | 11.2 | 11.2 | 20 of 36 | 4.8 | 1.0 | | | | |
| Overall Mortality, 2004 | 985.7 | 48 | 667.3 | 45 | 768.8 | 745.6 | 1,322.6 | 1,322.6 | 1,282.4 | 784.5 | 806.5 | 47 of 54 | 801.0 | --- | | | | |
| Heart Disease Mortality, 2004 | 314.9 | 30 | 202.1 | 25 | 246.7 | 240.3 | 405.5 | 405.5 | 394.5 | 232.3 | 250.8 | 25 of 54 | 217.5 | --- | | | | |
| Cancer Mortality, 2004 | 216.8 | 50 | 160.1 | 42 | 180.0 | 174.5 | 290.8 | 290.8 | 282.5 | 163.7 | 182.3 | 47 of 54 | 184.6 | 158.6 | | | | |
| Lung Cancer Mortality, 2004 | 53.1 | 51 | 30.5 | 51 | 41.9 | 40.6 | 72.9 | 72.9 | 70.9 | 25.7 | 40.1 | 51 of 54 | 52.9 | 43.3 | | | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 28.4 | 26 | 31.4 | 30.4 | 47.1 | 47.1 | 45.6 | 18.5 | 28.4 | 26 of 54 | --- | 21.3 | | | | |
| Motor Vehicle Injury Mort., 2004 | 15.1 | 34 | 6.6 | 25 | 10.3 | 9.7 | 17.2 | 17.2 | 16.4 | 10.9 | 10.7 | 37 of 54 | 14.8 | 8.0 | | | | |
| Homicide, 2004 | 23.8 | 19 | 2.9 | 14 | 3.9 | 3.6 | 52.5 | 52.5 | 49.8 | 13.3 | 13.5 | 23 of 49 | 5.6 | 2.8 | | | | |
| Firearm-related Mortality, 2004 | 25.5 | 33 | 2.1 | 10 | 6.0 | 5.7 | 48.2 | 48.2 | 45.7 | 12.3 | 13.8 | 34 of 53 | 9.8 | 3.6 | | | | |
| Suicide, 2004 | 11.9 | 48 | 3.0 | 18 | 9.6 | 9.2 | 6.4 | 6.4 | 6.1 | 4.1 | 4.8 | 48 of 54 | 10.7 | 4.8 | | | | |
| HIV/AIDS Mortality, 2004 | 16.0 | 20 | 2.0 | 16 | 8.2 | 7.8 | 22.6 | 22.6 | 21.7 | 8.5 | 8.9 | 24 of 41 | 4.4 | 0.7 | | | | |
| Pneumonia, 2004 | 40.9 | 6 | 29.3 | 6 | 31.5 | 30.7 | 45.1 | 45.1 | 43.9 | 37.9 | 33.7 | 6 of 54 | 20.4 | --- | | | | |
| Diabetes, 2004 | 35.9 | 25 | 26.3 | 25 | 21.3 | 20.7 | 54.4 | 54.4 | 52.8 | 47.7 | 30.4 | 24 of 54 | 24.4 | 46.0 | | | | |
| Fertility, 2003 | --- | --- | --- | --- | 45.3 | 42.3 | 59.7 | 59.7 | 56.6 | 97.8 | 72.0 | 27 of 54 | 66.1 | --- | | | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 5.7 | --- | 11.2 | 11.2 | --- | 6.8 | 7.0 | 43 of 53 | 6.8 | 4.5 | | | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.9 | --- | 13.8 | 13.8 | --- | 4.3 | 7.2 | 45 of 54 | 7.9 | 5.0 | | | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 2.2 | --- | 13.5 | 13.5 | --- | 12.8 | 10.2 | 42 of 54 | 10.3 | --- | | | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 1.0 | | | | |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

¶ For the Non-Hispanic (NHB) group specified above, § alone represents the population that indicated being only of that race; ¶ alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

LOUISVILLE/JEFFERSON CO., KY*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|---|---|--|-------|---|--|---------------------------------|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct. [†] | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | | | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | | | | |
| HIV Prevalence, 2005 | 246.7 | 36 | 47.5 | 33 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | 100.2 | --- | 336.1 | --- | --- | --- | --- | --- | --- | --- | --- | | |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| AIDS Incidence, 2005 | 18.4 | 34 | --- | --- | --- | --- | 26.2 | --- | --- | --- | --- | --- | --- | --- | --- | | |
| PRS Syphilis Incidence, 2005 | 11.2 | 23 | --- | --- | 5.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Chlamydia Incidence, 2005 | 239.1 | 31 | 469.9 | 41 | 108.5 | --- | 1,030.7 | --- | --- | --- | --- | 331.4 | --- | --- | --- | | |
| Gonorrhea Incidence, 2005 | 228.9 | 24 | 173.5 | 28 | 49.1 | --- | 700.0 | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Tuberculosis Incidence 2005 | 7.5 | 30 | --- | --- | 3.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | | |
| Overall Mortality, 2004 | 1,170.5 | 27 | 792.7 | 24 | 904.2 | --- | 1,196.3 | --- | --- | --- | --- | 840.5 | --- | --- | --- | | |
| Heart Disease Mortality, 2004 | 326.0 | 26 | 205.6 | 23 | 245.3 | --- | 320.3 | --- | --- | --- | --- | 173.9 | --- | --- | --- | | |
| Cancer Mortality, 2004 | 280.0 | 23 | 195.6 | 11 | 216.6 | --- | 288.8 | --- | --- | --- | --- | 296.6 | --- | --- | --- | | |
| Lung Cancer Mortality, 2004 | 100.7 | 9 | 61.9 | 6 | 74.4 | --- | 92.0 | --- | --- | --- | --- | 156.6 | --- | --- | --- | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.2 | 23 | 15.9 | --- | 28.0 | --- | --- | --- | --- | 19.0 | --- | --- | --- | | |
| Motor Vehicle Injury Mort., 2004 | 20.0 | 22 | 9.0 | 16 | 12.5 | --- | 17.1 | --- | --- | --- | --- | 54.2 | --- | --- | --- | | |
| Homicide, 2004 | 15.0 | 36 | 4.9 | 8 | 3.9 | --- | 33.5 | --- | --- | --- | --- | 28.2 | --- | --- | --- | | |
| Firearm-related Mortality, 2004 | 27.9 | 26 | 4.3 | 8 | 11.4 | --- | 29.6 | --- | --- | --- | --- | 39.7 | --- | --- | --- | | |
| Suicide, 2004 | 22.3 | 17 | 4.7 | 15 | 15.2 | --- | 2.3 | --- | --- | --- | --- | 17.1 | --- | --- | --- | | |
| HIV/AIDS Mortality, 2004 | 7.3 | 38 | 1.1 | 17 | 1.1 | --- | 15.3 | --- | --- | --- | --- | 8.6 | --- | --- | --- | | |
| Pneumonia, 2004 | 22.4 | 37 | 15.1 | 34 | 17.9 | --- | 21.7 | --- | --- | --- | --- | 0.0 | --- | --- | --- | | |
| Diabetes, 2004 | 42.6 | 11 | 22.5 | 38 | 27.9 | --- | 57.5 | --- | --- | --- | --- | 35.4 | --- | --- | --- | | |
| Fertility, 2003 | --- | --- | --- | --- | 58.4 | --- | 73.6 | --- | --- | --- | --- | 165.4 | --- | --- | --- | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 10.0 | --- | 5.5 | --- | --- | --- | --- | 2.1 | --- | --- | --- | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.3 | --- | 13.9 | --- | --- | --- | --- | 6.6 | --- | --- | --- | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.3 | --- | 19.0 | --- | --- | --- | --- | 13.8 | --- | --- | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 19.4 | --- | 18.7 | --- | --- | --- | --- | 6.3 | --- | --- | --- | | |

MEMPHIS, TN*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|---|---|--|---------|---|--|---------------------------------|---------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone [§] Rate/Pct. [†] | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | | | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | | | | |
| HIV Prevalence, 2005 | 548.0 | 13 | 271.0 | 6 | 178.1 | --- | 174.8 | --- | --- | --- | --- | 546.7 | --- | --- | --- | | |
| AIDS Prevalence, 2005 | 483.7 | 22 | 157.1 | 12 | 166.5 | --- | 163.5 | --- | --- | --- | --- | 408.8 | --- | --- | --- | | |
| HIV Incidence, 2005 | 57.9 | 7 | 33.0 | 3 | 12.3 | --- | 12.3 | --- | --- | --- | --- | 64.2 | --- | --- | --- | | |
| AIDS Incidence, 2005 | 77.4 | 6 | 27.4 | 6 | 17.6 | --- | 17.3 | --- | --- | --- | --- | 71.4 | --- | --- | --- | | |
| PRS Syphilis Incidence, 2005 | 26.0 | 8 | 13.7 | 2 | --- | --- | --- | --- | --- | --- | --- | 27.2 | --- | --- | --- | | |
| Chlamydia Incidence, 2005 | 541.9 | 7 | 1,489.2 | 5 | 53.7 | --- | 52.7 | --- | --- | --- | --- | 590.8 | --- | --- | --- | | |
| Gonorrhea Incidence, 2005 | 453.4 | 8 | 446.8 | 8 | 14.3 | --- | 14.1 | --- | --- | --- | --- | 361.7 | --- | --- | --- | | |
| Tuberculosis Incidence 2005 | 18.2 | 4 | 7.9 | 10 | --- | --- | --- | --- | --- | --- | --- | 18.0 | --- | --- | --- | | |
| Overall Mortality, 2004 | 1,317.3 | 13 | 863.4 | 12 | 844.3 | --- | 837.5 | --- | --- | --- | --- | 1,262.2 | --- | --- | --- | | |
| Heart Disease Mortality, 2004 | 408.1 | 7 | 238.6 | 8 | 248.9 | --- | 247.3 | --- | --- | --- | --- | 369.0 | --- | --- | --- | | |
| Cancer Mortality, 2004 | 282.9 | 22 | 192.4 | 14 | 170.3 | --- | 169.1 | --- | --- | --- | --- | 289.8 | --- | --- | --- | | |
| Lung Cancer Mortality, 2004 | 94.4 | 15 | 42.7 | 31 | 51.8 | --- | 51.4 | --- | --- | --- | --- | 76.6 | --- | --- | --- | | |
| Female Breast Cancer Mort., 2004 | --- | --- | 35.3 | 8 | 21.9 | --- | 21.8 | --- | --- | --- | --- | 46.9 | --- | --- | --- | | |
| Motor Vehicle Injury Mort., 2004 | 29.6 | 6 | 7.0 | 22 | 17.3 | --- | 17.0 | --- | --- | --- | --- | 16.6 | --- | --- | --- | | |
| Homicide, 2004 | 31.0 | 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.7 | --- | --- | --- | | |
| Firearm-related Mortality, 2004 | 36.0 | 11 | --- | --- | 12.6 | --- | 12.4 | --- | --- | --- | --- | 21.6 | --- | --- | --- | | |
| Suicide, 2004 | 15.2 | 42 | --- | --- | 12.9 | --- | 12.7 | --- | --- | --- | --- | 5.3 | --- | --- | --- | | |
| HIV/AIDS Mortality, 2004 | 24.3 | 8 | 12.6 | 6 | --- | --- | --- | --- | --- | --- | --- | 28.4 | --- | --- | --- | | |
| Pneumonia, 2004 | 36.5 | 11 | 20.6 | 18 | 25.9 | --- | 25.7 | --- | --- | --- | --- | 26.3 | --- | --- | --- | | |
| Diabetes, 2004 | 40.9 | 15 | 31.9 | 14 | 19.5 | --- | 19.3 | --- | --- | --- | --- | 54.7 | --- | --- | --- | | |
| Fertility, 2003 | --- | --- | --- | --- | 48.6 | --- | 47.7 | --- | --- | --- | --- | 76.3 | --- | --- | --- | | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.6 | --- | --- | --- | --- | --- | --- | 22.1 | --- | --- | --- | | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 14.4 | --- | --- | --- | --- | --- | --- | 14.4 | --- | --- | --- | | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.2 | --- | --- | --- | --- | --- | --- | 21.4 | --- | --- | --- | | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 13.4 | --- | --- | --- | --- | --- | --- | 5.9 | --- | --- | --- | | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 § Numerator data used in rate or percent calculation is less than 20 or data not available.
 ¶ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 For the Non-Hispanic (NHB) group specified above, §Alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

MESA, AZ*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 Goal | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------------------|------------------------|------------------------|--|------------------------|------------------------|---------------------------|-------------------|---------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHW alone [§] | | NHB alone or in combination [‡] | | Hispanic | | U.S. [‡] | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] |
| HIV Prevalence, 2005 | 801.5 | 7 | 169.5 | 9 | 418.0 | 410.7 | 1,695.6 | 410.7 | 1,432.0 | 514.8 | 482.6 | 7 of 41 | --- | --- |
| AIDS Prevalence, 2005 | 835.6 | 11 | 133.5 | 16 | 412.5 | 405.3 | 1,653.0 | 405.3 | 1,396.0 | 550.6 | 481.4 | 11 of 48 | --- | --- |
| HIV Incidence, 2005 | 13.7 | 34 | --- | --- | --- | --- | --- | --- | --- | --- | 9.3 | 36 of 39 | --- | --- |
| AIDS Incidence, 2005 | 11.7 | 41 | --- | --- | --- | --- | --- | --- | --- | --- | 6.8 | 40 of 47 | --- | --- |
| P&S Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 |
| Chlamydia Incidence, 2005 | 159.4 | 39 | 625.5 | 33 | 164.7 | 161.8 | 1,109.1 | 161.8 | 936.7 | 714.1 | 394.6 | 37 of 43 | --- | --- |
| Gonorrhea Incidence, 2005 | 77.4 | 40 | 86.0 | 39 | 40.7 | 39.9 | 565.2 | 39.9 | 477.3 | 104.8 | 81.7 | 41 of 43 | --- | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 |
| Overall Mortality, 2004 | 1,139.2 | 31 | 792.0 | 25 | 925.4 | 919.1 | 1,701.5 | 919.1 | 1,607.6 | 1,025.9 | 943.1 | 28 of 54 | --- | --- |
| Heart Disease Mortality, 2004 | 307.8 | 33 | 196.4 | 27 | 241.1 | 239.8 | --- | 239.8 | --- | 193.2 | 243.8 | 28 of 54 | --- | --- |
| Cancer Mortality, 2004 | 254.9 | 35 | 175.2 | 27 | 205.9 | 204.5 | --- | 204.5 | --- | 193.8 | 207.5 | 30 of 54 | --- | 158.6 |
| Lung Cancer Mortality, 2004 | 63.4 | 42 | 43.2 | 30 | 53.7 | 53.4 | --- | 53.4 | --- | --- | 51.7 | 36 of 54 | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 34.7 | 10 | 32.9 | 32.7 | --- | 32.7 | --- | --- | 34.7 | 10 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 26.9 | 10 | --- | --- | 16.6 | 16.4 | --- | 16.4 | --- | --- | 17.7 | 9 of 54 | --- | 8.0 |
| Homicide, 2004 | 9.2 | 43 | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 43 of 49 | --- | 2.8 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Firearm-related Mortality, 2004 | 27.0 | 31 | --- | --- | 13.0 | 12.9 | --- | 12.9 | --- | --- | 14.5 | 31 of 53 | --- | 3.6 |
| Suicide, 2004 | 32.0 | 6 | --- | --- | 19.4 | 19.1 | --- | 19.1 | --- | --- | 19.6 | 6 of 54 | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 24.1 | 31 | 15.7 | 32 | 18.6 | 18.5 | --- | 18.5 | --- | --- | 19.1 | 31 of 54 | --- | --- |
| Diabetes, 2004 | 27.3 | 42 | 21.9 | 40 | 21.8 | 21.7 | --- | 21.7 | --- | --- | 24.1 | 42 of 54 | --- | 46.0 |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | 5.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 9.6 | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 |

MAIMI, FL*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | Year 2010 Goal | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|------------------------|------------------------|------------------------|--|------------------------|------------------------|---------------------------|-------------------|---------------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHW alone [§] | | NHB alone or in combination [‡] | | Hispanic | | U.S. [‡] | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] |
| HIV Prevalence, 2005 | 3,262.0 | 2 | 1,562.5 | 2 | 2,846.4 | 2,768.4 | 5,826.3 | 2,768.4 | 5,444.9 | 1,350.9 | 2,407.4 | 2 of 41 | --- | --- |
| AIDS Prevalence, 2005 | 4,813.1 | 1 | 1,910.3 | 1 | 3,555.0 | 3,457.7 | 8,312.8 | 3,457.7 | 7,668.6 | 1,876.6 | 3,353.4 | 1 of 48 | --- | --- |
| HIV Incidence, 2005 | 469.5 | 1 | 211.2 | 1 | 892.8 | 868.4 | 476.5 | 868.4 | 445.3 | 206.8 | 339.6 | 1 of 39 | --- | --- |
| AIDS Incidence, 2005 | 400.7 | 1 | 203.5 | 1 | 256.4 | 249.4 | 850.5 | 249.4 | 794.9 | 150.2 | 301.5 | 1 of 47 | --- | --- |
| P&S Syphilis Incidence, 2005 | 79.4 | 1 | 13.7 | 2 | 74.6 | 72.6 | 97.0 | 72.6 | 90.6 | 26.4 | 46.3 | 1 of 32 | --- | 0.2 |
| Chlamydia Incidence, 2005 | 424.0 | 13 | 1,716.1 | 3 | 741.3 | 721.0 | 3,413.2 | 721.0 | 3,189.8 | 354.9 | 1,073.7 | 3 of 43 | --- | --- |
| Gonorrhea Incidence, 2005 | 465.6 | 7 | 451.0 | 7 | 279.7 | 272.1 | 1,572.2 | 272.1 | 1,469.3 | 134.7 | 458.2 | 6 of 43 | --- | 19.0 |
| Tuberculosis Incidence, 2005 | 79.4 | 1 | 47.2 | 1 | --- | --- | 131.6 | --- | 123.0 | 45.7 | 63.2 | 1 of 36 | --- | 4.8 |
| Overall Mortality, 2004 | 1,651.7 | 4 | 989.2 | 4 | 1,984.5 | 1,949.5 | 2,128.8 | 1,949.5 | 2,013.7 | 1,013.2 | 1,288.4 | 4 of 54 | --- | --- |
| Heart Disease Mortality, 2004 | 504.9 | 2 | 293.6 | 4 | 569.9 | 560.7 | 606.9 | 560.7 | 578.0 | 325.1 | 388.2 | 2 of 54 | --- | --- |
| Cancer Mortality, 2004 | 333.5 | 7 | 204.1 | 8 | 376.6 | 370.0 | 676.7 | 370.0 | 356.3 | 223.0 | 258.5 | 4 of 54 | --- | 158.6 |
| Lung Cancer Mortality, 2004 | 87.0 | 22 | 31.8 | 50 | 90.3 | 88.8 | 78.4 | 88.8 | 74.2 | 48.4 | 55.7 | 31 of 54 | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 41.8 | 3 | 98.6 | 96.7 | 75.3 | 96.7 | 70.5 | 27.4 | 32.5 | 3 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 50.9 | 1 | 14.1 | 3 | --- | --- | 47.6 | --- | 44.5 | 28.6 | 32.5 | 2 of 54 | --- | 8.0 |
| Homicide, 2004 | 36.0 | 7 | --- | --- | --- | --- | 67.6 | --- | 62.9 | 8.8 | 22.5 | 6 of 49 | --- | 2.8 |
| Firearm-related Mortality, 2004 | 41.9 | 9 | --- | --- | --- | --- | 56.3 | --- | 52.4 | 12.8 | 25.2 | 6 of 53 | --- | 3.6 |
| Suicide, 2004 | 26.6 | 9 | --- | --- | 60.8 | 59.2 | --- | 59.2 | --- | 12.4 | 17.1 | 7 of 54 | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | 79.4 | 1 | 37.9 | 1 | 47.6 | 47.6 | 191.2 | 47.6 | 76.6 | 25.8 | 58.4 | 1 of 41 | --- | 0.7 |
| Pneumonia, 2004 | 36.7 | 10 | 22.7 | 12 | 43.7 | 43.0 | 36.9 | 43.0 | 34.7 | 22.6 | 28.0 | 8 of 54 | --- | --- |
| Diabetes, 2004 | 52.0 | 6 | 31.9 | 14 | 51.2 | 50.4 | 86.4 | 50.4 | 82.3 | 31.1 | 39.8 | 8 of 54 | --- | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | 10.5 | --- | --- | --- | --- | --- | --- | --- | --- | 4.5 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 9.6 | --- | --- | --- | --- | --- | --- | --- | --- | 5.0 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 2.1 | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | 0.7 | --- | --- | 0.6 | 0.7 | 44 of 44 | --- | 10.7 |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Rank of cities for which data are available and numerator data used in rate or percent calculation is less than 20 or data not available.
 ††† Numerator data used in rate or percent calculation is less than 20 or data not available.
 †††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ††††† For the Non-Hispanic (NHB) group specified above, † alone represents the population that indicated being only of that race; † alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

MILWAUKEE, WI*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|---------------------------|-------------------|---|--|-------------------|--|
| | Male | | Female | | NHW alone or in combination ^f | | NHB alone ^g | | NHB alone or in combination ^f | | Hispanic | | | Total | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone ^g Rate/Pct. [†] | NHB alone ^g Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | NHB alone or in combination ^f Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | | Rank [‡] | |
| HIV Prevalence, 2005 | 345.9 | 23 | 101.4 | 23 | 135.8 | 342.5 | 131.8 | 342.5 | 333.0 | 237.3 | 218.3 | --- | 23 of 41 | --- | |
| AIDS Prevalence, 2005 | 368.7 | 30 | 86.0 | 22 | 147.6 | 325.3 | 143.3 | 325.3 | 316.2 | 269.4 | 221.1 | --- | 28 of 48 | --- | |
| HIV Incidence, 2005 | 20.7 | 32 | --- | --- | 8.9 | 18.6 | 8.6 | 18.6 | 18.1 | --- | 12.7 | --- | 31 of 39 | --- | |
| AIDS Incidence, 2005 | 9.1 | 44 | --- | --- | --- | 11.3 | --- | 11.3 | 11.0 | --- | 6.2 | --- | 43 of 47 | --- | |
| P&S Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 | |
| Chlamydia Incidence, 2005 | 875.7 | 1 | 2,197.9 | 1 | 116.6 | 1,956.2 | 113.2 | 1,956.2 | 1,901.7 | 552.7 | 1,565.9 | --- | 1 of 43 | --- | |
| Gonorrhea Incidence, 2005 | 569.5 | 4 | 711.5 | 2 | 28.8 | 1,031.6 | 27.9 | 1,031.6 | 1,002.9 | 94.9 | 643.6 | --- | 3 of 43 | 19.0 | |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.7 | --- | 36 of 36 | 4.8 | |
| Overall Mortality, 2004 | 1,224.6 | 22 | 787.0 | 26 | 886.5 | 1,237.7 | 878.1 | 1,237.7 | 1,220.6 | 581.4 | 965.4 | --- | 25 of 54 | --- | |
| Heart Disease Mortality, 2004 | 318.2 | 29 | 191.1 | 31 | 233.6 | 287.6 | 232.0 | 287.6 | 284.2 | 100.1 | 243.6 | --- | 29 of 54 | --- | |
| Cancer Mortality, 2004 | 304.6 | 11 | 181.6 | 22 | 212.9 | 309.3 | 211.2 | 309.3 | 305.6 | 98.5 | 227.3 | --- | 17 of 54 | 158.6 | |
| Lung Cancer Mortality, 2004 | 92.7 | 17 | 48.8 | 23 | 54.8 | 104.3 | 54.4 | 104.3 | 103.0 | --- | 65.1 | --- | 23 of 54 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 22.4 | 49 | 22.8 | 27.3 | 22.6 | 27.3 | 27.0 | --- | --- | --- | 49 of 54 | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 15.4 | 33 | 11.8 | 7 | 10.0 | 20.5 | 9.8 | 20.5 | 20.1 | --- | 13.7 | --- | 25 of 54 | 8.0 | |
| Homicide, 2004 | 27.1 | 22 | --- | --- | --- | 22.6 | --- | 22.6 | 22.1 | --- | 13.4 | --- | 24 of 49 | 2.8 | |
| Firmly-related Mortality, 2004 | 23.4 | 28 | --- | --- | 9.9 | 21.7 | 9.7 | 21.7 | 21.2 | --- | 14.7 | --- | 30 of 53 | 9.8 | |
| Suicide, 2004 | 21.6 | 18 | 7.8 | 7 | 18.9 | --- | 18.5 | --- | --- | --- | 14.2 | --- | 16 of 54 | 4.8 | |
| HIV/AIDS Mortality, 2004 | 9.1 | 35 | --- | --- | --- | --- | --- | --- | --- | --- | 5.6 | --- | 33 of 41 | 4.4 | |
| Pneumonia, 2004 | 23.4 | 33 | 13.8 | 41 | 15.8 | 19.7 | 15.7 | 19.7 | 19.5 | --- | 17.0 | --- | 40 of 54 | 20.4 | |
| Diabetes, 2004 | 44.3 | 10 | 26.5 | 24 | 22.5 | 69.1 | 22.3 | 69.1 | 68.3 | --- | 33.3 | --- | 17 of 54 | 24.4 | |
| Fertility, 2003 | --- | --- | --- | --- | 56.1 | --- | 54.6 | --- | 86.1 | 125.1 | 77.8 | --- | 20 of 54 | 66.1 | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.0 | --- | --- | --- | --- | --- | 11.4 | --- | 7 of 53 | 6.8 | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.6 | --- | --- | --- | --- | --- | 9.8 | --- | 15 of 54 | 7.9 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 6.9 | --- | --- | --- | --- | --- | 17.4 | --- | 7 of 54 | 10.3 | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 13.6 | --- | --- | --- | --- | --- | 12.4 | --- | 14 of 44 | 10.7 | |

MINNEAPOLIS, MN*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal Rate/Percent [†] | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|---------------------------|-------------------|---|--|-------------------|--|
| | Male | | Female | | NHW alone or in combination ^f | | NHB alone ^g | | NHB alone or in combination ^f | | Hispanic | | | Total | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone ^g Rate/Pct. [†] | NHB alone ^g Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | NHB alone or in combination ^f Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | | Rank [‡] | |
| HIV Prevalence, 2005 | 533.7 | 14 | 117.7 | 19 | 297.8 | 616.5 | 287.3 | 616.5 | 546.5 | 233.1 | 326.7 | --- | 17 of 41 | --- | |
| AIDS Prevalence, 2005 | 426.6 | 26 | 73.5 | 24 | 220.8 | 487.0 | 213.0 | 487.0 | 431.7 | 229.6 | 250.9 | --- | 25 of 48 | --- | |
| HIV Incidence, 2005 | 41.1 | 20 | --- | --- | 20.2 | 21.4 | 21.4 | 21.4 | 20.4 | --- | 24.6 | --- | 19 of 39 | --- | |
| AIDS Incidence, 2005 | 18.7 | 33 | --- | --- | 9.2 | 29.4 | 8.9 | 29.4 | 26.1 | --- | 13.1 | --- | 31 of 47 | --- | |
| P&S Syphilis Incidence, 2005 | 21.3 | 12 | --- | --- | 11.7 | --- | 11.3 | --- | --- | --- | 11.0 | --- | 12 of 32 | 0.2 | |
| Chlamydia Incidence, 2005 | 434.4 | 12 | 906.6 | 18 | 187.4 | 1,770.0 | 180.8 | 1,770.0 | 1,569.0 | 822.6 | 669.6 | --- | 13 of 43 | --- | |
| Gonorrhea Incidence, 2005 | 352.7 | 14 | 274.2 | 18 | 101.2 | 931.3 | 97.6 | 931.3 | 825.6 | 140.5 | 313.9 | --- | 17 of 43 | 19.0 | |
| Tuberculosis Incidence, 2005 | 15.6 | 10 | 12.6 | 2 | --- | 54.4 | --- | 54.4 | 48.3 | --- | 14.1 | --- | 4 of 36 | 4.8 | |
| Overall Mortality, 2004 | 1,016.3 | 45 | 643.3 | 48 | 767.1 | 1,164.9 | 758.8 | 1,164.9 | 1,093.8 | 523.5 | 799.5 | --- | 48 of 54 | --- | |
| Heart Disease Mortality, 2004 | 192.3 | 54 | 102.0 | 54 | 137.4 | 230.8 | 136.1 | 230.8 | 218.1 | --- | 140.7 | --- | 54 of 54 | --- | |
| Cancer Mortality, 2004 | 253.4 | 37 | 165.4 | 39 | 198.9 | 237.0 | 196.9 | 237.0 | 224.0 | --- | 198.6 | --- | 38 of 54 | 158.6 | |
| Lung Cancer Mortality, 2004 | 70.8 | 39 | 44.4 | 27 | 57.6 | --- | 57.1 | --- | --- | --- | 54.9 | --- | 32 of 54 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 19.1 | 53 | 19.9 | --- | 19.7 | --- | --- | --- | 19.1 | --- | 53 of 54 | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 11.8 | 46 | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | --- | 49 of 54 | 8.0 | |
| Homicide, 2004 | 17.0 | 31 | --- | --- | --- | 41.5 | --- | 41.5 | 37.2 | --- | 10.5 | --- | 32 of 49 | 2.8 | |
| Firmly-related Mortality, 2004 | 19.7 | 39 | --- | --- | --- | 32.0 | --- | 32.0 | 28.2 | --- | 10.8 | --- | 40 of 53 | 3.6 | |
| Suicide, 2004 | 15.1 | 43 | --- | --- | 9.0 | --- | 8.8 | --- | --- | --- | 8.8 | --- | 44 of 54 | 4.8 | |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 | |
| Pneumonia, 2004 | 17.9 | 50 | 11.6 | 48 | 13.9 | --- | 13.7 | --- | --- | --- | 13.9 | --- | 51 of 54 | 20.4 | |
| Diabetes, 2004 | 24.3 | 48 | 23.2 | 34 | 18.7 | --- | 18.5 | --- | --- | --- | 23.0 | --- | 44 of 54 | 24.4 | |
| Fertility, 2003 | --- | --- | --- | --- | 45.4 | --- | 44.0 | --- | 89.9 | 163.0 | 64.8 | --- | 37 of 54 | 66.1 | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.4 | --- | 44 of 53 | 4.5 | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.3 | --- | --- | --- | --- | 4.5 | 7.5 | --- | 41 of 54 | 7.9 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 3.1 | --- | --- | --- | --- | 13.1 | 10.3 | --- | 41 of 54 | 10.3 | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 5.1 | --- | --- | --- | --- | --- | 6.2 | --- | 26 of 44 | 10.7 | |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

--- Numerator data used in rate or percent calculation is less than 20 or data not available.

†† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NHB) group specified above, \$ alone represents the population that indicated being only of that race; \$ alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

NASHVILLE-DAVIDSON, TN*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHW alone or in combination [‡] | | NHW alone or in combination [‡] | | Hispanic | | Total | | Year 2010 Goal | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|---------------------------------|---------------------------|-------------------|---|-------------------|---------------------------|----------------|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Year 2010 Goal |
| HIV Prevalence, 2005 | 468.3 | 18 | 136.0 | 16 | 206.7 | 202.5 | 586.0 | 572.2 | 203.1 | 296.9 | 18 of 41 | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 483.9 | 21 | 104.8 | 20 | 203.7 | 199.5 | 566.2 | 552.9 | 168.6 | 288.3 | 23 of 48 | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | 35.9 | 22 | 9.2 | 18 | 16.7 | 16.4 | 40.2 | 39.2 | --- | 22.1 | 21 of 39 | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 47.1 | 17 | 17.0 | 12 | 17.2 | 16.9 | 70.8 | 69.1 | --- | 31.6 | 14 of 47 | 13.7 | --- | --- | --- | --- |
| PRS Syphilis Incidence, 2005 | 8.3 | 27 | --- | --- | --- | --- | --- | --- | --- | 4.2 | 29 of 32 | 3.0 | --- | --- | 0.2 | --- |
| Chlamydia Incidence, 2005 | 348.7 | 16 | 631.6 | 32 | 139.8 | 137.0 | 1,156.3 | 1,129.0 | 505.9 | 494.7 | 27 of 43 | 332.5 | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | 232.4 | 23 | 161.6 | 29 | 46.1 | 45.1 | 526.1 | 513.7 | 149.5 | 195.8 | 25 of 43 | 115.6 | --- | --- | 19.0 | --- |
| Tuberculosis Incidence, 2005 | 15.9 | 8 | 7.5 | 12 | --- | --- | 23.8 | 23.3 | --- | 11.6 | 9 of 36 | 4.8 | --- | --- | 1.0 | --- |
| Overall Mortality, 2004 | 1,131.9 | 33 | 744.4 | 36 | 843.8 | 837.0 | 1,188.8 | 1,175.7 | 331.8 | 898.7 | 35 of 54 | 801.0 | --- | --- | --- | --- |
| Heart Disease Mortality, 2004 | 306.8 | 34 | 193.5 | 28 | 220.6 | 219.1 | 338.3 | 334.9 | --- | 239.7 | 32 of 54 | 217.5 | --- | --- | --- | --- |
| Cancer Mortality, 2004 | 249.9 | 41 | 170.0 | 36 | 195.2 | 193.8 | 239.9 | 237.7 | --- | 199.7 | 37 of 54 | 184.6 | --- | --- | 158.6 | --- |
| Lung Cancer Mortality, 2004 | 86.4 | 24 | 53.2 | 18 | 67.7 | 67.2 | 66.6 | 66.0 | --- | 66.5 | 20 of 54 | 52.9 | --- | --- | 43.3 | --- |
| Female Breast Cancer Mort., 2004 | --- | --- | 22.9 | 48 | 20.6 | 20.4 | --- | --- | --- | 22.9 | 48 of 54 | --- | --- | --- | 21.3 | --- |
| Motor Vehicle Injury Mort., 2004 | 25.2 | 13 | 8.2 | 18 | 15.6 | 15.4 | 15.4 | 15.1 | --- | 16.3 | 12 of 54 | 14.8 | --- | --- | 8.0 | --- |
| Homicide, 2004 | 14.7 | 37 | --- | --- | --- | --- | 23.6 | 23.2 | --- | 9.6 | 36 of 49 | 5.6 | --- | --- | 2.8 | --- |
| Firearm-related Mortality, 2004 | 26.9 | 32 | --- | --- | 12.0 | 11.8 | 24.2 | 23.7 | --- | 15.4 | 26 of 53 | 9.8 | --- | --- | 3.6 | --- |
| Suicide, 2004 | 20.8 | 24 | --- | --- | 15.5 | 15.3 | --- | --- | --- | 12.6 | 26 of 54 | 10.7 | --- | --- | 4.8 | --- |
| HIV/AIDS Mortality, 2004 | 22.1 | 11 | 7.1 | 13 | 6.6 | 6.5 | 39.4 | 39.0 | --- | 14.1 | 11 of 41 | 4.4 | --- | --- | 0.7 | --- |
| Pneumonia, 2004 | 28.9 | 21 | 16.4 | 31 | 20.3 | 20.2 | 23.9 | 23.6 | --- | 21.0 | 26 of 54 | 20.4 | --- | --- | --- | --- |
| Diabetes, 2004 | 37.5 | 22 | 28.8 | 19 | 22.9 | 22.7 | 72.4 | 71.8 | --- | 32.1 | 19 of 54 | 24.4 | --- | --- | 46.0 | --- |
| Fertility, 2003 | --- | --- | --- | --- | 50.7 | 49.8 | 67.4 | 66.3 | 212.6 | 62.7 | 44 of 54 | 66.1 | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | 12.0 | --- | --- | 7.4 | 23 of 53 | 6.8 | --- | --- | 4.5 | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.9 | --- | 13.9 | --- | --- | 9.5 | 18 of 54 | 7.9 | --- | --- | 5.0 | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 7.7 | --- | 17.2 | --- | --- | 11.6 | 30 of 54 | 10.3 | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 12.7 | --- | 8.6 | --- | --- | 9.2 | 20 of 44 | 10.7 | --- | --- | 1.0 | --- |

NEW ORLEANS, LA*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHW alone or in combination [‡] | | NHW alone or in combination [‡] | | Hispanic | | Total | | Year 2010 Goal | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|---------------------------------|---------------------------|-------------------|---|-------------------|---------------------------|----------------|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Year 2010 Goal |
| HIV Prevalence, 2005 | 639.8 | 9 | 212.4 | 8 | 467.1 | 455.6 | 410.0 | 406.7 | 323.8 | 412.6 | 9 of 41 | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 675.9 | 16 | 146.4 | 14 | 588.7 | 544.9 | 345.1 | 342.3 | 411.4 | 394.5 | 16 of 48 | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | 42.7 | 18 | 24.1 | 5 | 27.2 | 26.5 | 35.3 | 35.0 | --- | 32.8 | 13 of 39 | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 59.4 | 11 | 22.5 | 9 | 32.6 | 31.8 | 45.1 | 44.8 | --- | 39.8 | 12 of 47 | 13.7 | --- | --- | --- | --- |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | --- | --- | 0.2 | --- |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,429.1 | 7 | 848.8 | 14 | 862.6 | 850.3 | 1,319.7 | 1,308.0 | 360.3 | 1,095.1 | 9 of 54 | 801.0 | --- | --- | --- | --- |
| Heart Disease Mortality, 2004 | 311.9 | 31 | 192.3 | 29 | 202.0 | 199.5 | 287.2 | 284.6 | --- | 243.5 | 30 of 54 | 217.5 | --- | --- | --- | --- |
| Cancer Mortality, 2004 | 335.0 | 6 | 186.9 | 20 | 187.0 | 184.5 | 303.0 | 300.3 | --- | 244.1 | 9 of 54 | 184.6 | --- | --- | 158.6 | --- |
| Lung Cancer Mortality, 2004 | 103.6 | 6 | 43.8 | 28 | 51.4 | 50.8 | 81.7 | 81.2 | --- | 67.5 | 17 of 54 | 52.9 | --- | --- | 43.3 | --- |
| Female Breast Cancer Mort., 2004 | --- | --- | 35.3 | 8 | 18.0 | 17.7 | 47.6 | 47.2 | --- | 35.3 | 8 of 54 | --- | --- | --- | 21.3 | --- |
| Motor Vehicle Injury Mort., 2004 | 21.9 | 19 | --- | --- | --- | --- | 14.1 | 14.0 | --- | 13.4 | 27 of 54 | 14.8 | --- | --- | 8.0 | --- |
| Homicide, 2004 | 91.7 | 1 | 8.4 | 4 | --- | --- | --- | 68.0 | --- | 47.9 | 1 of 49 | 5.6 | --- | --- | 2.8 | --- |
| Firearm-related Mortality, 2004 | 100.2 | 1 | 8.7 | 1 | 16.2 | 15.9 | 70.1 | 69.6 | --- | 51.6 | 1 of 53 | 9.8 | --- | --- | 3.6 | --- |
| Suicide, 2004 | 15.8 | 39 | --- | --- | 14.8 | 14.5 | --- | --- | --- | 8.9 | 43 of 54 | 10.7 | --- | --- | 4.8 | --- |
| HIV/AIDS Mortality, 2004 | 41.0 | 5 | 15.3 | 5 | 16.7 | 16.4 | 34.7 | 34.4 | --- | 27.2 | 5 of 41 | 4.4 | --- | --- | 0.7 | --- |
| Pneumonia, 2004 | 18.5 | 48 | 15.0 | 35 | 17.2 | 17.0 | 16.0 | 15.9 | --- | 16.7 | 42 of 54 | 20.4 | --- | --- | --- | --- |
| Diabetes, 2004 | 77.9 | 1 | 60.5 | 1 | 29.0 | 28.7 | 99.8 | 98.9 | --- | 66.3 | 1 of 54 | 24.4 | --- | --- | 46.0 | --- |
| Fertility, 2003 | --- | --- | --- | --- | 43.2 | 42.1 | 67.7 | 67.2 | 41.4 | 60.1 | 47 of 54 | 66.1 | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | 12.2 | --- | --- | 11.3 | 8 of 53 | 6.8 | --- | --- | 4.5 | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.5 | --- | --- | --- | --- | 13.5 | 1 of 54 | 7.9 | --- | --- | 5.0 | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 2.7 | --- | --- | --- | --- | 17.5 | 6 of 54 | 10.3 | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 5.3 | --- | 2.0 | --- | --- | 2.5 | 40 of 44 | 10.7 | --- | --- | 1.0 | --- |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

¶ For the Non-Hispanic (NH) group specified above, §alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

NEW YORK, NY*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal | | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|---------------------------|---------------------------|---------------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|-----|
| | Male | | Female | | NHW alone or in combination [‡] | | NHW alone [§] | | NHB alone or in combination [‡] | | NHB alone [§] | | U.S. [‡] | | Rate/Percent [†] | | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | |
| HIV Prevalence, 2005 | 624.2 | 11 | 275.6 | 5 | 286.8 | 275.8 | 801.3 | 766.6 | 482.9 | 440.8 | 8 of 41 | --- | --- | --- | --- | --- | |
| AIDS Prevalence, 2005 | 1,120.5 | 7 | 413.4 | 5 | 424.7 | 408.4 | 1,383.7 | 1,323.9 | 919.3 | 748.4 | 6 of 48 | --- | --- | --- | --- | --- | |
| HIV Incidence, 2005 | 52.8 | 12 | 18.5 | 9 | 17.2 | 16.6 | 73.8 | 70.6 | 35.6 | 34.7 | 12 of 39 | --- | --- | --- | --- | --- | |
| AIDS Incidence, 2005 | 73.8 | 8 | 30.7 | 5 | 22.9 | 22.0 | 107.6 | 102.9 | 58.6 | 51.1 | 6 of 47 | --- | --- | --- | --- | --- | |
| PS SYPHILIS Incidence, 2005 | 15.7 | 17 | 0.5 | 13 | 3.3 | 3.2 | 9.2 | 8.8 | 3.6 | 7.7 | 19 of 32 | --- | --- | --- | --- | 0.2 | |
| Chlamydia Incidence, 2005 | 322.7 | 18 | 639.4 | 31 | 19.0 | 18.2 | 454.6 | 434.9 | 199.1 | 489.7 | 28 of 43 | --- | --- | --- | --- | --- | |
| Gonorrhea Incidence, 2005 | 146.0 | 33 | 119.9 | 33 | 10.5 | 10.1 | 161.0 | 154.0 | 36.5 | 132.3 | 34 of 43 | --- | --- | --- | --- | 19.0 | |
| Tuberculosis Incidence, 2005 | 16.7 | 6 | 8.3 | 7 | 3.3 | 3.2 | 15.5 | 14.9 | 12.9 | 12.3 | 8 of 36 | --- | --- | --- | --- | 1.0 | |
| Overall Mortality, 2004 | 922.6 | 51 | 630.3 | 50 | 713.9 | 698.7 | 984.0 | 951.1 | 724.6 | 748.9 | 50 of 54 | --- | --- | --- | --- | --- | |
| Heart Disease Mortality, 2004 | 361.6 | 12 | 259.5 | 7 | 306.2 | 300.6 | 358.7 | 347.5 | 255.0 | 300.6 | 9 of 54 | --- | --- | --- | --- | --- | |
| Cancer Mortality, 2004 | 210.9 | 52 | 146.1 | 53 | 173.0 | 169.3 | 211.0 | 204.0 | 150.1 | 170.2 | 53 of 54 | --- | --- | --- | --- | 158.6 | |
| Lung Cancer Mortality, 2004 | 54.5 | 50 | 28.3 | 52 | 42.9 | 42.0 | 43.4 | 42.0 | 26.5 | 38.6 | 52 of 54 | --- | --- | --- | --- | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 26.8 | 34 | 28.7 | 28.1 | 32.7 | 31.6 | 20.0 | 26.8 | 34 of 54 | --- | --- | --- | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 7.1 | 49 | 3.0 | 31 | 4.8 | 4.6 | 5.5 | 5.3 | 4.4 | 4.9 | 53 of 54 | --- | --- | --- | --- | 8.0 | |
| Homicide, 2004 | 11.8 | 41 | 2.0 | 15 | 2.4 | 2.3 | 16.1 | 15.4 | 6.4 | 6.7 | 42 of 49 | --- | --- | --- | --- | 2.8 | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

OAKLAND, CA*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal | | | | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|---------------------------|---------------------------|---------------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|-----|
| | Male | | Female | | NHW alone or in combination [‡] | | NHW alone [§] | | NHB alone or in combination [‡] | | NHB alone [§] | | U.S. [‡] | | Rate/Percent [†] | | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | Rate/Percent [†] | |
| HIV Prevalence, 2005 | 404.7 | 21 | 112.2 | 21 | 274.6 | 253.0 | 408.9 | 391.1 | 131.5 | 253.3 | 21 of 41 | --- | --- | --- | --- | --- | |
| AIDS Prevalence, 2005 | 682.2 | 15 | 153.3 | 13 | 424.7 | 391.2 | 712.2 | 681.2 | 205.8 | 408.5 | 15 of 48 | --- | --- | --- | --- | --- | |
| HIV Incidence, 2005 | 32.2 | 26 | --- | --- | --- | --- | 32.1 | 30.7 | --- | --- | 25 of 39 | --- | --- | --- | --- | --- | |
| AIDS Incidence, 2005 | 37.4 | 21 | --- | --- | --- | --- | 39.2 | 37.5 | --- | --- | 22 of 47 | --- | --- | --- | --- | --- | |
| PS SYPHILIS Incidence, 2005 | 11.4 | 22 | --- | --- | --- | --- | --- | --- | --- | --- | 24 of 32 | --- | --- | --- | --- | 0.2 | |
| Chlamydia Incidence, 2005 | 306.6 | 23 | 882.3 | 20 | 50.0 | 46.1 | 669.3 | 640.2 | 299.5 | 604.8 | 20 of 43 | --- | --- | --- | --- | --- | |
| Gonorrhea Incidence, 2005 | 277.6 | 21 | 309.6 | 16 | 34.1 | 31.4 | 394.6 | 377.4 | 65.2 | 294.6 | 19 of 43 | --- | --- | --- | --- | 19.0 | |
| Tuberculosis Incidence, 2005 | 15.0 | 12 | --- | --- | --- | --- | --- | --- | --- | --- | 11 of 36 | --- | --- | --- | --- | 1.0 | |
| Overall Mortality, 2004 | 1,009.3 | 47 | 677.5 | 44 | 709.8 | 686.4 | 1,133.7 | 1,105.8 | 709.8 | 822.8 | 45 of 54 | --- | --- | --- | --- | --- | |
| Heart Disease Mortality, 2004 | 263.4 | 44 | 172.5 | 36 | 192.4 | 187.7 | 288.7 | 282.3 | 162.5 | 211.9 | 41 of 54 | --- | --- | --- | --- | --- | |
| Cancer Mortality, 2004 | 237.7 | 44 | 162.9 | 40 | 166.9 | 161.8 | 249.8 | 244.1 | 176.9 | 193.6 | 42 of 54 | --- | --- | --- | --- | 158.6 | |
| Lung Cancer Mortality, 2004 | 57.6 | 47 | 34.0 | 42 | 37.6 | 36.5 | 66.9 | 65.4 | --- | 44.0 | 48 of 54 | --- | --- | --- | --- | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.0 | 42 | --- | --- | 30.5 | 29.7 | --- | --- | 42 of 54 | --- | --- | --- | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 18.4 | 26 | --- | --- | --- | --- | 15.3 | 14.7 | --- | 12.7 | 30 of 54 | --- | --- | --- | --- | 8.0 | |
| Homicide, 2004 | 31.2 | 10 | --- | --- | --- | --- | 41.0 | 39.1 | --- | 17.6 | 10 of 49 | --- | --- | --- | --- | 2.8 | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NHB) group specified above, §alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

OKLAHOMA CITY, OK*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---------------------------------|---------------------------|-------------------|---|-------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | Hispanic Rate/Pct. [†] | | Rate/Percent [†] | | Rank [‡] | | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | | |
| HIV Prevalence, 2005 | 241.4 | 31 | 44.4 | 33 | 107.9 | 103.6 | 194.8 | 58.4 | 140.7 | 31 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 234.1 | 37 | 27.0 | 42 | 108.5 | 104.2 | 170.1 | 64.2 | 128.2 | 37 of 48 | --- | --- | |
| HIV Incidence, 2005 | 21.0 | 30 | --- | --- | 8.6 | 8.2 | --- | --- | 11.5 | 32 of 39 | --- | --- | |
| AIDS Incidence, 2005 | 17.0 | 35 | --- | --- | 7.6 | 7.3 | --- | --- | 9.7 | 37 of 47 | 13.7 | --- | |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | 4.1 | 30 of 32 | 3.0 | 0.2 | |
| Chlamydia Incidence, 2005 | 247.9 | 28 | 774.3 | 26 | 220.0 | 211.3 | 1,817.0 | 607.4 | 517.1 | 25 of 43 | 332.5 | --- | |
| Gonorrhea Incidence, 2005 | 329.5 | 20 | 359.7 | 10 | 103.6 | 99.5 | 1,623.5 | 1,499.9 | 345.0 | 11 of 43 | 115.6 | 19.0 | |
| Tuberculosis Incidence, 2005 | 8.1 | 29 | --- | --- | --- | --- | --- | --- | 6.5 | 28 of 36 | 4.8 | 1.0 | |
| Overall Mortality, 2004 | 1,139.0 | 32 | 794.4 | 23 | 909.4 | 890.7 | 1,278.7 | 814.6 | 936.2 | 30 of 54 | 801.0 | --- | |
| Heart Disease Mortality, 2004 | 346.2 | 17 | 212.7 | 18 | 257.9 | 253.2 | 387.0 | 377.8 | 266.5 | 18 of 54 | 217.5 | --- | |
| Cancer Mortality, 2004 | 236.6 | 45 | 167.2 | 38 | 192.6 | 188.8 | 259.7 | --- | 194.2 | 41 of 54 | 184.6 | 158.6 | |
| Lung Cancer Mortality, 2004 | 80.7 | 29 | 51.3 | 21 | 64.9 | 63.6 | 75.2 | --- | 62.7 | 25 of 54 | 52.9 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.8 | 38 | 23.4 | 22.9 | --- | --- | 24.8 | 38 of 54 | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 22.3 | 16 | 8.1 | 19 | 12.5 | 12.1 | --- | --- | 15.2 | 15 of 54 | 14.8 | 8.0 | |
| Homicide, 2004 | 16.0 | 32 | --- | --- | 6.5 | 6.2 | --- | --- | 10.2 | 33 of 49 | 5.6 | 2.8 | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |

OMAHA, NB*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---------------------------------|---------------------------|-------------------|---|-------|--|
| | Male | | Female | | NHW alone or in combination [‡] | | Hispanic Rate/Pct. [†] | | Rate/Percent [†] | | Rank [‡] | | |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | | |
| HIV Prevalence, 2005 | 145.8 | 34 | 51.5 | 31 | 69.4 | 68.3 | 252.8 | 95.2 | 97.4 | 34 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 177.9 | 42 | 44.0 | 34 | 76.9 | 75.7 | 250.8 | 204.1 | 109.2 | 42 of 48 | --- | --- | |
| HIV Incidence, 2005 | 13.7 | 34 | --- | --- | --- | --- | --- | --- | 10.8 | 33 of 39 | --- | --- | |
| AIDS Incidence, 2005 | 15.8 | 37 | --- | --- | 7.8 | 7.7 | --- | --- | 11.0 | 33 of 47 | 13.7 | --- | |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 | |
| Chlamydia Incidence, 2005 | 405.2 | 14 | 1,001.1 | 12 | 297.7 | 293.1 | 2,385.9 | 850.4 | 711.0 | 12 of 43 | 332.5 | --- | |
| Gonorrhea Incidence, 2005 | 162.6 | 31 | 222.5 | 22 | 57.5 | 56.6 | 838.1 | 112.3 | 193.3 | 26 of 43 | 115.6 | 19.0 | |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Overall Mortality, 2004 | 1,082.3 | 39 | 714.3 | 38 | 819.1 | 814.8 | 1,252.4 | 769.6 | 859.5 | 39 of 54 | 801.0 | --- | |
| Heart Disease Mortality, 2004 | 265.7 | 43 | 162.9 | 43 | 200.0 | 199.1 | 249.5 | 244.9 | 206.2 | 45 of 54 | 217.5 | --- | |
| Cancer Mortality, 2004 | 256.7 | 33 | 175.6 | 26 | 199.1 | 198.3 | 286.6 | 281.4 | 203.2 | 32 of 54 | 184.6 | 158.6 | |
| Lung Cancer Mortality, 2004 | 81.2 | 28 | 49.1 | 22 | 59.8 | 59.5 | 84.1 | 82.8 | 61.6 | 27 of 54 | 52.9 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 29.7 | 20 | 28.0 | 27.9 | --- | --- | 29.7 | 20 of 54 | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | --- | --- | --- | --- | 8.0 | 7.9 | --- | --- | 7.7 | 45 of 54 | 14.8 | 8.0 | |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2.8 | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

PHILADELPHIA, PA*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|---|--|---|---------------------------------|---------------------------|---------------------------|-----|---|--|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Hispanic | | Rate/Percent [†] | | | | Rank [‡] |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone or in combination [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] | NHB alone [§] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | | | | |
| HIV Prevalence, 2005 | 992.8 | 8 | 315.6 | 6 | 319.1 | 312.1 | 979.7 | 960.2 | 630.2 | --- | --- | --- | --- | --- | |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| HIV Incidence, 2005 | 66.2 | 10 | 24.1 | 8 | 15.4 | 15.0 | 74.3 | 72.8 | 43.7 | --- | --- | --- | --- | --- | |
| AIDS Incidence, 2005 | 11.5 | 21 | --- | --- | 3.9 | 3.8 | 8.2 | 8.0 | 5.7 | --- | --- | --- | --- | --- | |
| P&S Syphilis Incidence, 2005 | 658.1 | 2 | 1,347.8 | 6 | 87.8 | 85.9 | 1,364.0 | 1,336.8 | 4,045.7 | --- | --- | --- | --- | --- | |
| Chlamydia Incidence, 2005 | 345.3 | 16 | 322.6 | 14 | 34.0 | 33.2 | 478.1 | 468.6 | 1,215.4 | --- | --- | --- | --- | --- | |
| Gonorrhea Incidence, 2005 | 9.1 | 25 | 6.4 | 20 | --- | --- | 9.0 | 8.8 | --- | --- | --- | --- | --- | --- | |
| Tuberculosis Incidence 2005 | 1,281.2 | 15 | 815.5 | 18 | 898.7 | 888.4 | 1,212.8 | 1,195.6 | 889.1 | --- | --- | --- | --- | --- | |
| Overall Mortality, 2004 | 347.1 | 18 | 213.0 | 17 | 253.0 | 250.5 | 302.1 | 296.2 | 188.6 | --- | --- | --- | --- | --- | |
| Heart Disease Mortality, 2004 | 287.2 | 20 | 200.1 | 10 | 218.1 | 200.1 | 270.1 | 266.6 | 196.1 | --- | --- | --- | --- | --- | |
| Cancer Mortality, 2004 | 86.9 | 23 | 55.2 | 14 | 62.1 | 61.4 | 83.2 | 82.2 | 67.4 | --- | --- | --- | --- | --- | |
| Lung Cancer Mortality, 2004 | 31.7 | 31.7 | 31.7 | 31.7 | 33.7 | 33.3 | 31.7 | 31.3 | 31.7 | --- | --- | --- | --- | --- | |
| Female Breast Cancer Mort., 2004 | 14.6 | 37 | 5.8 | 26 | 11.4 | 11.1 | 8.5 | 8.3 | 9.8 | --- | --- | --- | --- | --- | |
| Motor Vehicle Injury Mort., 2004 | 39.2 | 6 | 5.3 | 9 | 5.6 | 5.5 | 40.6 | 39.7 | 21.4 | --- | --- | --- | --- | --- | |
| Homicide, 2004 | 42.6 | 8 | 3.4 | 7 | 8.6 | 8.5 | 38.6 | 37.8 | 18.1 | --- | --- | --- | --- | --- | |
| Firearm-related Mortality, 2004 | 18.8 | 27 | 4.3 | 16 | 13.7 | 13.5 | 6.8 | 6.7 | 10.7 | --- | --- | --- | --- | --- | |
| Suicide, 2004 | 24.3 | 8 | 9.1 | 9 | 4.2 | 4.1 | 29.9 | 29.3 | 16.1 | --- | --- | --- | --- | --- | |
| HIV/AIDS Mortality, 2004 | 21.9 | 39 | 13.0 | 45 | 14.2 | 14.1 | 20.1 | 19.8 | 16.2 | --- | --- | --- | --- | --- | |
| Pneumonia, 2004 | 31.3 | 35 | 22.9 | 36 | 19.1 | 18.9 | 39.6 | 39.1 | 26.6 | --- | --- | --- | --- | --- | |
| Diabetes, 2004 | --- | --- | --- | --- | 44.1 | 43.1 | 72.6 | 71.1 | 106.3 | --- | --- | --- | --- | --- | |
| Fertility, 2003 | --- | --- | --- | --- | 7.5 | --- | 14.0 | --- | 5.8 | --- | --- | --- | --- | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 7.6 | --- | 14.9 | --- | 10.3 | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.5 | --- | 20.1 | --- | 22.1 | --- | --- | --- | --- | --- | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |

PHOENIX, AZ*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] | |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|--|---|--|---|---------------------------------|---------------------------|---------------------------|-----|---|--|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Hispanic | | Rate/Percent [†] | | | | Rank [‡] |
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone or in combination [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] | NHB alone [§] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | | | | |
| HIV Prevalence, 2005 | 335.4 | 25 | 51.0 | 32 | 209.3 | 204.5 | 566.2 | 513.9 | 122.0 | --- | --- | --- | --- | --- | |
| AIDS Prevalence, 2005 | 292.5 | 34 | 37.6 | 38 | 183.2 | 179.0 | 437.6 | 397.2 | 109.1 | --- | --- | --- | --- | --- | |
| HIV Incidence, 2005 | 31.4 | 27 | 6.0 | 24 | 18.0 | 17.6 | 54.9 | 49.8 | 16.9 | --- | --- | --- | --- | --- | |
| AIDS Incidence, 2005 | 25.8 | 26 | 4.6 | 21 | 13.7 | 13.4 | 47.1 | 42.7 | 13.6 | --- | --- | --- | --- | --- | |
| P&S Syphilis Incidence, 2005 | 8.9 | 24 | --- | --- | 4.5 | 4.4 | --- | --- | 7.8 | --- | --- | --- | --- | --- | |
| Chlamydia Incidence, 2005 | 233.3 | 32 | 794.9 | 25 | 171.4 | 167.5 | 1,135.6 | 1,030.7 | 698.7 | --- | --- | --- | --- | --- | |
| Gonorrhea Incidence, 2005 | 171.2 | 29 | 133.1 | 30 | 67.2 | 65.6 | 660.3 | 599.3 | 151.3 | --- | --- | --- | --- | --- | |
| Tuberculosis Incidence 2005 | 10.6 | 24 | 4.5 | 21 | --- | --- | --- | --- | 15.3 | --- | --- | --- | --- | --- | |
| Overall Mortality, 2004 | 1,076.4 | 41 | 687.5 | 43 | 810.4 | 802.6 | 1,150.5 | 1,103.5 | 1,036.1 | --- | --- | --- | --- | --- | |
| Heart Disease Mortality, 2004 | 285.4 | 40 | 168.5 | 38 | 210.7 | 209.0 | 317.6 | 307.1 | 237.9 | --- | --- | --- | --- | --- | |
| Cancer Mortality, 2004 | 222.6 | 47 | 149.5 | 51 | 172.8 | 171.2 | 247.5 | 239.5 | 192.7 | --- | --- | --- | --- | --- | |
| Lung Cancer Mortality, 2004 | 64.0 | 41 | 38.9 | 37 | 51.0 | 50.5 | 87.4 | 84.5 | 35.2 | --- | --- | --- | --- | --- | |
| Female Breast Cancer Mort., 2004 | 22.4 | --- | 22.4 | 49 | 22.0 | 21.7 | --- | --- | --- | --- | --- | --- | --- | --- | |
| Motor Vehicle Injury Mort., 2004 | 27.5 | 8 | 11.8 | 7 | 14.5 | 14.2 | --- | --- | 31.3 | --- | --- | --- | --- | --- | |
| Homicide, 2004 | 22.8 | 23 | 4.2 | 10 | 6.9 | 6.8 | 32.7 | 30.4 | 23.9 | --- | --- | --- | --- | --- | |
| Firearm-related Mortality, 2004 | 34.7 | 12 | 4.6 | 7 | 14.7 | 14.5 | 34.1 | 31.9 | 27.2 | --- | --- | --- | --- | --- | |
| Suicide, 2004 | 23.4 | 13 | 7.0 | 9 | 17.4 | 17.2 | --- | --- | 11.3 | --- | --- | --- | --- | --- | |
| HIV/AIDS Mortality, 2004 | 9.9 | 32 | --- | --- | 4.8 | 4.7 | --- | --- | --- | --- | --- | --- | --- | --- | |
| Pneumonia, 2004 | 29.8 | 19 | 18.6 | 23 | 22.8 | 22.6 | --- | --- | 21.6 | --- | --- | --- | --- | --- | |
| Diabetes, 2004 | 26.4 | 44 | 20.1 | 45 | 17.7 | 17.5 | --- | --- | 54.4 | --- | --- | --- | --- | --- | |
| Fertility, 2003 | --- | --- | --- | --- | 46.5 | 45.5 | 80.8 | 74.6 | 147.6 | --- | --- | --- | --- | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | 4.9 | --- | --- | --- | 6.6 | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.7 | --- | --- | --- | 7.1 | --- | --- | --- | --- | --- | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.7 | --- | --- | --- | 18.3 | --- | --- | --- | --- | --- | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 13.2 | --- | --- | --- | 2.1 | --- | --- | --- | --- | --- | |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Numerator data used in rate or percent calculation is less than 20 or data not available.
 ‡† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ‡ For the Non-Hispanic (NHB) group specified above, \$ alone represents the population that indicated being only of that race; \$ alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

PITTSBURGH, PA*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | Total | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---------------------------------|---------------------------|---|--|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [¶] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,219.3 | 23 | 768.1 | 31 | 1,232.4 | 1,208.8 | --- | 950.5 | 26 of 54 | --- |
| Heart Disease Mortality, 2004 | 357.4 | 13 | 207.7 | 22 | 332.7 | 284.9 | --- | 268.4 | 17 of 54 | --- |
| Cancer Mortality, 2004 | 290.7 | 19 | 190.0 | 17 | 213.0 | 284.1 | --- | 227.3 | 17 of 54 | 158.6 |
| Lung Cancer Mortality, 2004 | 91.6 | 19 | 57.8 | 10 | 89.3 | 87.9 | --- | 71.9 | 13 of 54 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Homicide, 2004 | 18.7 | 29 | --- | --- | --- | --- | --- | --- | --- | --- |
| Firmarm-related Mortality, 2004 | 27.4 | 28 | --- | --- | --- | --- | --- | --- | --- | --- |
| Suicide, 2004 | 26.2 | 11 | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Pneumonia, 2004 | 26.3 | 26 | 14.3 | 38 | 17.9 | 17.8 | --- | 18.7 | 33 of 54 | --- |
| Diabetes, 2004 | 34.5 | 27 | 18.0 | 50 | 19.3 | 19.1 | --- | 24.2 | 41 of 54 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

PORTLAND, OR (MULTNOMAH COUNTY)*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | Total | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---------------------------------|---------------------------|---|--|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [¶] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | Rate/Percent [†] | | |
| HIV Prevalence, 2005 | 268.6 | 28 | 35.1 | 36 | 273.3 | 231.8 | 131.0 | 150.6 | 30 of 41 | --- |
| AIDS Prevalence, 2005 | 438.7 | 24 | 34.2 | 40 | 360.7 | 306.0 | 247.9 | 234.4 | 27 of 48 | --- |
| HIV Incidence, 2005 | 33.3 | 25 | --- | --- | --- | --- | --- | 17.7 | 27 of 39 | --- |
| AIDS Incidence, 2005 | 13.8 | 38 | --- | --- | --- | --- | --- | 6.8 | 40 of 47 | --- |
| PRS Syphilis Incidence, 2005 | 8.3 | 27 | --- | --- | --- | --- | --- | 4.1 | 30 of 32 | 0.2 |
| Chlamydia Incidence, 2005 | 312.0 | 22 | 554.3 | 36 | 1,664.3 | 1,411.6 | 782.1 | 434.4 | 34 of 43 | --- |
| Gonorrhea Incidence, 2005 | 175.3 | 28 | 93.8 | 36 | 601.2 | 509.9 | 272.1 | 134.1 | 33 of 43 | 19.0 |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,106.9 | 36 | 757.8 | 34 | 1,183.2 | 1,114.7 | 603.0 | 902.7 | 34 of 54 | --- |
| Heart Disease Mortality, 2004 | 259.6 | 45 | 167.8 | 39 | 286.6 | 272.7 | --- | 204.1 | 44 of 54 | --- |
| Cancer Mortality, 2004 | 270.2 | 27 | 174.1 | 31 | 211.1 | 250.9 | --- | 211.4 | 28 of 54 | 158.6 |
| Lung Cancer Mortality, 2004 | 74.3 | 33 | 48.6 | 24 | 86.9 | 82.5 | --- | 59.6 | 29 of 54 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 14.3 | 39 | 7.7 | 21 | 10.6 | 10.2 | --- | 10.9 | 36 of 54 | 8.0 |
| Homicide, 2004 | 6.9 | 45 | --- | --- | --- | --- | --- | 4.7 | 45 of 49 | 2.8 |
| Firmarm-related Mortality, 2004 | 17.6 | 42 | --- | --- | --- | --- | --- | --- | --- | --- |
| Suicide, 2004 | 21.4 | 20 | 10.1 | 4 | 17.3 | 16.9 | --- | 15.1 | 12 of 54 | 3.6 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Pneumonia, 2004 | 18.5 | 48 | 10.9 | 51 | 13.8 | 13.7 | --- | 13.2 | 53 of 54 | --- |
| Diabetes, 2004 | 41.0 | 14 | 28.8 | 19 | 32.6 | 32.2 | --- | 34.1 | 16 of 54 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

* See technical notes on limitations of reported versus geocoded cities.
 ‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 † Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 ‡ Rank of cities for which data are available and denominator data used in rate or percent calculation is less than 20 or data not available.
 † Mortality and morbidity indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ‡ For the Non-Hispanic (NH) group specified above, ‡ alone represents the population that indicated being only of that race; ‡ alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

SACRAMENTO, CA (SACRAMENTO COUNTY)*

| Health Indicator [‡] | Gender | | Race/Ethnicity | | Total | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|--|--|---|---|---|---------------------------------|---|--|
| | Male Rate/Percent [†] Rank [‡] | Female Rate/Percent [†] Rank [‡] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 209.4 | 36.3 | 123.7 | 293.0 | 261.1 | 96.0 | 121.0 | 39 of 48 |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 10.7 | 42 | 4.8 | 22.9 | 20.4 | --- | 6.5 | 42 of 47 |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- |
| Chlamydia Incidence, 2005 | 318.8 | 20 | 129.6 | 1,076.5 | 959.1 | 382.9 | 569.1 | 24 of 43 |
| Gonorrhea Incidence, 2005 | 175.5 | 27 | 39.6 | 514.1 | 458.0 | 82.7 | 186.3 | 27 of 43 |
| Tuberculosis Incidence 2005 | 12.0 | 20 | 2.8 | 16.9 | 15.1 | 12.3 | 10.6 | 16 of 36 |
| Overall Mortality, 2004 | 1,794.9 | 2 | 1,611.2 | 1,768.7 | 1,687.1 | 1,203.9 | 1,409.6 | 2 of 54 |
| Heart Disease Mortality, 2004 | 492.3 | 3 | 426.6 | 446.7 | 428.5 | 290.4 | 383.4 | 3 of 54 |
| Cancer Mortality, 2004 | 399.9 | 2 | 382.2 | 333.9 | 320.1 | 235.9 | 324.2 | 2 of 54 |
| Lung Cancer Mortality, 2004 | 92.6 | 18 | 104.0 | 101.5 | 63.9 | --- | 79.3 | 5 of 54 |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 34.4 | 4 | 21.8 | --- | --- | 23.6 | 23.0 | 4 of 54 |
| Homicide, 2004 | 27.8 | 13 | 14.0 | 33.9 | 31.1 | --- | 17.6 | 10 of 49 |
| Firearm-related Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- |
| Suicide, 2004 | 36.6 | 5 | 29.7 | --- | --- | --- | --- | --- |
| HIV/AIDS Mortality, 2004 | 11.6 | 29 | --- | --- | --- | --- | --- | --- |
| Pneumonia, 2004 | 58.5 | 2 | 49.1 | --- | --- | --- | --- | --- |
| Diabetes, 2004 | 55.0 | 5 | 37.0 | 80.1 | 76.8 | 54.0 | 42.5 | 4 of 54 |
| Fertility, 2003 | --- | --- | 116.7 | 117.6 | 108.9 | 185.0 | 129.9 | 4 of 54 |
| Infant Mortality, 2003 | --- | --- | 11.5 | --- | --- | --- | --- | --- |
| Low Birthweight, 2003 | --- | --- | 6.1 | --- | --- | --- | --- | --- |
| Mothers Under Age 20, 2003 | --- | --- | 6.7 | --- | --- | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- |

SAN ANTONIO, TX*

| Health Indicator [‡] | Gender | | Race/Ethnicity | | Total | | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|--|--|---|---|---|---------------------------------|---|--|
| | Male Rate/Percent [†] Rank [‡] | Female Rate/Percent [†] Rank [‡] | NHW alone or in combination [‡] Rate/Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Hispanic Rate/Pct. [†] | | |
| HIV Prevalence, 2005 | 208.6 | 32 | 113.1 | 314.3 | 299.2 | 111.4 | 123.5 | 33 of 41 |
| AIDS Prevalence, 2005 | 355.7 | 32 | 185.5 | 393.2 | 374.3 | 188.1 | 196.7 | 32 of 48 |
| HIV Incidence, 2005 | 36.5 | 21 | 13.2 | 69.5 | 66.2 | 20.9 | 21.5 | 23 of 39 |
| AIDS Incidence, 2005 | 26.4 | 24 | 14.0 | 28.1 | 26.7 | 16.2 | 15.8 | 24 of 47 |
| PRS Syphilis Incidence, 2005 | 16.4 | 15 | --- | --- | --- | --- | 10.7 | 17 of 32 |
| Chlamydia Incidence, 2005 | 320.1 | 19 | 152.0 | 1,108.6 | 1,055.5 | 717.5 | 618.7 | 18 of 43 |
| Gonorrhea Incidence, 2005 | 188.5 | 25 | 50.0 | 735.5 | 700.3 | 163.7 | 183.7 | 28 of 43 |
| Tuberculosis Incidence 2005 | 8.5 | 27 | --- | --- | --- | --- | 6.4 | 29 of 36 |
| Overall Mortality, 2004 | 1,205.3 | 25 | 989.6 | 1,308.0 | 1,281.3 | 947.2 | 983.5 | 19 of 54 |
| Heart Disease Mortality, 2004 | 334.7 | 23 | 273.7 | 391.2 | 384.6 | 244.1 | 265.8 | 20 of 54 |
| Cancer Mortality, 2004 | 265.0 | 30 | 219.0 | 216.4 | 253.2 | 192.1 | 207.5 | 30 of 54 |
| Lung Cancer Mortality, 2004 | 66.5 | 40 | 66.7 | 75.2 | 74.0 | 27.1 | 49.0 | 42 of 54 |
| Female Breast Cancer Mort., 2004 | --- | --- | --- | --- | --- | --- | --- | --- |
| Motor Vehicle Injury Mort., 2004 | 26.3 | 11 | 15.3 | 33.6 | 32.4 | 17.7 | 17.1 | 11 of 54 |
| Homicide, 2004 | 12.7 | 39 | 4.0 | --- | --- | --- | 8.2 | 40 of 49 |
| Firearm-related Mortality, 2004 | 17.8 | 41 | 9.9 | --- | --- | --- | 9.4 | 42 of 53 |
| Suicide, 2004 | 17.6 | 33 | 16.3 | --- | --- | --- | 10.2 | 39 of 54 |
| HIV/AIDS Mortality, 2004 | 11.9 | 28 | 5.1 | --- | --- | --- | 6.8 | 30 of 41 |
| Pneumonia, 2004 | 19.2 | 47 | 15.4 | --- | --- | --- | 15.3 | 48 of 54 |
| Diabetes, 2004 | 55.3 | 4 | 35.1 | 60.1 | 59.1 | 66.4 | 49.8 | 2 of 54 |
| Fertility, 2003 | --- | --- | 68.1 | 73.1 | 66.1 | 97.6 | 85.8 | 12 of 54 |
| Infant Mortality, 2003 | --- | --- | 6.0 | --- | --- | --- | 7.5 | 22 of 53 |
| Low Birthweight, 2003 | --- | --- | 8.1 | --- | --- | --- | 8.9 | 23 of 54 |
| Mothers Under Age 20, 2003 | --- | --- | 6.3 | --- | --- | --- | 15.3 | 12 of 54 |
| Mothers Who Smoke, 2003 | --- | --- | 6.3 | 5.5 | --- | 2.0 | 3.2 | 37 of 44 |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

¶ For the Non-Hispanic (NH) group specified above, § alone represents the population that indicated being only of that race; ¶ alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

SAN DIEGO, CA (SAN DIEGO COUNTY)*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | U.S. [‡] | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|--|---|---|-------------------------------|-------------------|-------------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | |
| HIV Prevalence, 2005 | 379.5 | 29 | 38.7 | 36 | 209.6 | 201.2 | 515.9 | 456.9 | 210.1 | 31 of 48 | 13.7 | 3.0 |
| AIDS Prevalence, 2005 | 24.8 | 28 | 2.5 | 23 | 12.7 | 12.1 | 26.5 | 23.5 | 13.7 | 29 of 47 | 13.7 | 3.0 |
| HIV Incidence, 2005 | 11.9 | 19 | 1.7 | 12 | 7.1 | 6.8 | 11.9 | 7.5 | 6.9 | 20 of 32 | 13.7 | 3.0 |
| P&S Syphilis Incidence, 2005 | 207.7 | 35 | 558.2 | 35 | 86.2 | 82.7 | 548.3 | 485.6 | 391.0 | 38 of 43 | 332.5 | 19.0 |
| Chlamydia Incidence, 2005 | 103.6 | 38 | 76.1 | 40 | 20.5 | 19.6 | 199.4 | 176.6 | 92.6 | 40 of 43 | 115.6 | 4.8 |
| Gonorrhea Incidence, 2005 | 13.9 | 16 | 7.7 | 11 | 2.0 | 1.9 | 19.6 | 17.6 | 10.8 | 13 of 36 | 801.0 | 21.3 |
| Tuberculosis Incidence, 2005 | 927.1 | 50 | 640.8 | 49 | 760.3 | 748.4 | 1,190.5 | 1,132.4 | 762.0 | 49 of 54 | 14.8 | 8.0 |
| Overall Mortality, 2004 | 277.5 | 42 | 163.0 | 42 | 209.1 | 206.6 | 362.1 | 346.2 | 210.5 | 42 of 54 | 217.5 | 15.6 |
| Heart Disease Mortality, 2004 | 218.0 | 49 | 153.4 | 49 | 183.4 | 180.6 | 242.7 | 232.3 | 178.3 | 49 of 54 | 184.6 | 15.6 |
| Cancer Mortality, 2004 | 55.3 | 48 | 38.4 | 39 | 49.4 | 48.7 | 54.4 | 52.1 | 45.5 | 46 of 54 | 52.9 | 43.3 |
| Lung Cancer Mortality, 2004 | 55.3 | 48 | 38.4 | 39 | 49.4 | 48.7 | 54.4 | 52.1 | 45.5 | 46 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 23.1 | 46 | 23.6 | 23.2 | --- | --- | 23.1 | 46 of 54 | 21.3 | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 14.9 | 35 | 5.1 | 29 | 9.2 | 8.8 | --- | --- | 10.0 | 38 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 8.0 | 44 | --- | --- | --- | --- | 29.7 | 27.5 | 5.4 | 44 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 10.8 | 49 | --- | --- | 4.5 | 4.4 | 21.7 | 19.8 | 6.6 | 50 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 14.0 | 44 | 7.2 | 8 | 13.7 | 13.3 | --- | --- | 10.4 | 37 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 13.9 | 25 | --- | --- | 7.7 | 7.5 | --- | --- | 7.6 | 28 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 22.4 | 36 | 13.4 | 42 | 15.5 | 15.3 | --- | --- | 16.8 | 41 of 54 | 20.4 | 10.3 |
| Diabetes, 2004 | 25.4 | 47 | 18.7 | 49 | 16.0 | 15.7 | 47.1 | 45.1 | 21.7 | 47 of 54 | 24.4 | 10.7 |
| Fertility, 2003 | --- | --- | --- | --- | 48.3 | 46.0 | 61.4 | 55.8 | 65.6 | 35 of 54 | 66.1 | 1.0 |
| Infant Mortality, 2003 | --- | --- | --- | --- | 4.5 | 4.5 | --- | --- | 4.5 | 46 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.1 | --- | 10.7 | --- | 6.7 | 50 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 3.1 | --- | 12.2 | --- | 7.9 | 46 of 54 | 10.3 | 1.0 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

SAN FRANCISCO, CA*

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | U.S. [‡] | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|--|---|---|-------------------------------|-------------------|-------------------------------|-------------------|
| | Male | | Female | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | |
| HIV Prevalence, 2005 | 1,458.4 | 4 | 103.4 | 22 | 1,150.5 | 1,094.1 | 1,534.2 | 1,407.8 | 792.2 | 4 of 41 | 13.7 | 3.0 |
| AIDS Prevalence, 2005 | 2,082.4 | 4 | 131.2 | 17 | 1,685.7 | 1,603.1 | 2,075.1 | 1,904.2 | 1,123.0 | 4 of 48 | 13.7 | 3.0 |
| HIV Incidence, 2005 | 136.8 | 3 | 13.1 | 13 | 90.3 | 85.9 | 161.6 | 148.3 | 76.0 | 3 of 39 | 13.7 | 3.0 |
| AIDS Incidence, 2005 | 94.2 | 5 | 9.4 | 17 | 68.2 | 64.8 | 127.6 | 117.1 | 52.5 | 5 of 47 | 13.7 | 3.0 |
| P&S Syphilis Incidence, 2005 | 61.5 | 9 | --- | --- | 48.7 | 46.3 | --- | --- | 32.1 | 3 of 32 | 13.7 | 3.0 |
| Chlamydia Incidence, 2005 | 473.1 | 9 | 462.4 | 42 | 282.1 | 268.3 | 1,425.4 | 1,307.9 | 477.4 | 30 of 43 | 332.5 | 19.0 |
| Gonorrhea Incidence, 2005 | 517.7 | 6 | 91.6 | 38 | 313.9 | 298.6 | 876.0 | 803.8 | 310.7 | 18 of 43 | 115.6 | 4.8 |
| Tuberculosis Incidence, 2005 | 22.8 | 2 | 11.0 | 3 | --- | --- | --- | --- | 17.0 | 2 of 36 | 4.8 | 1.0 |
| Overall Mortality, 2004 | 889.0 | 52 | 544.5 | 54 | 737.4 | 717.7 | 1,315.5 | 1,249.5 | 699.3 | 53 of 54 | 801.0 | 21.3 |
| Heart Disease Mortality, 2004 | 231.3 | 52 | 131.0 | 51 | 190.3 | 185.9 | 284.3 | 272.9 | 174.5 | 52 of 54 | 217.5 | 15.6 |
| Cancer Mortality, 2004 | 210.5 | 53 | 151.9 | 50 | 192.4 | 187.1 | 283.0 | 271.2 | 175.3 | 51 of 54 | 184.6 | 15.6 |
| Lung Cancer Mortality, 2004 | 55.1 | 49 | 34.1 | 45 | 48.3 | 47.1 | 55.7 | 53.5 | 43.4 | 49 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.5 | 41 | 32.1 | 31.2 | 59.5 | 56.6 | 24.5 | 41 of 54 | 21.3 | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 6.7 | 50 | 4.9 | 30 | --- | --- | --- | --- | 5.8 | 51 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 15.1 | 35 | --- | --- | --- | --- | 72.5 | 65.1 | 8.6 | 38 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 16.6 | 44 | --- | --- | --- | --- | 64.7 | 57.7 | 8.6 | 44 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 18.3 | 30 | 5.1 | 13 | 16.3 | 15.7 | --- | --- | 11.6 | 31 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 38.0 | 6 | --- | --- | 26.9 | 26.0 | 65.7 | 62.1 | 21.7 | 6 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 37.8 | 7 | 21.3 | 15 | 31.8 | 31.0 | 39.2 | 37.7 | 28.3 | 7 of 54 | 20.4 | 10.3 |
| Diabetes, 2004 | 20.0 | 51 | 13.7 | 53 | 13.1 | 12.8 | 52.8 | 50.7 | 17.0 | 52 of 54 | 24.4 | 10.7 |
| Fertility, 2003 | --- | --- | --- | --- | 38.4 | 36.5 | 54.8 | 49.3 | 45.7 | 54 of 54 | 66.1 | 1.0 |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.2 | --- | --- | --- | 3.1 | 53 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 0.8 | --- | 15.3 | --- | 7.3 | 44 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | --- | --- | 15.0 | --- | 4.3 | 53 of 54 | 10.3 | 1.0 |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

* See technical notes on limitations of reported versus geocoded cities.
 † County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 †† Rank of cities for which data are available and denominator data used in rate or percent calculation is less than 20 or data not available.
 ††† Numerator data used in rate or percent calculation is less than 20 or data not available.
 †††† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ††††† For the Non-Hispanic (NH) group specified above, \$ alone represents the population that indicated being only of that race; \$ alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|---|----------------------------|----------------------------|--|---|----------------------------|----------------------------|---|---|
| | Male | | Female | | NHW alone or in combination ^f | | Hispanic | | NHW alone or in combination ^f | | Hispanic | | | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | Rate/ Pct. [†] | Rate/ Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | Rate/ Pct. [†] | Rate/ Pct. [†] | | |
| HIV Prevalence, 2005 | 131.7 | 36 | 20.0 | 38 | 94.3 | 88.6 | 244.1 | 97.8 | 214.5 | 76.8 | 37 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 198.8 | 41 | 27.0 | 42 | 133.9 | 125.9 | 447.5 | 145.2 | 393.2 | 114.3 | 40 of 48 | --- | --- | |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| AIDS Incidence, 2005 | 7.5 | 46 | --- | --- | --- | --- | --- | --- | --- | 4.2 | 46 of 47 | 13.7 | --- | |
| PRS Syphilis Incidence, 2005 | 8.6 | 25 | --- | --- | --- | --- | --- | --- | --- | 4.6 | 28 of 32 | 3.0 | 0.2 | |
| Chlamydia Incidence, 2005 | 201.8 | 36 | 486.2 | 40 | 71.3 | 67.0 | 440.8 | 289.6 | 387.2 | 343.5 | 42 of 43 | 332.5 | --- | |
| Gonorrhea Incidence, 2005 | 73.2 | 41 | 54.1 | 42 | 19.2 | 18.1 | 111.9 | 54.1 | 98.3 | 63.9 | 42 of 43 | 115.6 | 19.0 | |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.0 | |
| Overall Mortality, 2004 | 846.0 | 53 | 602.8 | 51 | 772.1 | 750.8 | 970.3 | 800.2 | 884.7 | 708.9 | 52 of 54 | 801.0 | --- | |
| Heart Disease Mortality, 2004 | 223.7 | 53 | 151.6 | 46 | 209.2 | 204.1 | 221.6 | 183.7 | 202.1 | 184.0 | 48 of 54 | 217.5 | --- | |
| Cancer Mortality, 2004 | 212.0 | 51 | 149.2 | 52 | 194.6 | 189.3 | 254.1 | 174.2 | 233.6 | 174.5 | 52 of 54 | 184.6 | 158.6 | |
| Lung Cancer Mortality, 2004 | 52.7 | 52 | 34.1 | 45 | 51.8 | 50.5 | --- | 30.2 | --- | 41.8 | 50 of 54 | 52.9 | 43.3 | |
| Female Breast Cancer Mort., 2004 | --- | --- | 21.5 | 51 | 25.9 | 25.2 | --- | --- | --- | 21.5 | 51 of 54 | --- | 21.3 | |
| Motor Vehicle Injury Mort., 2004 | 12.3 | 45 | --- | --- | 10.0 | 9.4 | --- | 13.6 | --- | 8.1 | 43 of 54 | 14.8 | 8.0 | |
| Homicide, 2004 | 6.3 | 47 | --- | --- | --- | --- | --- | --- | --- | 3.5 | 49 of 49 | 5.6 | 2.8 | |
| Firearm-related Mortality, 2004 | --- | 52 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Suicide, 2004 | 14.0 | 44 | 4.8 | 14 | 12.1 | 11.6 | --- | --- | --- | 5.3 | 51 of 53 | 9.8 | 3.6 | |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.8 | |
| Pneumonia, 2004 | 30.9 | 17 | 24.5 | 7 | 24.4 | 23.8 | --- | 40.8 | --- | 2.3 | 41 of 41 | 4.4 | 0.7 | |
| Diabetes, 2004 | 32.0 | 32 | 23.8 | 26 | 23.2 | 22.6 | --- | 56.1 | --- | 27.0 | 10 of 54 | 20.4 | --- | |
| Fertility, 2003 | --- | --- | --- | --- | 53.3 | 50.0 | 55.4 | 103.2 | 49.3 | 76.0 | 23 of 54 | 66.1 | 46.0 | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.2 | --- | 12.3 | 5.7 | --- | 4.0 | 49 of 53 | 6.8 | 4.5 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 2.5 | --- | --- | 11.3 | --- | 6.3 | 53 of 54 | 7.9 | 5.0 | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 51 of 54 | 10.3 | --- | |
| | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | |

| Health Indicator [‡] | Gender | | | | Race/Ethnicity | | | | Total | | | | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|---|----------------------------|----------------------------|--|---|----------------------------|----------------------------|---|---|
| | Male | | Female | | NHW alone or in combination ^f | | Hispanic | | NHW alone or in combination ^f | | Hispanic | | | |
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | Rate/ Pct. [†] | Rate/ Pct. [†] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination ^f Rate/Pct. [†] | Rate/ Pct. [†] | Rate/ Pct. [†] | | |
| HIV Prevalence, 2005 | 717.2 | 8 | 64.1 | 28 | 407.5 | 391.3 | 715.4 | 588.8 | 618.2 | 389.8 | 13 of 41 | --- | --- | |
| AIDS Prevalence, 2005 | 854.2 | 10 | 69.8 | 26 | 485.2 | 465.9 | 818.6 | 821.0 | 707.3 | 461.0 | 13 of 48 | --- | --- | |
| HIV Incidence, 2005 | 57.3 | 8 | --- | --- | 30.1 | 28.9 | 64.5 | --- | 55.7 | 31.8 | 14 of 39 | --- | --- | |
| AIDS Incidence, 2005 | 52.3 | 13 | --- | --- | 28.5 | 27.4 | 55.9 | --- | 48.3 | 29.5 | 17 of 47 | 13.7 | --- | |
| PRS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.2 | |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Gonorrhea Incidence, 2005 | 15.7 | 9 | --- | --- | --- | --- | 43.0 | --- | 37.1 | 10.8 | 13 of 36 | 4.8 | 1.0 | |
| Tuberculosis Incidence 2005 | 931.4 | 49 | 579.2 | 52 | 732.7 | 725.5 | 1,047.6 | 500.2 | 980.4 | 729.5 | 51 of 54 | 801.0 | --- | |
| Overall Mortality, 2004 | 235.3 | 50 | 127.2 | 53 | 175.1 | 173.2 | 233.6 | --- | 220.2 | 171.7 | 53 of 54 | 217.5 | --- | |
| Heart Disease Mortality, 2004 | 221.7 | 48 | 154.1 | 46 | 183.8 | 181.4 | 247.6 | --- | 234.8 | 180.6 | 48 of 54 | 184.6 | 158.6 | |
| Cancer Mortality, 2004 | 58.6 | 46 | 39.0 | 36 | 49.8 | 49.2 | 70.0 | --- | 66.6 | 46.8 | 45 of 54 | 52.9 | 43.3 | |
| Lung Cancer Mortality, 2004 | --- | --- | 23.3 | 45 | 23.5 | 23.2 | --- | --- | --- | 23.3 | 45 of 54 | --- | 21.3 | |
| Female Breast Cancer Mort., 2004 | 9.4 | 48 | --- | --- | 6.2 | 6.0 | --- | --- | --- | 6.8 | 50 of 54 | 14.8 | 8.0 | |
| Motor Vehicle Injury Mort., 2004 | 6.8 | 46 | --- | --- | --- | --- | --- | --- | --- | 4.4 | 46 of 49 | 5.6 | 2.8 | |
| Homicide, 2004 | --- | 48 | --- | --- | 6.1 | 5.9 | --- | --- | --- | 6.9 | 49 of 53 | 9.8 | 3.6 | |
| Firearm-related Mortality, 2004 | 11.8 | 48 | --- | --- | 13.7 | 13.3 | --- | --- | --- | 12.2 | 27 of 54 | 10.7 | 4.8 | |
| Suicide, 2004 | 18.3 | 30 | --- | --- | 7.4 | 7.2 | --- | --- | --- | 7.8 | 27 of 41 | 4.4 | 0.7 | |
| HIV/AIDS Mortality, 2004 | 22.3 | 38 | 9.0 | 53 | 15.1 | 15.0 | --- | --- | --- | 13.9 | 51 of 54 | 20.4 | --- | |
| Pneumonia, 2004 | 31.1 | 36 | 19.6 | 46 | 20.5 | 20.3 | 74.2 | --- | 70.5 | 24.6 | 40 of 54 | 24.4 | 46.0 | |
| Diabetes, 2004 | --- | --- | --- | --- | 43.1 | 41.3 | 68.4 | 71.3 | 58.2 | 46.2 | 53 of 54 | 66.1 | --- | |
| Fertility, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| Low Birthweight, 2003 | --- | --- | --- | --- | 5.9 | --- | 10.1 | 5.8 | --- | 5.6 | 42 of 53 | 6.8 | 4.5 | |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 1.7 | --- | 10.5 | 11.3 | --- | 6.6 | 51 of 54 | 7.9 | 5.0 | |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.8 | 54 of 54 | 10.3 | --- | |
| | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Numerator data used in rate or percent calculation is less than 20 or data not available.

§ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

f For the Non-Hispanic (NHW) group specified above, §Alone represents the population that indicated being only of that race; fAlone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

ST. LOUIS, MO*

| Health Indicator [‡] | Gender | | | Race/Ethnicity | | | Total | | | U.S. Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|---------------------------------------|---|-------------------|--------------------------------------|---|--------------------------------------|------------------------|-------------------------------|-------------------|------------------------------------|--|
| | Male Rate/ Percent [†] | Female Rate/ Percent [†] | Rank [§] | NHW alone [§] Rate/Pct.† | NHW alone or in combination [¶] Rate/Pct.† | NHW alone [§] Rate/Pct.† | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [§] | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,328.3 | 798.3 | 20 | 882.6 | 871.0 | 1,201.9 | 552.2 | 1,013.2 | 14 of 54 | 801.0 | --- |
| Heart Disease Mortality, 2004 | 374.7 | 226.9 | 12 | 204.8 | 261.7 | 316.8 | --- | 284.7 | 12 of 54 | 217.5 | --- |
| Cancer Mortality, 2004 | 308.6 | 189.3 | 9 | 209.0 | 206.5 | 279.5 | --- | 234.4 | 12 of 54 | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 103.1 | 57.8 | 10 | 65.6 | 64.8 | 92.5 | --- | 91.6 | 8 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | 28.8 | 25 | 27.3 | 27.0 | 31.6 | --- | 31.2 | 25 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 21.9 | --- | 19 | 15.9 | 15.5 | 12.4 | --- | 14.1 | 23 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 45.0 | 5 | --- | --- | --- | 46.7 | --- | 46.0 | 5 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | 48.3 | 5 | --- | --- | --- | 43.2 | --- | 42.5 | 5 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 18.9 | 26 | --- | 17.2 | 16.8 | --- | --- | 13.0 | 22 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | 19.5 | 15 | --- | --- | --- | 15.0 | --- | 10.3 | 17 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 33.7 | 14 | 16.9 | 23.9 | 23.7 | 19.3 | --- | 22.1 | 21 of 54 | 20.4 | --- |
| Diabetes, 2004 | 37.7 | 21 | 33.4 | 23.9 | 23.6 | 53.3 | --- | 35.6 | 13 of 54 | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | 50.6 | 49.2 | 77.2 | 111.0 | 65.0 | 36 of 54 | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | 15.8 | --- | 12.7 | 5 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | 7.4 | --- | 13.9 | --- | 11.4 | 6 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | 7.0 | --- | 24.2 | 13.3 | 17.7 | 4 of 54 | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | 17.4 | --- | 16.5 | --- | 16.0 | 5 of 44 | 10.7 | 1.0 |

TUCSON, AZ*

| Health Indicator [‡] | Gender | | | Race/Ethnicity | | | Total | | | U.S. Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
|----------------------------------|---------------------------------------|---|-------------------|--------------------------------------|---|--------------------------------------|------------------------|-------------------------------|-------------------|------------------------------------|--|
| | Male Rate/ Percent [†] | Female Rate/ Percent [†] | Rank [§] | NHW alone [§] Rate/Pct.† | NHW alone or in combination [¶] Rate/Pct.† | NHW alone [§] Rate/Pct.† | Hispanic Rate/Pct.† | Rate/ Percent [†] | Rank [§] | | |
| HIV Prevalence, 2005 | 336.0 | 58.0 | 24 | 218.8 | 213.0 | 464.8 | --- | 194.2 | 27 of 41 | --- | --- |
| AIDS Prevalence, 2005 | 335.1 | 39.1 | 35 | 204.4 | 198.9 | 419.3 | --- | 184.1 | 34 of 48 | --- | --- |
| HIV Incidence, 2005 | 27.3 | --- | --- | 17.4 | 17.0 | --- | --- | 15.8 | 29 of 39 | --- | --- |
| AIDS Incidence, 2005 | 23.9 | --- | --- | 12.9 | 12.5 | --- | --- | 13.6 | 30 of 47 | --- | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Overall Mortality, 2004 | 1,747.3 | 1,142.8 | 3 | 1,468.4 | 1,452.2 | 1,487.9 | 1,168.7 | 1,398.2 | 3 of 54 | 801.0 | --- |
| Heart Disease Mortality, 2004 | 451.0 | 260.9 | 6 | 363.0 | 359.5 | 306.7 | 273.4 | 340.8 | 6 of 54 | 217.5 | --- |
| Cancer Mortality, 2004 | 398.7 | 253.0 | 3 | 336.4 | 333.0 | 327.8 | 255.8 | 311.1 | 3 of 54 | 184.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 117.3 | 69.6 | 3 | 104.8 | 103.8 | --- | 53.0 | 89.5 | 2 of 54 | 52.9 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | 41.7 | 4 | 43.5 | 43.1 | --- | --- | 41.7 | 4 of 54 | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 29.2 | 17.5 | 2 | 23.2 | 22.7 | --- | 24.4 | 23.1 | 3 of 54 | 14.8 | 8.0 |
| Homicide, 2004 | 25.7 | 17 | --- | 10.5 | 10.3 | --- | --- | 16.0 | 15 of 49 | 5.6 | 2.8 |
| Firearm-related Mortality, 2004 | --- | --- | --- | 21.4 | 21.1 | --- | 21.9 | 24.3 | 7 of 53 | 9.8 | 3.6 |
| Suicide, 2004 | 39.7 | 12.3 | 2 | 31.6 | 31.1 | --- | 14.4 | 25.0 | 3 of 54 | 10.7 | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | 5.3 | 36 of 41 | 4.4 | 0.7 |
| Pneumonia, 2004 | 58.6 | 30.4 | 4 | 44.6 | 44.2 | --- | 31.9 | 41.2 | 2 of 54 | 20.4 | --- |
| Diabetes, 2004 | 42.4 | 39.1 | 3 | 34.5 | 34.1 | --- | 61.8 | 40.7 | 7 of 54 | 24.4 | 46.0 |
| Fertility, 2003 | --- | --- | --- | 59.6 | 58.0 | 268.6 | 28.6 | 57.2 | 49 of 54 | 66.1 | --- |
| Infant Mortality, 2003 | --- | --- | --- | 6.5 | --- | --- | 39.0 | 12.1 | 6 of 53 | 6.8 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | 7.7 | --- | 13.4 | 5.1 | 8.3 | 30 of 54 | 7.9 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | 10.4 | --- | 20.4 | 17.2 | 13.9 | 17 of 54 | 10.3 | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | 14.2 | --- | 10.4 | --- | 11.1 | 15 of 44 | 10.7 | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.

† County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

§ Numerator data used in rate or percent calculation is less than 20 or data not available.

¶ Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; ¶Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

TULSA, OK*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHB alone or in combination [‡] | | Hispanic | | Total | | Year 2010 Goal | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|---|--|---|------------------------|-------------------|-------------------------------|-------------------|--|--|
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Rate/Pct. [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PHS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.7 | --- |
| Chlamydia Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 |
| Gonorrhea Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 332.5 | --- |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115.6 | 19.0 |
| Overall Mortality, 2004 | 1,153.9 | 30 | 779.5 | 29 | 919.2 | 894.4 | 1,281.9 | 1,242.7 | 933.6 | 31 of 54 | 801.0 | --- | 4.8 | 1.0 |
| Heart Disease Mortality, 2004 | 341.0 | 19 | 212.2 | 19 | 263.8 | 257.4 | 353.9 | 343.5 | 263.6 | 21 of 54 | 217.5 | --- | --- | --- |
| Cancer Mortality, 2004 | 253.5 | 36 | 153.5 | 47 | 190.8 | 185.8 | 250.5 | 243.4 | 190.6 | 44 of 54 | 184.6 | --- | --- | 158.6 |
| Lung Cancer Mortality, 2004 | 85.5 | 25 | 43.7 | 29 | 63.8 | 62.1 | 66.0 | 64.4 | 60.2 | 28 of 54 | 52.9 | --- | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.0 | 42 | 19.2 | 18.6 | --- | --- | 24.0 | 42 of 54 | --- | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 18.0 | 28 | 10.2 | 9 | 13.8 | 13.1 | --- | --- | 14.3 | 20 of 54 | 14.8 | --- | --- | 8.0 |
| Homicide, 2004 | 17.9 | 30 | --- | --- | 8.5 | 8.2 | 37.5 | 35.7 | 12.9 | 25 of 49 | 5.6 | --- | --- | 2.8 |
| Firearm-related Mortality, 2004 | 32.7 | 17 | --- | --- | 17.3 | 16.7 | 34.1 | 32.5 | 18.6 | 15 of 53 | 9.8 | --- | --- | 3.6 |
| Suicide, 2004 | 26.4 | 10 | --- | --- | 18.1 | 17.5 | --- | --- | 14.5 | 15 of 54 | 10.7 | --- | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 25.5 | 27 | 18.8 | 20 | 23.4 | 22.9 | --- | --- | 21.5 | 23 of 54 | 20.4 | --- | --- | --- |
| Diabetes, 2004 | 29.4 | 38 | 25.3 | 28 | 20.3 | 19.8 | 102.5 | 99.9 | 27.3 | 33 of 54 | 24.4 | --- | --- | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 87.4 | 83.3 | 24.8 | 23.6 | 138.0 | 3 of 54 | 66.1 | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.0 | --- | --- | --- | 4.5 | 46 of 53 | 6.8 | --- | --- | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.9 | --- | 11.8 | --- | 7.7 | 39 of 54 | 7.9 | --- | --- | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 8.8 | --- | 15.1 | --- | 13.8 | 19 of 54 | 10.3 | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 8.1 | --- | 8.7 | --- | 4.9 | 31 of 44 | 10.7 | --- | --- | 1.0 |

VIRGINIA BEACH, VA*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHB alone or in combination [‡] | | Hispanic | | Total | | Year 2010 Goal | |
|----------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|--|---|--|---|------------------------|-------------------|-------------------------------|-------------------|--|--|
| | Rate/ Percent [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | Rate/Pct. [†] | Rank [‡] | Rate/ Percent [†] | Rank [‡] | U.S. [‡] Rate/ Percent [†] | Year 2010 Goal Rate/ Percent [†] |
| HIV Prevalence, 2005 | 182.4 | 33 | 67.5 | 26 | 69.4 | 67.6 | 365.4 | 348.3 | 124.4 | 32 of 41 | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | 143.5 | 44 | 51.2 | 31 | 59.9 | 58.4 | 268.0 | 255.5 | 96.9 | 43 of 48 | --- | --- | --- | --- |
| HIV Incidence, 2005 | 12.4 | 36 | --- | --- | --- | --- | 27.8 | 26.5 | 9.4 | 35 of 39 | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.7 | --- |
| PHS Syphilis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 |
| Chlamydia Incidence, 2005 | 221.8 | 33 | 523.0 | 38 | 159.8 | 155.6 | 1,036.8 | 988.2 | 373.9 | 40 of 43 | 332.5 | --- | --- | --- |
| Gonorrhea Incidence, 2005 | 106.9 | 36 | 116.4 | 35 | 28.1 | 27.4 | 409.6 | 390.5 | 111.7 | 38 of 43 | 115.6 | --- | --- | 19.0 |
| Tuberculosis Incidence 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.0 |
| Overall Mortality, 2004 | 1,106.3 | 37 | 767.0 | 32 | 868.7 | 861.2 | 1,228.5 | 1,207.7 | 888.2 | 36 of 54 | 801.0 | --- | --- | --- |
| Heart Disease Mortality, 2004 | 302.3 | 36 | 180.9 | 35 | 221.8 | 220.2 | 293.9 | 289.6 | 226.8 | 36 of 54 | 217.5 | --- | --- | --- |
| Cancer Mortality, 2004 | 291.4 | 18 | 178.1 | 24 | 215.0 | 213.5 | 272.2 | 268.1 | 215.8 | 24 of 54 | 184.6 | --- | --- | 158.6 |
| Lung Cancer Mortality, 2004 | 105.1 | 5 | 56.1 | 13 | 77.3 | 76.8 | 64.7 | 63.6 | 73.1 | 11 of 54 | 52.9 | --- | --- | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 24.6 | 39 | 23.4 | 23.2 | --- | --- | 24.6 | 39 of 54 | --- | --- | --- | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 10.0 | 47 | --- | --- | 7.1 | 7.0 | --- | --- | 7.7 | 45 of 54 | 14.8 | --- | --- | 8.0 |
| Homicide, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2.8 |
| Firearm-related Mortality, 2004 | 18.4 | 40 | --- | --- | 10.8 | 10.6 | --- | --- | 4.4 | 46 of 49 | 5.6 | --- | --- | --- |
| Suicide, 2004 | 21.6 | 18 | --- | --- | 14.7 | 14.5 | --- | --- | 12.8 | 24 of 54 | 10.7 | --- | --- | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.7 |
| Pneumonia, 2004 | 35.0 | 12 | 21.1 | 16 | 27.2 | 27.0 | --- | --- | 25.9 | 15 of 54 | 20.4 | --- | --- | --- |
| Diabetes, 2004 | 22.3 | 50 | 20.3 | 44 | 18.0 | 17.9 | 66.7 | 64.6 | 21.4 | 50 of 54 | 24.4 | --- | --- | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 61.2 | 59.8 | --- | --- | 63.0 | 42 of 54 | 66.1 | --- | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 6.1 | --- | --- | --- | 6.7 | 32 of 53 | 6.8 | --- | --- | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.6 | --- | 10.9 | --- | 7.9 | 40 of 54 | 7.9 | --- | --- | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 6.1 | --- | 13.4 | --- | 10.5 | 47 of 54 | 10.3 | --- | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 8.0 | --- | 4.1 | --- | 6.5 | 25 of 44 | 10.7 | --- | --- | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.

‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.

† Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

‡ Mortality and morbidity indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.

§ For the Non-Hispanic (NHW) group specified above, §Alone represents the population that indicated being only of that race; §Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

WASHINGTON, DC*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|---------|---------------------------------|---------------------------|-------------------|---|--|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | | | | |
| HIV Prevalence, 2005 | 4,074.4 | 1 | 1,952.5 | 1 | 4,344.2 | 4,344.2 | 636.4 | 4,268.9 | 2,177.8 | 2,177.8 | 2,951.6 | 1 of 41 | --- | --- | --- |
| AIDS Prevalence, 2005 | 3,226.1 | 2 | 937.6 | 2 | 2,624.9 | 2,624.9 | 1,202.3 | 2,579.4 | 1,187.9 | 1,187.9 | 2,015.2 | 2 of 48 | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | 188.6 | 2 | 83.9 | 2 | 192.6 | 192.6 | 29.2 | 189.3 | 117.9 | 117.9 | 133.2 | 2 of 47 | 13.7 | --- | --- |
| PS SYPHILIS Incidence, 2005 | 38.2 | 5 | --- | --- | 19.7 | 19.7 | 23.1 | 19.4 | --- | --- | 19.9 | 5 of 32 | 3.0 | 0.2 | 0.2 |
| Chlamydia Incidence, 2005 | 253.2 | 27 | 983.5 | 13 | 37.7 | 430.5 | 36.5 | 423.0 | 129.0 | 129.0 | 643.3 | 15 of 43 | 332.5 | --- | --- |
| Gonorrhea Incidence, 2005 | 413.2 | 11 | 339.9 | 12 | 41.5 | 430.5 | 40.1 | 423.0 | 48.9 | 48.9 | 375.1 | 9 of 43 | 115.6 | 19.0 | 19.0 |
| Tuberculosis Incidence, 2005 | 13.4 | 17 | 6.6 | 18 | 13.2 | 13.0 | --- | --- | --- | --- | 9.8 | 18 of 36 | 4.8 | 1.0 | 1.0 |
| Overall Mortality, 2004 | 1,249.2 | 18 | 770.9 | 30 | 669.1 | 1,193.8 | 654.4 | 1,176.9 | 196.0 | 196.0 | 966.4 | 24 of 54 | 801.0 | --- | --- |
| Heart Disease Mortality, 2004 | 348.6 | 16 | 224.6 | 13 | 181.9 | 333.8 | 178.6 | 329.5 | --- | --- | 273.7 | 14 of 54 | 217.5 | --- | --- |
| Cancer Mortality, 2004 | 268.3 | 29 | 167.5 | 37 | 160.6 | 240.2 | 157.3 | 237.1 | --- | --- | 205.6 | 34 of 54 | 184.6 | 158.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 73.9 | 35 | 34.8 | 44 | 39.4 | 34.8 | 38.6 | 59.0 | --- | --- | 50.6 | 33 of 54 | 52.9 | 43.3 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 27.1 | 33 | 28.1 | 29.6 | 27.5 | 29.2 | --- | --- | 27.1 | 33 of 54 | --- | 21.3 | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 13.5 | 41 | --- | --- | --- | --- | --- | 8.7 | --- | --- | 7.7 | 45 of 54 | 14.8 | 8.0 | 8.0 |
| Homicide, 2004 | 51.4 | 4 | --- | --- | --- | --- | --- | 50.1 | --- | --- | 27.7 | 4 of 49 | 5.6 | 2.8 | 2.8 |
| Firearm-related Mortality, 2004 | 43.6 | 7 | --- | --- | 42.1 | 41.3 | --- | 41.3 | --- | --- | 22.3 | 8 of 53 | 9.8 | 3.6 | 3.6 |
| Suicide, 2004 | 9.7 | 53 | --- | --- | --- | --- | --- | --- | --- | --- | 5.6 | 52 of 54 | 10.7 | 4.8 | 4.8 |
| HIV/AIDS Mortality, 2004 | 57.3 | 4 | 27.1 | 3 | 65.6 | 64.4 | --- | 64.4 | --- | --- | 41.1 | 4 of 41 | 4.4 | 0.7 | 0.7 |
| Pneumonia, 2004 | 19.3 | 45 | 14.9 | 36 | 20.0 | 19.8 | --- | 19.8 | --- | --- | 16.2 | 43 of 54 | 20.4 | --- | --- |
| Diabetes, 2004 | 45.5 | 9 | 36.1 | 6 | 16.6 | 54.0 | 16.3 | 53.3 | --- | --- | 39.8 | 8 of 54 | 24.4 | 46.0 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 40.5 | 59.4 | 39.2 | 58.2 | 81.3 | 81.3 | 53.0 | 50 of 54 | 66.1 | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 10 of 53 | 6.8 | 4.5 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 6.1 | 13.8 | --- | --- | 7.6 | 7.6 | 10.9 | 10 of 54 | 7.9 | 5.0 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 16.3 | 16.3 | --- | --- | 10.6 | 10.6 | 11.4 | 31 of 54 | 10.3 | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 5.9 | 5.9 | --- | --- | --- | --- | 3.7 | 35 of 44 | 10.7 | 1.0 | 1.0 |

WICHITA, KS (SEDEWICK COUNTY)*

| Health Indicator [‡] | Male | | Female | | Race/Ethnicity | | NHW alone or in combination [‡] | | NHB alone or in combination [‡] | | Hispanic Rate/Pct. [†] | Rate/Percent [†] | Rank [‡] | U.S. [‡] Rate/Percent [†] | Year 2010 Goal Rate/Percent [†] |
|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|---|---|---|---|--|-------|---------------------------------|---------------------------|-------------------|---|--|
| | Rate/Percent [†] | Rank [‡] | Rate/Percent [†] | Rank [‡] | NHW alone [§] Rate/Pct. [†] | NHB alone [§] Rate/Pct. [†] | NHW alone or in combination [‡] Rate/Pct. [†] | NHB alone or in combination [‡] Rate/Pct. [†] | | | | | | | |
| HIV Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Prevalence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| HIV Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| AIDS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.7 | --- | --- |
| PS SYPHILIS Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 0.2 | 0.2 |
| Chlamydia Incidence, 2005 | 179.6 | 37 | 664.2 | 30 | 161.9 | 1,366.9 | 158.2 | 1,261.5 | 618.2 | 618.2 | 424.6 | 35 of 43 | 332.5 | --- | --- |
| Gonorrhea Incidence, 2005 | 96.9 | 39 | 191.7 | 25 | 35.3 | 812.3 | 34.5 | 749.6 | 101.7 | 101.7 | 144.9 | 31 of 43 | 115.6 | 19.0 | 19.0 |
| Tuberculosis Incidence, 2005 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.4 | 35 of 36 | 4.8 | 1.0 | 1.0 |
| Overall Mortality, 2004 | 1,164.4 | 28 | 798.0 | 21 | 933.7 | 1,329.9 | 924.2 | 1,290.2 | 983.1 | 983.1 | 950.5 | 26 of 54 | 801.0 | --- | --- |
| Heart Disease Mortality, 2004 | 310.1 | 32 | 167.1 | 40 | 223.2 | 356.5 | 223.3 | 348.5 | --- | --- | 227.0 | 35 of 54 | 217.5 | --- | --- |
| Cancer Mortality, 2004 | 277.9 | 24 | 187.3 | 19 | 223.0 | 286.3 | 221.0 | 280.1 | 219.5 | 219.5 | 221.9 | 22 of 54 | 184.6 | 158.6 | 158.6 |
| Lung Cancer Mortality, 2004 | 100.3 | 10 | 52.4 | 20 | 74.7 | 86.5 | 74.0 | 84.6 | --- | --- | 71.9 | 13 of 54 | 52.9 | 43.3 | 43.3 |
| Female Breast Cancer Mort., 2004 | --- | --- | 31.2 | 13 | 30.7 | 31.2 | 30.5 | --- | --- | --- | 31.2 | 13 of 54 | --- | 21.3 | 21.3 |
| Motor Vehicle Injury Mort., 2004 | 19.8 | 23 | --- | --- | 16.0 | --- | 15.7 | --- | --- | --- | 14.2 | 21 of 54 | 14.8 | 8.0 | 8.0 |
| Homicide, 2004 | 12.5 | 40 | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 37 of 49 | 5.6 | 2.8 | 2.8 |
| Firearm-related Mortality, 2004 | 22.3 | 38 | --- | --- | 9.2 | 52.6 | 9.1 | 50.2 | --- | --- | 13.4 | 35 of 53 | 9.8 | 3.6 | 3.6 |
| Suicide, 2004 | 25.6 | 12 | --- | --- | 16.4 | --- | 16.1 | --- | --- | --- | 15.2 | 10 of 54 | 10.7 | 4.8 | 4.8 |
| HIV/AIDS Mortality, 2004 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.4 | 0.7 | 0.7 |
| Pneumonia, 2004 | 17.9 | 50 | 14.3 | 38 | 15.9 | --- | 15.8 | --- | --- | --- | 15.1 | 49 of 54 | 20.4 | --- | --- |
| Diabetes, 2004 | 35.5 | 26 | 27.3 | 23 | 25.6 | --- | 25.4 | --- | --- | --- | 30.5 | 23 of 54 | 24.4 | 46.0 | 46.0 |
| Fertility, 2003 | --- | --- | --- | --- | 77.2 | 93.4 | 75.4 | 88.9 | 139.9 | 139.9 | 84.9 | 14 of 54 | 66.1 | --- | --- |
| Infant Mortality, 2003 | --- | --- | --- | --- | 4.9 | --- | --- | --- | --- | --- | 6.3 | 35 of 53 | 6.8 | 4.5 | 4.5 |
| Low Birthweight, 2003 | --- | --- | --- | --- | 7.5 | --- | --- | --- | 7.0 | 7.0 | 8.3 | 30 of 54 | 7.9 | 5.0 | 5.0 |
| Mothers Under Age 20, 2003 | --- | --- | --- | --- | 10.5 | --- | --- | --- | 15.5 | 15.5 | 12.2 | 27 of 54 | 10.3 | --- | --- |
| Mothers Who Smoke, 2003 | --- | --- | --- | --- | 18.1 | 15.7 | --- | --- | 3.3 | 3.3 | 14.7 | 9 of 44 | 10.7 | 1.0 | 1.0 |

* See technical notes on limitations of reported versus geocoded cities.
 ‡ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrhea, Chlamydia and Tuberculosis.
 † Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.
 ‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is less than 20 or data not available.
 † Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females; fertility rate per 1,000 women age 15-44.
 ‡ For the Non-Hispanic (NHW) group specified above, §alone represents the population that indicated being only of that race; ¶alone represents the population that indicated being only of that race or being of that race in combination with one or more races.

Section 5

TABLE 5.1: PERCENT FOREIGN BORN, 2000

| City | NH White Alone [§] | NH White Alone/ Combination [£] | Percent NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | Total |
|------------------------------|-----------------------------|---|---|---|----------|-------|
| Albuquerque, NM | 3.1 | 3.2 | 2.8 | 3.1 | 14.2 | 8.9 |
| Arlington, TX | 2.6 | 3.0 | 7.4 | 7.6 | 42.2 | 15.3 |
| Atlanta, GA | 4.2 | 4.4 | 1.6 | 1.8 | 62.1 | 6.6 |
| Austin, TX | 3.6 | 3.8 | 3.2 | 3.5 | 35.0 | 16.6 |
| Baltimore, MD | 4.2 | 4.3 | 2.0 | 2.2 | 40.6 | 4.6 |
| Boston, MA | 11.6 | 12.4 | 24.1 | 26.4 | 42.9 | 25.8 |
| Charlotte, NC | 3.7 | 4.0 | 3.1 | 3.3 | 70.1 | 11.0 |
| Chicago, IL | 17.0 | 17.8 | 1.6 | 1.8 | 45.6 | 21.7 |
| Cincinnati, OH | 2.6 | 2.7 | 1.4 | 1.5 | 37.8 | 3.8 |
| Cleveland, OH | 5.3 | 5.5 | 0.7 | 0.8 | 10.0 | 4.5 |
| El Paso County, CO | 3.4 | 3.5 | 3.6 | 3.8 | 16.3 | 7.0 |
| Columbus, OH | 2.1 | 2.4 | 4.2 | 5.5 | 36.8 | 6.7 |
| Dallas, TX | 4.6 | 5.0 | 3.2 | 3.5 | 54.9 | 24.4 |
| Denver, CO | 4.8 | 5.2 | 4.4 | 5.0 | 38.1 | 17.4 |
| Detroit, MI | 10.5 | 12.4 | 0.8 | 0.8 | 37.0 | 4.8 |
| El Paso, TX | 7.0 | 7.3 | 3.9 | 4.1 | 31.0 | 26.1 |
| Fort Worth, TX | 2.5 | 2.8 | 1.4 | 1.5 | 42.6 | 16.3 |
| Fresno, CA | 4.1 | 4.6 | 2.8 | 3.0 | 28.3 | 20.3 |
| Honolulu, HI | 8.8 | 7.4 | 6.2 | 7.1 | 12.6 | 25.3 |
| Houston, TX | 6.7 | 7.4 | 3.7 | 4.0 | 50.2 | 26.4 |
| Indianapolis, IN | 1.6 | 1.7 | 1.5 | 1.6 | 52.2 | 4.6 |
| Jacksonville, FL | 3.1 | 3.4 | 2.1 | 2.3 | 26.7 | 5.9 |
| Kansas City, MO | 1.7 | 1.9 | 1.6 | 2.0 | 37.3 | 5.8 |
| Las Vegas, NV | 5.0 | 5.2 | 2.1 | 2.6 | 52.2 | 18.9 |
| Long Beach, CA | 6.2 | 6.7 | 2.6 | 2.7 | 48.8 | 28.6 |
| Los Angeles, CA | 19.9 | 21.3 | 5.8 | 6.3 | 56.2 | 40.9 |
| Louisville/Jefferson Co., KY | 1.5 | 1.7 | 1.2 | 1.3 | 48.5 | 3.4 |
| Memphis, TN | 2.0 | 2.2 | 0.5 | 0.6 | 60.0 | 4.0 |
| Mesa, AZ | 2.7 | 2.8 | 4.2 | 4.4 | 39.5 | 11.2 |
| Miami, FL | 16.2 | 17.0 | 20.4 | 23.8 | 78.8 | 59.5 |
| Milwaukee, WI | 3.3 | 3.4 | 0.9 | 0.9 | 32.9 | 7.7 |
| Minneapolis, MN | 3.0 | 3.2 | 16.0 | 17.3 | 59.6 | 14.5 |
| Nashville-Davidson, TN | 2.4 | 3.0 | 2.3 | 2.6 | 58.7 | 7.1 |
| New Orleans, LA | 3.1 | 3.4 | 0.5 | 0.6 | 47.4 | 4.2 |
| New York, NY | 23.2 | 24.0 | 28.3 | 29.4 | 41.2 | 35.9 |
| Oakland, CA | 8.7 | 9.2 | 2.7 | 3.2 | 55.9 | 26.6 |
| Oklahoma City, OK | 1.2 | 1.4 | 1.6 | 1.8 | 45.1 | 8.5 |
| Omaha, NB | 1.5 | 1.6 | 2.6 | 2.6 | 47.1 | 6.6 |
| Philadelphia, PA | 7.1 | 7.4 | 3.1 | 3.4 | 12.7 | 9.0 |
| Phoenix, AZ | 4.2 | 4.5 | 4.3 | 4.7 | 44.8 | 19.5 |
| Pittsburgh, PA | 4.1 | 4.3 | 1.2 | 1.3 | 27.0 | 5.6 |
| Portland, OR | 5.5 | 5.8 | 6.0 | 6.6 | 47.4 | 13.0 |
| Sacramento, CA | 6.2 | 6.5 | 2.0 | 2.2 | 31.2 | 20.3 |
| San Antonio, TX | 3.4 | 3.7 | 2.2 | 2.5 | 15.6 | 11.7 |
| San Diego, CA | 8.2 | 8.7 | 6.4 | 7.8 | 43.4 | 25.7 |
| San Francisco, CA | 14.9 | 15.3 | 3.8 | 4.1 | 53.1 | 36.8 |
| San Jose, CA | 10.2 | 11.1 | 13.7 | 13.8 | 41.9 | 36.9 |
| Seattle, WA | 5.9 | 6.0 | 12.1 | 13.2 | 40.0 | 16.9 |
| St. Louis, MO | 5.9 | 6.3 | 0.9 | 1.1 | 38.1 | 5.6 |
| Tucson, AZ | 3.6 | 3.8 | 4.9 | 4.8 | 28.4 | 14.3 |
| Tulsa, OK | 1.7 | 1.8 | 1.8 | 1.8 | 50.5 | 6.5 |
| Virginia Beach, VA | 2.8 | 2.9 | 2.5 | 2.6 | 19.0 | 6.6 |
| Washington, DC | 10.3 | 10.8 | 4.2 | 4.6 | 64.2 | 12.9 |
| Wichita, KS | 1.4 | 1.6 | 2.2 | 2.3 | 39.9 | 8.1 |

Source: 2000 Census Summary File 4 (SF4) sample data, total population

TABLE 5.2: NUMBER OF CHILDREN IN POVERTY, 2000

| City | NH White Alone [§] | NH White Alone/ Combination [£] | Poverty NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | Total |
|------------------------------|-----------------------------|---|---|---|----------|---------|
| Albuquerque, NM | 2,357 | 2,683 | 567 | 751 | 9,186 | 13,652 |
| Arlington, TX | 1,994 | 2,257 | 2,160 | 2,361 | 3,552 | 8,671 |
| Atlanta, GA | 476 | 593 | 24,205 | 24,448 | 789 | 26,025 |
| Austin, TX | 1,805 | 2,097 | 3,245 | 3,460 | 12,112 | 18,008 |
| Baltimore, MD | 2,879 | 3,451 | 29,793 | 30,274 | 480 | 34,391 |
| Boston, MA | 2,381 | 2,586 | 7,882 | 8,380 | 7,546 | 20,520 |
| Charlotte, NC | 2,233 | 2,447 | 8,980 | 9,194 | 2,030 | 13,819 |
| Chicago, IL | 6,544 | 8,073 | 90,823 | 91,644 | 46,970 | 150,448 |
| Cincinnati, OH | 3,087 | 3,498 | 15,075 | 15,479 | 317 | 19,163 |
| Cleveland, OH | 6,069 | 6,793 | 26,493 | 27,120 | 3,891 | 37,587 |
| El Paso County, CO | 3,422 | 3,734 | 1,221 | 1,507 | 2,319 | 7,674 |
| Columbus, OH | 7,416 | 8,312 | 12,915 | 14,303 | 781 | 23,592 |
| Dallas, TX | 3,272 | 3,765 | 20,281 | 20,742 | 31,699 | 56,994 |
| Denver, CO | 1,818 | 2,138 | 3,114 | 3,348 | 11,442 | 17,347 |
| Detroit, MI | 3,585 | 5,322 | 62,405 | 63,652 | 3,866 | 72,967 |
| El Paso, TX | 1,440 | 1,588 | 539 | 647 | 33,273 | 35,610 |
| Fort Worth, TX | 2,838 | 3,166 | 8,004 | 8,243 | 11,534 | 23,410 |
| Fresno, CA | 3,240 | 3,665 | 4,016 | 4,298 | 19,966 | 35,901 |
| Honolulu, HI | 298 | 1,493 | 50 | 314 | 875 | 7,237 |
| Houston, TX | 4,598 | 5,385 | 33,947 | 34,657 | 58,453 | 100,937 |
| Indianapolis, IN | 7,815 | 8,487 | 12,852 | 13,512 | 1,438 | 23,427 |
| Jacksonville, FL | 6,200 | 6,880 | 14,391 | 14,917 | 1,187 | 23,087 |
| Kansas City, MO | 3,214 | 3,629 | 10,423 | 10,894 | 1,890 | 16,340 |
| Las Vegas, NV | 3,335 | 3,791 | 3,576 | 3,913 | 6,606 | 14,498 |
| Long Beach, CA | 1,647 | 1,990 | 6,396 | 6,755 | 18,557 | 31,195 |
| Los Angeles, CA | 11,811 | 14,600 | 27,777 | 29,146 | 160,636 | 212,547 |
| Louisville/Jefferson Co., KY | 7,691 | 8,474 | 12,621 | 13,359 | 552 | 22,212 |
| Memphis, TN | 2,236 | 2,638 | 35,827 | 36,198 | 976 | 40,055 |
| Mesa, AZ | 3,037 | 3,193 | 384 | 502 | 4,753 | 8,795 |
| Miami, FL | 1,671 | 1,771 | 8,043 | 8,563 | 9,469 | 19,982 |
| Milwaukee, WI | 2,726 | 3,457 | 26,456 | 27,262 | 6,709 | 38,428 |
| Minneapolis, MN | 1,419 | 2,064 | 6,685 | 7,709 | 1,723 | 14,282 |
| Nashville-Davidson, TN | 3,728 | 4,353 | 10,586 | 11,025 | 1,886 | 17,425 |
| New Orleans, LA | 681 | 791 | 33,398 | 33,601 | 585 | 35,580 |
| New York, NY | 51,932 | 58,007 | 124,632 | 129,684 | 177,620 | 397,499 |
| Oakland, CA | 478 | 841 | 9,274 | 9,534 | 5,782 | 19,275 |
| Oklahoma City, OK | 6,091 | 7,089 | 7,447 | 8,269 | 5,367 | 21,822 |
| Omaha, NB | 3,163 | 3,579 | 5,345 | 5,777 | 1,767 | 11,258 |
| Philadelphia, PA | 10,362 | 11,295 | 49,292 | 50,245 | 17,043 | 81,977 |
| Phoenix, AZ | 8,641 | 9,511 | 4,237 | 4,896 | 43,317 | 59,552 |
| Pittsburgh, PA | 3,106 | 3,499 | 9,303 | 9,721 | 252 | 13,364 |
| Portland, OR | 5,630 | 6,474 | 2,404 | 2,961 | 2,462 | 12,680 |
| Sacramento, CA | 3,644 | 4,508 | 5,393 | 6,119 | 6,904 | 22,853 |
| San Antonio, TX | 3,842 | 4,435 | 4,435 | 4,843 | 47,312 | 56,705 |
| San Diego, CA | 4,116 | 5,173 | 5,197 | 6,264 | 26,382 | 41,528 |
| San Francisco, CA | 813 | 1,115 | 3,043 | 3,250 | 2,728 | 10,071 |
| San Jose, CA | 1,755 | 2,047 | 596 | 677 | 10,462 | 16,746 |
| Seattle, WA | 1,670 | 2,127 | 2,339 | 2,939 | 1,406 | 8,203 |
| St. Louis, MO | 2,541 | 3,164 | 19,045 | 19,570 | 485 | 23,171 |
| Tucson, AZ | 4,372 | 4,639 | 930 | 1,129 | 14,552 | 21,113 |
| Tulsa, OK | 4,182 | 5,073 | 6,241 | 6,987 | 2,303 | 14,895 |
| Virginia Beach, VA | 2,690 | 3,055 | 3,018 | 3,315 | 677 | 7,086 |
| Washington, DC | 319 | 476 | 22,729 | 22,989 | 2,099 | 25,864 |
| Wichita, KS | 3,257 | 3,815 | 2,878 | 3,298 | 2,524 | 9,885 |

Source: 2000 Census Summary File 4 (SF4) sample data, persons under 12 years for whom poverty status is known.

TABLE 5.3: PERCENT BELOW 200% POVERTY LEVEL, 2000

| City | NH White Alone [§] | NH White Alone/ Combination [£] | Percent NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | Total |
|------------------------------|-----------------------------|---|---|---|----------|-------|
| Albuquerque, NM | 20.9 | 21.4 | 38.6 | 39.4 | 43.8 | 32.2 |
| Arlington, TX | 15.5 | 16.0 | 32.8 | 33.5 | 48.5 | 25.2 |
| Atlanta, GA | 15.9 | 16.4 | 57.1 | 57.2 | 55.7 | 43.9 |
| Austin, TX | 19.6 | 20.0 | 42.2 | 42.1 | 48.7 | 31.7 |
| Baltimore, MD | 30.2 | 30.7 | 51.0 | 51.0 | 42.7 | 44.4 |
| Boston, MA | 25.4 | 25.7 | 44.4 | 44.0 | 55.4 | 37.2 |
| Charlotte, NC | 12.9 | 13.3 | 39.0 | 39.2 | 49.3 | 24.9 |
| Chicago, IL | 19.9 | 20.7 | 50.8 | 50.6 | 48.8 | 39.7 |
| Cincinnati, OH | 28.1 | 28.5 | 57.5 | 57.4 | 52.4 | 41.7 |
| Cleveland, OH | 37.0 | 37.5 | 59.5 | 59.4 | 59.4 | 50.4 |
| El Paso County, CO | 19.1 | 19.5 | 37.0 | 37.2 | 39.9 | 23.3 |
| Columbus, OH | 25.1 | 25.6 | 45.6 | 46.2 | 47.2 | 31.7 |
| Dallas, TX | 17.0 | 17.4 | 48.5 | 48.5 | 60.4 | 41.2 |
| Denver, CO | 19.4 | 19.9 | 41.6 | 41.2 | 52.2 | 33.3 |
| Detroit, MI | 42.6 | 44.6 | 48.6 | 48.7 | 55.4 | 48.5 |
| El Paso, TX | 22.1 | 22.6 | 33.9 | 35.0 | 55.4 | 48.2 |
| Fort Worth, TX | 22.2 | 22.5 | 51.0 | 50.8 | 56.5 | 38.7 |
| Fresno, CA | 27.6 | 28.3 | 62.3 | 61.7 | 64.9 | 51.0 |
| Honolulu, HI | 22.2 | 23.7 | 32.7 | 36.3 | 37.3 | 26.4 |
| Houston, TX | 17.1 | 17.7 | 50.3 | 50.2 | 60.1 | 42.8 |
| Indianapolis, IN | 21.5 | 21.8 | 44.5 | 44.5 | 50.0 | 28.8 |
| Jacksonville, FL | 21.6 | 21.9 | 46.5 | 46.5 | 37.1 | 29.7 |
| Kansas City, MO | 21.1 | 21.6 | 48.8 | 48.9 | 48.8 | 32.5 |
| Las Vegas, NV | 19.2 | 19.6 | 46.5 | 45.8 | 48.7 | 29.4 |
| Long Beach, CA | 21.5 | 22.3 | 52.2 | 52.0 | 64.1 | 45.6 |
| Los Angeles, CA | 22.4 | 23.4 | 48.6 | 48.1 | 63.6 | 46.4 |
| Louisville/Jefferson Co., KY | 21.8 | 22.1 | 52.2 | 52.3 | 46.7 | 28.3 |
| Memphis, TN | 22.3 | 22.6 | 52.7 | 52.6 | 56.4 | 42.2 |
| Mesa, AZ | 20.1 | 20.3 | 35.4 | 36.4 | 49.5 | 27.0 |
| Miami, FL | 31.0 | 31.6 | 69.6 | 69.9 | 57.0 | 56.6 |
| Milwaukee, WI | 24.4 | 25.1 | 59.2 | 58.9 | 57.7 | 42.8 |
| Minneapolis, MN | 22.5 | 23.2 | 58.1 | 57.2 | 58.8 | 35.8 |
| Nashville-Davidson, TN | 20.7 | 21.3 | 45.3 | 45.5 | 56.5 | 29.6 |
| New Orleans, LA | 23.9 | 24.5 | 60.3 | 60.2 | 47.2 | 49.9 |
| New York, NY | 24.0 | 24.8 | 43.7 | 43.6 | 55.7 | 39.8 |
| Oakland, CA | 17.4 | 18.4 | 45.3 | 44.7 | 52.1 | 40.0 |
| Oklahoma City, OK | 26.6 | 27.4 | 54.1 | 54.4 | 66.1 | 36.4 |
| Omaha, NB | 19.9 | 20.3 | 54.7 | 54.6 | 49.4 | 27.5 |
| Philadelphia, PA | 29.0 | 29.5 | 51.5 | 51.5 | 67.1 | 43.4 |
| Phoenix, AZ | 20.7 | 21.1 | 46.4 | 46.2 | 61.9 | 36.9 |
| Pittsburgh, PA | 32.9 | 33.3 | 59.4 | 59.4 | 49.3 | 41.0 |
| Portland, OR | 25.7 | 26.3 | 48.2 | 48.3 | 53.4 | 30.4 |
| Sacramento, CA | 28.7 | 29.5 | 51.3 | 51.1 | 50.1 | 41.5 |
| San Antonio, TX | 19.7 | 20.1 | 44.6 | 44.3 | 51.5 | 40.4 |
| San Diego, CA | 19.2 | 19.8 | 43.7 | 44.3 | 57.0 | 32.9 |
| San Francisco, CA | 17.1 | 17.5 | 45.7 | 44.7 | 37.4 | 26.0 |
| San Jose, CA | 10.9 | 11.2 | 21.6 | 21.6 | 35.1 | 20.9 |
| Seattle, WA | 18.7 | 19.2 | 42.6 | 42.5 | 43.8 | 25.0 |
| St. Louis, MO | 30.6 | 31.5 | 61.0 | 61.0 | 53.7 | 47.6 |
| Tucson, AZ | 32.4 | 32.8 | 50.4 | 51.3 | 55.7 | 42.5 |
| Tulsa, OK | 24.5 | 25.4 | 57.8 | 58.2 | 60.0 | 34.0 |
| Virginia Beach, VA | 17.5 | 17.8 | 35.4 | 35.6 | 35.4 | 22.1 |
| Washington, DC | 14.3 | 15.0 | 43.8 | 43.7 | 46.9 | 35.9 |
| Wichita, KS | 21.2 | 21.7 | 50.1 | 50.1 | 51.1 | 28.6 |

Source: 2000 Census Summary File 4 (SF4) sample data, persons for whom poverty status is determined.

TABLE 5.4: MEDIAN HOUSEHOLD INCOME, 1999

| City | Annual Household Income | | | | | Total |
|------------------------------|-----------------------------|---|-----------------------------|---|----------|--------|
| | NH White Alone [§] | NH White Alone/ Combination [£] | NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | |
| Albuquerque, NM | 43,331 | 43,014 | 32,675 | 31,632 | 32,314 | 38,272 |
| Arlington, TX | 52,407 | 52,153 | 38,967 | 38,683 | 36,814 | 47,622 |
| Atlanta, GA | 61,619 | 61,330 | 23,137 | 23,059 | 36,545 | 34,770 |
| Austin, TX | 48,979 | 48,608 | 32,061 | 32,150 | 35,632 | 42,689 |
| Baltimore, MD | 37,113 | 36,855 | 26,197 | 26,202 | 31,292 | 30,078 |
| Boston, MA | 47,668 | 47,234 | 31,061 | 31,405 | 27,141 | 39,629 |
| Charlotte, NC | 56,808 | 56,578 | 33,687 | 33,639 | 38,298 | 46,975 |
| Chicago, IL | 49,222 | 48,605 | 29,108 | 29,168 | 36,543 | 38,625 |
| Cincinnati, OH | 36,467 | 36,296 | 20,998 | 21,082 | 27,623 | 29,493 |
| Cleveland, OH | 31,491 | 31,368 | 21,181 | 21,230 | 25,296 | 25,928 |
| El Paso County, CO | 47,413 | 47,227 | 37,430 | 37,197 | 34,940 | 45,081 |
| Columbus, OH | 41,585 | 41,394 | 29,196 | 28,902 | 33,158 | 37,897 |
| Dallas, TX | 50,148 | 49,863 | 27,386 | 27,420 | 31,575 | 37,628 |
| Denver, CO | 44,022 | 43,684 | 30,895 | 31,064 | 32,636 | 39,500 |
| Detroit, MI | 28,984 | 28,562 | 29,651 | 29,622 | 30,270 | 29,526 |
| El Paso, TX | 46,949 | 46,628 | 36,833 | 36,788 | 27,386 | 32,124 |
| Fort Worth, TX | 43,222 | 43,102 | 26,609 | 26,647 | 32,671 | 37,074 |
| Fresno, CA | 40,666 | 40,209 | 22,392 | 22,490 | 26,646 | 32,236 |
| Honolulu, HI | 47,894 | 46,054 | 36,774 | 36,521 | 33,274 | 45,112 |
| Houston, TX | 51,830 | 51,467 | 27,567 | 27,512 | 29,650 | 36,616 |
| Indianapolis, IN | 43,577 | 43,435 | 30,116 | 30,048 | 35,046 | 40,051 |
| Jacksonville, FL | 44,388 | 44,271 | 30,022 | 30,034 | 37,497 | 40,316 |
| Kansas City, MO | 43,204 | 42,932 | 26,923 | 26,951 | 31,312 | 37,198 |
| Las Vegas, NV | 48,656 | 48,425 | 30,533 | 30,737 | 37,122 | 44,069 |
| Long Beach, CA | 49,418 | 48,900 | 27,623 | 27,675 | 29,359 | 37,270 |
| Los Angeles, CA | 51,516 | 50,802 | 27,236 | 27,420 | 28,759 | 36,687 |
| Louisville/Jefferson Co., KY | 43,078 | 42,858 | 24,572 | 24,526 | 30,503 | 39,457 |
| Memphis, TN | 41,223 | 41,104 | 26,873 | 26,871 | 34,505 | 32,285 |
| Mesa, AZ | 44,491 | 44,334 | 36,652 | 35,850 | 38,303 | 42,817 |
| Miami, FL | 48,704 | 48,004 | 17,341 | 17,412 | 22,209 | 23,483 |
| Milwaukee, WI | 37,697 | 37,585 | 24,400 | 24,369 | 30,281 | 32,216 |
| Minneapolis, MN | 42,231 | 41,988 | 25,299 | 25,056 | 32,347 | 37,974 |
| Nashville-Davidson, TN | 43,185 | 42,950 | 29,491 | 29,518 | 32,038 | 39,232 |
| New Orleans, LA | 40,390 | 40,168 | 21,485 | 21,501 | 28,545 | 27,133 |
| New York, NY | 50,730 | 50,257 | 31,451 | 31,540 | 27,757 | 38,293 |
| Oakland, CA | 57,399 | 56,497 | 31,151 | 31,263 | 38,779 | 40,055 |
| Oklahoma City, OK | 38,734 | 38,324 | 24,023 | 23,871 | 27,081 | 34,947 |
| Omaha, NB | 43,171 | 42,991 | 23,885 | 23,796 | 35,028 | 40,006 |
| Philadelphia, PA | 37,073 | 36,897 | 26,322 | 26,359 | 20,762 | 30,746 |
| Phoenix, AZ | 47,044 | 46,835 | 30,436 | 30,478 | 31,062 | 41,207 |
| Pittsburgh, PA | 32,692 | 32,462 | 20,095 | 20,089 | 22,407 | 28,588 |
| Portland, OR | 41,618 | 41,401 | 27,169 | 27,256 | 32,371 | 40,146 |
| Sacramento, CA | 41,003 | 40,815 | 29,641 | 30,010 | 33,605 | 37,049 |
| San Antonio, TX | 46,839 | 46,548 | 29,722 | 29,909 | 30,468 | 36,214 |
| San Diego, CA | 52,025 | 51,760 | 34,620 | 34,362 | 31,022 | 45,733 |
| San Francisco, CA | 65,431 | 64,879 | 29,561 | 30,581 | 46,553 | 55,221 |
| San Jose, CA | 76,186 | 75,449 | 58,146 | 58,303 | 55,561 | 70,243 |
| Seattle, WA | 49,994 | 49,470 | 32,042 | 31,689 | 35,699 | 45,736 |
| St. Louis, MO | 33,590 | 33,321 | 20,790 | 20,791 | 29,143 | 27,156 |
| Tucson, AZ | 32,866 | 32,664 | 28,814 | 28,080 | 27,463 | 30,981 |
| Tulsa, OK | 39,135 | 38,781 | 22,942 | 22,751 | 28,378 | 35,316 |
| Virginia Beach, VA | 51,323 | 51,195 | 39,297 | 39,161 | 42,314 | 48,705 |
| Washington, DC | 67,266 | 66,375 | 30,475 | 30,470 | 36,156 | 40,127 |
| Wichita, KS | 42,503 | 42,338 | 27,122 | 27,067 | 31,660 | 39,939 |

Source: 2000 Census Summary File 4 (SF4) sample data, households.

TABLE 5.5: NUMBER OF HIGH SCHOOL GRADUATES 18 AND OLDER, 2000

| City | High School Graduates | | | | | Total |
|------------------------------|-----------------------------|---|-----------------------------|---|----------|-----------|
| | NH White Alone [§] | NH White Alone/ Combination [£] | NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | |
| Albuquerque, NM | 171,069 | 174,909 | 7,915 | 8,915 | 88,058 | 286,951 |
| Arlington, TX | 137,706 | 140,511 | 25,532 | 26,311 | 19,470 | 198,044 |
| Atlanta, GA | 109,131 | 110,913 | 121,100 | 122,293 | 7,724 | 247,422 |
| Austin, TX | 276,138 | 281,532 | 35,445 | 36,636 | 75,768 | 419,670 |
| Baltimore, MD | 126,960 | 129,602 | 192,605 | 194,998 | 5,275 | 338,009 |
| Boston, MA | 234,718 | 240,191 | 70,164 | 76,459 | 34,225 | 380,726 |
| Charlotte, NC | 217,640 | 220,041 | 93,595 | 95,044 | 13,254 | 339,602 |
| Chicago, IL | 672,839 | 693,401 | 502,566 | 510,706 | 237,738 | 1,530,200 |
| Cincinnati, OH | 119,625 | 121,367 | 61,845 | 63,097 | 2,151 | 190,860 |
| Cleveland, OH | 108,312 | 110,729 | 104,471 | 106,120 | 11,360 | 232,803 |
| El Paso County, CO | 190,306 | 194,199 | 13,377 | 14,413 | 19,664 | 236,605 |
| Columbus, OH | 328,274 | 333,690 | 87,923 | 91,590 | 7,992 | 451,299 |
| Dallas, TX | 317,177 | 321,897 | 154,509 | 156,951 | 91,395 | 593,355 |
| Denver, CO | 230,557 | 235,455 | 33,183 | 35,307 | 52,778 | 335,332 |
| Detroit, MI | 57,105 | 62,045 | 366,150 | 370,358 | 12,546 | 450,000 |
| El Paso, TX | 74,736 | 76,489 | 9,901 | 10,238 | 175,713 | 267,729 |
| Fort Worth, TX | 170,613 | 173,599 | 53,516 | 54,267 | 37,757 | 274,903 |
| Fresno, CA | 107,804 | 111,921 | 15,478 | 16,257 | 50,845 | 197,149 |
| Honolulu, HI | 57,052 | 75,568 | 3,753 | 4,692 | 9,356 | 252,514 |
| Houston, TX | 453,436 | 463,684 | 251,878 | 255,696 | 188,497 | 975,264 |
| Indianapolis, IN | 343,099 | 347,036 | 97,753 | 99,618 | 10,414 | 465,032 |
| Jacksonville, FL | 299,370 | 303,525 | 102,127 | 103,476 | 16,486 | 437,874 |
| Kansas City, MO | 179,035 | 182,301 | 66,220 | 67,790 | 11,361 | 267,522 |
| Las Vegas, NV | 191,495 | 196,629 | 24,858 | 26,081 | 31,226 | 271,592 |
| Long Beach, CA | 117,829 | 123,111 | 34,887 | 36,901 | 43,907 | 235,439 |
| Los Angeles, CA | 834,366 | 878,828 | 221,539 | 232,738 | 420,670 | 1,796,757 |
| Louisville/Jefferson Co., KY | 344,292 | 347,987 | 64,625 | 65,891 | 4,836 | 425,691 |
| Memphis, TN | 155,990 | 158,211 | 181,369 | 182,406 | 5,853 | 352,934 |
| Mesa, AZ | 196,422 | 199,046 | 5,377 | 5,907 | 26,806 | 239,464 |
| Miami, FL | 27,887 | 28,642 | 24,848 | 26,262 | 94,787 | 151,494 |
| Milwaukee, WI | 194,520 | 197,602 | 87,104 | 88,987 | 19,533 | 314,959 |
| Minneapolis, MN | 192,129 | 196,121 | 29,830 | 32,851 | 9,487 | 250,870 |
| Nashville-Davidson, TN | 242,776 | 246,294 | 76,162 | 77,596 | 9,122 | 341,721 |
| New Orleans, LA | 100,020 | 101,960 | 148,205 | 149,428 | 8,495 | 265,347 |
| New York, NY | 1,996,845 | 2,058,770 | 981,336 | 1,033,875 | 813,543 | 3,888,600 |
| Oakland, CA | 78,223 | 82,996 | 76,627 | 80,247 | 24,040 | 217,948 |
| Oklahoma City, OK | 221,594 | 229,369 | 39,146 | 41,018 | 12,660 | 300,968 |
| Omaha, NB | 203,813 | 205,775 | 24,595 | 25,486 | 8,340 | 245,975 |
| Philadelphia, PA | 419,298 | 427,333 | 306,101 | 312,783 | 41,029 | 817,048 |
| Phoenix, AZ | 508,911 | 516,809 | 32,637 | 34,414 | 116,168 | 695,518 |
| Pittsburgh, PA | 161,040 | 163,233 | 46,046 | 47,367 | 2,823 | 221,586 |
| Portland, OR | 290,843 | 298,511 | 17,663 | 19,735 | 13,756 | 353,828 |
| Sacramento, CA | 120,145 | 125,741 | 31,488 | 33,996 | 31,842 | 226,749 |
| San Antonio, TX | 264,312 | 270,694 | 42,227 | 43,816 | 280,836 | 609,291 |
| San Diego, CA | 476,771 | 492,375 | 53,494 | 57,287 | 110,321 | 771,552 |
| San Francisco, CA | 296,234 | 308,110 | 34,145 | 37,271 | 53,488 | 541,591 |
| San Jose, CA | 234,217 | 246,807 | 18,546 | 20,332 | 93,106 | 508,991 |
| Seattle, WA | 317,733 | 327,590 | 26,192 | 29,615 | 15,681 | 425,344 |
| St. Louis, MO | 97,853 | 99,686 | 76,279 | 77,617 | 2,996 | 184,759 |
| Tucson, AZ | 196,775 | 200,607 | 11,408 | 12,411 | 69,179 | 294,666 |
| Tulsa, OK | 183,817 | 191,270 | 30,415 | 31,679 | 8,823 | 245,526 |
| Virginia Beach, VA | 202,424 | 206,214 | 43,984 | 45,431 | 9,853 | 275,763 |
| Washington, DC | 141,550 | 145,518 | 179,290 | 183,181 | 16,212 | 357,384 |
| Wichita, KS | 166,309 | 169,472 | 19,071 | 19,969 | 9,461 | 207,143 |

Source: 2000 Census Summary File 4 (SF4) sample data, persons aged 18 and over.

TABLE 5.6: NUMBER OF PEOPLE 16 AND OLDER WHO ARE UNEMPLOYED, 2000

| City | Unemployed | | | | | Total |
|------------------------------|-----------------------------|---|-----------------------------|---|----------|---------|
| | NH White Alone [§] | NH White Alone/ Combination [£] | NH Black Alone [§] | NH Black Alone/ Combination [£] | Hispanic | |
| Albuquerque, NM | 5,186 | 5,443 | 607 | 699 | 5,828 | 13,283 |
| Arlington, TX | 3,811 | 3,982 | 1,401 | 1,466 | 1,853 | 7,746 |
| Atlanta, GA | 8,786 | 8,974 | 17,747 | 17,877 | 1,089 | 29,881 |
| Austin, TX | 7,047 | 7,242 | 2,450 | 2,502 | 5,857 | 16,408 |
| Baltimore, MD | 5,167 | 5,437 | 24,140 | 24,431 | 509 | 30,699 |
| Boston, MA | 9,088 | 9,446 | 6,335 | 6,768 | 4,079 | 22,248 |
| Charlotte, NC | 6,110 | 6,290 | 8,118 | 8,268 | 1,591 | 16,691 |
| Chicago, IL | 24,732 | 25,949 | 76,410 | 77,364 | 29,437 | 137,421 |
| Cincinnati, OH | 4,100 | 4,235 | 7,246 | 7,372 | 145 | 11,892 |
| Cleveland, OH | 6,433 | 6,694 | 14,030 | 14,251 | 1,697 | 22,847 |
| El Paso County, CO | 5,794 | 6,020 | 864 | 1,009 | 1,216 | 8,520 |
| Columbus, OH | 10,184 | 10,511 | 7,134 | 7,635 | 495 | 19,200 |
| Dallas, TX | 8,191 | 8,441 | 16,162 | 16,305 | 13,636 | 39,194 |
| Denver, CO | 7,311 | 7,556 | 2,451 | 2,564 | 6,215 | 17,094 |
| Detroit, MI | 3,975 | 4,515 | 45,555 | 45,968 | 2,453 | 53,259 |
| El Paso, TX | 2,545 | 2,635 | 675 | 713 | 17,328 | 20,904 |
| Fort Worth, TX | 4,787 | 4,972 | 5,085 | 5,130 | 4,828 | 15,319 |
| Fresno, CA | 5,302 | 5,646 | 2,449 | 2,609 | 9,949 | 20,100 |
| Honolulu, HI | 2,396 | 3,342 | 263 | 331 | 596 | 10,679 |
| Houston, TX | 14,292 | 14,886 | 25,232 | 25,552 | 27,073 | 70,517 |
| Indianapolis, IN | 11,912 | 12,196 | 9,374 | 9,549 | 1,007 | 22,966 |
| Jacksonville, FL | 8,921 | 9,110 | 7,539 | 7,631 | 876 | 18,266 |
| Kansas City, MO | 5,346 | 5,613 | 7,161 | 7,336 | 1,032 | 14,226 |
| Las Vegas, NV | 7,917 | 8,233 | 2,917 | 3,044 | 4,032 | 16,176 |
| Long Beach, CA | 4,912 | 5,338 | 4,693 | 4,924 | 7,330 | 19,680 |
| Los Angeles, CA | 39,819 | 43,189 | 26,279 | 27,395 | 72,930 | 156,578 |
| Louisville/Jefferson Co., KY | 10,450 | 10,715 | 6,264 | 6,435 | 399 | 17,794 |
| Memphis, TN | 4,883 | 5,060 | 20,296 | 20,420 | 726 | 26,321 |
| Mesa, AZ | 5,029 | 5,180 | 383 | 430 | 2,108 | 8,136 |
| Miami, FL | 841 | 871 | 4,936 | 5,320 | 10,925 | 17,220 |
| Milwaukee, WI | 7,640 | 7,972 | 14,125 | 14,365 | 3,411 | 26,579 |
| Minneapolis, MN | 5,824 | 6,132 | 4,128 | 4,486 | 1,070 | 12,778 |
| Nashville-Davidson, TN | 7,885 | 8,065 | 5,999 | 6,073 | 986 | 15,634 |
| New Orleans, LA | 2,438 | 2,526 | 16,748 | 16,826 | 572 | 20,203 |
| New York, NY | 75,075 | 79,185 | 117,880 | 122,701 | 116,488 | 346,741 |
| Oakland, CA | 1,990 | 2,352 | 7,656 | 7,930 | 3,823 | 15,923 |
| Oklahoma City, OK | 6,322 | 6,847 | 3,629 | 3,824 | 1,549 | 13,078 |
| Omaha, NB | 5,055 | 5,204 | 2,387 | 2,544 | 934 | 8,955 |
| Philadelphia, PA | 21,653 | 22,212 | 38,362 | 39,084 | 7,281 | 71,582 |
| Phoenix, AZ | 16,202 | 16,702 | 3,121 | 3,286 | 14,674 | 36,278 |
| Pittsburgh, PA | 8,891 | 9,143 | 5,422 | 5,649 | 285 | 16,228 |
| Portland, OR | 13,484 | 14,099 | 2,040 | 2,223 | 1,515 | 19,344 |
| Sacramento, CA | 4,858 | 5,276 | 3,094 | 3,439 | 3,459 | 14,543 |
| San Antonio, TX | 7,315 | 7,568 | 2,833 | 2,968 | 21,384 | 32,346 |
| San Diego, CA | 15,340 | 16,247 | 3,802 | 4,182 | 11,035 | 36,358 |
| San Francisco, CA | 7,465 | 7,994 | 2,869 | 3,079 | 3,972 | 20,609 |
| San Jose, CA | 5,452 | 6,030 | 914 | 1,057 | 7,642 | 19,552 |
| Seattle, WA | 10,140 | 10,806 | 2,146 | 2,473 | 1,222 | 17,342 |
| St. Louis, MO | 5,442 | 5,645 | 11,919 | 12,190 | 250 | 18,256 |
| Tucson, AZ | 6,724 | 6,997 | 774 | 868 | 5,048 | 13,639 |
| Tulsa, OK | 5,875 | 6,285 | 3,035 | 3,167 | 847 | 10,985 |
| Virginia Beach, VA | 4,546 | 4,749 | 2,589 | 2,687 | 489 | 8,247 |
| Washington, DC | 7,476 | 7,602 | 20,938 | 21,247 | 1,999 | 31,844 |
| Wichita, KS | 5,406 | 5,549 | 1,921 | 2,007 | 1,244 | 9,280 |

Source: 2000 Census Summary File 4 (SF4) sample data, persons aged 16 and over.

Appendix

Technical Notes

Source of Data

This report presents 31 health indicators for residents of U.S. cities with populations greater than 350,000 in 1990, 2000, or 2005. The indicators encompass four separate areas: morbidity, mortality, maternal, and child health, and socio-demographic characteristics of the population (see table A.1). They were selected based on the fact that they are among the leading causes of morbidity and mortality in the United States. Many of the indicators are among the 18 Health Status Indicators that were developed as part of the Healthy People 2000 process to facilitate the comparison of health status measures at national, state, and local levels.¹

Mortality and Maternal and Child Health

Mortality and maternal and child health data were obtained from the National Center for Health Statistics' (NCHS) Vital Records Public-Use files, which contain information from all birth and death certificates filed in the 50 U.S. states and the District of Columbia. Mortality data are presented for the years 1990–2004, while natality data are presented for the years 1990–2003. Causes of death for 1990–1998 are based on the *International Classification of Diseases* Ninth Revision (ICD-9) and 1999–2004 deaths are based on ICD-10. National rates were obtained from the NCHS annual mortality and natality reports.^{2,3}

In 2003, the U.S. Standard Certificate of Live Birth was revised for the first time since 1989⁴. This revision was adopted immediately by Pennsylvania and Washington, resulting in data for these states being incompatible with data from the other 48 states and the District of

Columbia. Data related to cigarette use during pregnancy changed from recording number of cigarettes to trimester of tobacco use. In order to maintain consistency with previous years for trend comparison, 2002 data were used for this indicator. California does not collect maternal smoking data on the birth certificate, resulting in missing data for babies born in that state.⁵

Morbidity

Morbidity data were obtained from data requests made to local health departments collecting or maintaining communicable disease data for the 54 cities covered in this report. Data were requested for the years 1998–2005 using the national case definitions developed by the Council of State and Territorial Epidemiologists and the Centers for Disease Control and Prevention (CDC). Cities were asked to provide the total number of reported cases by year, race/ethnicity, and gender; AIDS and HIV (not AIDS) data were requested by year of diagnosis. Date of implementation of HIV reporting varied across states and thus HIV (not AIDS) data are not available since 1998 for some cities.

Because these numbers rely on reported data, it is important to consider possible underreporting. Therefore, these figures must be interpreted as minimum estimates of the true number of cases. Methods and completeness of reporting are also likely to vary between cities, thus accounting for observed differences rather than differences in disease prevalence.

National rates were obtained from CDC's Annual STD and HIV/AIDS surveillance reports.^{6,7}

TABLE A.1: REPORT INDICATORS

| MORBIDITY | MORTALITY | MATERNAL AND CHILD HEALTH | CENSUS INDICATORS |
|------------------------------|-----------------------|-------------------------------|-------------------------|
| HIV Prevalence | Overall Mortality | Infant Mortality | Child Poverty |
| AIDS Prevalence | Heart Disease | Fertility | High School Graduates |
| HIV Incidence | All Cancer | Low Birthweight (<2,500 gms.) | Median Household Income |
| AIDS Incidence | Lung Cancer | Mothers Under Age 20 | Below 200% Poverty |
| Primary & Secondary Syphilis | Female Breast Cancer | Maternal Smoking | Foreign Born |
| Gonorrhea | Motor Vehicle Injury | | Unemployment |
| Chlamydia | Homicide | | |
| Tuberculosis | Suicide | | |
| | AIDS/HIV | | |
| | Firearms Related | | |
| | Pneumonia & Influenza | | |
| | Diabetes Mellitus | | |

Census

Census indicators were obtained from the 2000 U.S. Census Bureau's Summary File 4 (SF4).

Availability and Reliability of Data

The nature of the data that were obtained for morbidity indicators varied considerably. When data were not provided, the symbol "---" was recorded in the appropriate cell. Some health departments provided race/ethnicity categories, while others were not able to do so. Additionally, not all health departments were able to provide data for one or more of the indicators. Whenever possible, unusual numbers were verified, either by checking with the original sources or by cross-checking numbers.

Some health departments were only able to provide county-level data because morbidity data are only collected at the county level and/or because the city accounts for most of the county population and the characteristics of the outlying areas that are not part of the city do not differ significantly from those of the city. Additionally, some cities often do not correspond to jurisdictions of the local public health department in which the central city is located. For example, Fulton and DeKalb counties, where the city of Atlanta is partially located, are represented only to the extent that the geography of Atlanta is part of both counties. Further, the bulk of the city of Atlanta lies in Fulton County and accounts for 50% of the county's

population. Thus, Atlanta city health statistics do not accurately represent health conditions of DeKalb County or Fulton County. This situation exists for several cities included in this report. Table A.2 presents the city and its respective county populations in 2000 and the percent of the county represented by the city.

Most of the denominators used to calculate the rates in this report are large. Thus, the question of statistical stability of rates becomes what restrictions should be placed on the size of the numerator in order to present reliable rates and proportions. Kleinman⁸ suggests that a numerator of 20 is the minimal size needed to generate a meaningful confidence interval for an unadjusted rate or percent. Thus, rates based on less than 20 observations in the numerator were suppressed and are represented by the symbol "---" throughout the report. This decision to use the cut-off of 20 for displaying and analyzing rates, adjusted and unadjusted, is the same one employed by the National Center for Health Statistics.⁹

Comparability Ratios

The Tenth Revision of the International Classification of Diseases (ICD-10) was implemented in the United States beginning with deaths occurring in 1999 and replaces the Ninth Revision of the International Classification of Diseases (ICD-9). The change in classification and rules for selecting underlying cause of death from ICD-9 to ICD-10 impacts cause-of-death trend data by shifting deaths away from some cause-of-death categories and into others.¹⁰

Comparability ratios measure the effect of changes in classification and coding rules. Table A.3 displays the respective ICD-9 and ICD-10 codes for the selected causes of death presented in this report and the preliminary comparability ratios for these causes. The ratios are based on a comparability study in which the same deaths were coded by both the Ninth and Tenth Revisions. The comparability ratio was calculated by dividing the number of deaths classified by ICD-10 by the number of deaths classified by ICD-9. The resulting ratios represent the net effect of the Tenth Revision on causes-of-death statistics. In this report, comparability ratios were applied to mortality rates from 1990-1998 to analyze changes in health status between 1990 and 2000. For each indicator, the 1990—1998 comparability-modified age-adjusted death rate was calculated by multiplying the respective comparability ratio listed in

TABLE A.2: CITIES PROVIDING COUNTY-LEVEL DATA

| CITY | 2000 TOTAL | % IN COUNTY |
|-----------------------|------------|-------------|
| Albuquerque, NM | 448,607 | |
| Bernalillo, NM County | 556,678 | 81% |
| Atlanta, GA | 416,474 | |
| Fulton, GA County | 816,006 | 51% |
| Fresno, CA | 427,652 | |
| Fresno, CA County | 799,407 | 53% |
| Honolulu, HI | 371,657 | |
| Honolulu, HI County | 876,156 | 42% |
| Indianapolis, IN | 791,926 | |
| Marion, IN County | 860,454 | 92% |
| Portland, OR | 529,121 | |
| Multnomah, OR County | 660,486 | 80% |
| Sacramento, CA | 407,018 | |
| Sacramento, CA County | 1,223,499 | 33% |
| San Diego, CA | 1,223,400 | |
| San Diego, CA County | 2,813,833 | 43% |
| Wichita, KS | 344,284 | |
| Sedgwick, KS County | 452,869 | 76% |
| Colorado Springs, CO | 360,890 | |
| El Paso, CO County | 516,929 | 70% |

TABLE A.3: MORTALITY INDICATORS CODES ACCORDING TO APPLICABLE REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) AND COMPARABILITY RATIOS BETWEEN ICD-9 AND ICD-10

| CAUSE OF DEATH | ICD-9 | ICD-10 | PRELIMINARY COMPARABILITY RATIO* |
|-------------------------|---|--|----------------------------------|
| Heart Disease | 390-398, 402, 404-429 | I00-I09, I11, I13, I20-I51 | 0.9858 |
| All Cancer | 140-208 | C00-C97 | 1.0068 |
| Lung Cancer | 162 | C33-C34 | 0.9837 |
| Female Breast Cancer | 174-175 | C50 | 1.0056 |
| Influenza and Pneumonia | 480-487 | J10-J18 | 0.6982 |
| Diabetes | 250 | E10-E14 | 1.0082 |
| Motor Vehicle Injury | E810-E825 | V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.0-V19.2, V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2 | 0.8527 |
| Homicide | E960-E978 | X85-Y09, Y87.1 | 0.9983 |
| Suicide | E950-E959 | X60-X84, Y87.0 | 0.9962 |
| Firearms Related | E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4 | W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0 | 1.00 |
| AIDS/HIV | 042-044 | B20-B24 | 1.1448 |

* Ratio of number of deaths classified by ICD-10 to number of deaths classified using ICD-9.

Table A.3 by the 1990—1998 age-adjusted death rates.¹¹

Definitions

Geography

When using the information in this report, especially when comparing across cities, it is important to consider how the geographic areas are defined. All geographic areas are those defined by the U.S. Census as incorporated cities. While these cities tend to be the central city of their respective metropolitan area, they often do not encompass the entire metropolitan area nor represent a county or counties where the central city may be located.

Most data in this report are presented by city identified on the report of the health event (referred to as “reported city”), rather than by city derived from assignment of city based on geocoding the street address (referred to as “geocoded city”). Using “reported city” can result in misclassification, with the size of the discrepancy depending on the locality.

Geocoding is a process by which an address or location is assigned to a point on a map. These points can then be aggregated to larger areas (census tract, block group, cities, school districts, etc.) The highest standard of geocoding is to assign latitude and longitude coordinates. This process usually occurs using a geocoding software engine (“batch geocoded”). This takes electronically inputted addresses and compares

them to an underlying Geographic Information System (GIS) dataset (street centerline or parcel data) to assign the point. Depending on the quality of the address data, and the quality of the underlying dataset, not all addresses are able to be automatically matched and must be manually assigned.

Table A.4 shows counts of all-cause mortality and the number one and two causes of death in Seattle, Washington, for 2004 by whether reported city or geocoded city was derived from the death certificate. For each cause, the count for reported city exceeded the count for geocoded city.

Misclassification based on reported city is probably most likely to occur near city boundaries, where individuals may report postal addresses that differ from the physical location of their residence. For instance, a section of North Seattle and bordering Snohomish County are both included in several ZIP codes. Individuals who reside in these ZIP codes may reside outside Seattle city limits in Snohomish County, but report their postal address as Seattle. This may be the cause of the higher counts in the reported city column of the Table. However, depending on local boundaries and other variables (such as the perceived desirability of a location), counts for reported city may not always exceed counts for geocoded city.

Race

The Office of Management and Budget (OMB)

TABLE A.4: NUMBER OF DEATHS, ALL CAUSES AND THE TWO LEADING CAUSES, SEATTLE WA, 2004: REPORTED VS. GEOCODED CITY

| CAUSE OF DEATH | (A) GEOCODED CITY COUNT* | (B) REPORTED CITY COUNT ^ | (C) DIFFERENCE [(B) - (A)] | (D) PERCENT DIFFERENCE |
|-----------------------|--------------------------|---------------------------|----------------------------|------------------------|
| All Causes | 4,093 | 4,331 | 238 | 5.8% |
| Diseases of the heart | 989 | 1,044 | 55 | 5.6% |
| Malignant neoplasms | 939 | 1,005 | 66 | 7.0% |

* Source of geocoded city: street address on death certificate geocoded to city boundaries, Washington State Department of Health and Public Health-Seattle & King County.

^ Source of reported city: city reported on death certificate, National Center for Health Statistics.

released the 1977 Statistical Policy Directive 15, “Race and Ethnic Standards for Federal Statistics and Administrative Reporting,” which specified rules for the collection, tabulation, and presentation of race and ethnicity data within the federal statistical system. Directive 15 specified that data on race be reported for two ethnicity categories (Hispanic Origin and not of Hispanic Origin) and for the following four mutually exclusive single race categories: a) White, b) Black, c) American Indian and Alaska Native, and d) Asian and Pacific Islander. In 1997, the OMB issued the “Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity.”

There are two fundamental changes between the new standards and those specified in Directive 15. First, there are five racial categories instead of four. In addition to White, Black, American Indian, and Alaska Native, the racial category “Asian and Pacific Islanders” was divided into two groups, “Asian” and “Native Hawaiian and Other Pacific Islander.” Second, the categories are not mutually exclusive, and respondents now have the option of identifying themselves as belonging to one or more races.

The U.S. Census Bureau is the first federal agency that has used the 1997 standards to collect race data in the 2000 decennial census. The Census 2000 data on race were taken from answers to the question on race that was asked of all people. The race data yield seven basic categories: 1) White alone, 2) Black or African American alone, 3) American Indian and Alaska Native alone, 4) Asian alone, 5) Native Hawaiian and Other Pacific Islander alone, 6) Some Other Race alone, and 7) Two or more races. The two or more races category consists of 57 possible combinations of the first six race categories and includes all respondents who reported two or more races, such as “White **and** Black or African American” **and** “White **and** Black or African American **and** Asian.”¹² Nationally, 98% of all respondents reported only one race in the 2000 Census. Table A.5 displays the percent

of respondents reporting single and multiple race by city.

Since respondents were able to select one or more races, the Census Bureau presents several tabulation options so that users may decide which best satisfies their needs. The first approach provides the number of respondents selecting only one race. The second approach provides tallies for each of the races. These are tallies of responses rather than respondents. They are called the *alone or in combination* totals. For example, people who reported “White **and** Black or African American” were counted both in the “White alone or in combination” population and the “Black or African American alone or in combination” population. Consequently, the sum of the *alone or in combination* will be greater than the total population.

Many other federal data systems have begun to implement the 1997 standards starting in 2003, and several states have begun the 1997 standards on their birth and death certificates. During the transition period to collecting race/ethnicity using the same standard nationwide, national reports have had to deal with the issue of uniformity and comparability of race/ethnicity data over time and across states. The National Center for Health Statistics, for instance, has had to “bridge” the responses of those for whom more than one race was reported (multiple race) to one, single race. The bridging procedure of mortality data is similar to the procedure used to bridge multiracial population estimates provided by the U.S. Census Bureau. Multiracial decedents are imputed to a single race (either white, black, American Indian, or Alaska Native, or Asian or Pacific Islander) according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The imputation procedure is described in detail at: http://www.cdc.gov/nchs/data/dvs/Multiple_race_docu_5-10-04.pdf.

The main data sources used to calculate the race/ethnicity-specific rates in this report, namely, vital statistics and communicable disease data as the

TABLE A.5: PERCENT DISTRIBUTION OF SINGLE AND MULTIPLE RACE POPULATION BY CITY, 2000

| CITY | HISPANIC | | NON-HISPANIC SINGLE RACE | | NON-HISPANIC TWO OR MORE RACES | | TOTAL |
|------------------------------|-----------|------|-----------------------------|------|-----------------------------------|------|-----------|
| | N | % | N | % | N | % | |
| Albuquerque, NM | 179,075 | 39.9 | 261,794 | 58.4 | 7,738 | 1.7 | 448,607 |
| Arlington, TX | 60,817 | 18.3 | 265,669 | 79.8 | 6,483 | 1.9 | 332,969 |
| Atlanta, GA | 18,720 | 4.5 | 393,588 | 94.5 | 4,166 | 1.0 | 416,474 |
| Austin, TX | 200,579 | 30.5 | 445,825 | 67.9 | 10,158 | 1.5 | 656,562 |
| Baltimore, MD | 11,061 | 1.7 | 631,681 | 97.0 | 8,412 | 1.3 | 651,154 |
| Boston, MA | 85,089 | 14.4 | 485,878 | 82.5 | 18,174 | 3.1 | 589,141 |
| Charlotte, NC | 39,800 | 7.4 | 494,482 | 91.4 | 6,546 | 1.2 | 540,828 |
| Chicago, IL | 753,644 | 26.0 | 2,094,898 | 72.3 | 47,474 | 1.6 | 2,896,016 |
| Cincinnati, OH | 4,230 | 1.3 | 322,003 | 97.2 | 5,052 | 1.5 | 331,285 |
| Cleveland, OH | 34,728 | 7.3 | 435,582 | 91.0 | 8,093 | 1.7 | 478,403 |
| Colorado Springs, CO | 43,330 | 12.0 | 307,877 | 85.3 | 9,683 | 2.7 | 360,890 |
| Columbus, OH | 17,471 | 2.5 | 677,041 | 95.2 | 16,958 | 2.4 | 711,470 |
| Dallas, TX | 422,587 | 35.6 | 752,553 | 63.3 | 13,440 | 1.1 | 1,188,580 |
| Denver, CO | 175,704 | 31.7 | 368,349 | 66.4 | 10,583 | 1.9 | 554,636 |
| Detroit, MI | 47,167 | 5.0 | 885,439 | 93.1 | 18,664 | 2.0 | 951,270 |
| El Paso, TX | 431,875 | 76.6 | 127,518 | 22.6 | 4,269 | 0.8 | 563,662 |
| Fort Worth, TX | 159,368 | 29.8 | 368,453 | 68.9 | 6,873 | 1.3 | 534,694 |
| Fresno, CA | 170,520 | 39.9 | 245,380 | 57.4 | 11,752 | 2.7 | 427,652 |
| Honolulu, HI | 16,229 | 4.4 | 306,655 | 82.5 | 48,773 | 13.1 | 371,657 |
| Houston, TX | 730,865 | 37.4 | 1,198,936 | 61.4 | 23,830 | 1.2 | 1,953,631 |
| Indianapolis, IN | 30,759 | 3.9 | 750,245 | 94.7 | 10,922 | 1.4 | 791,926 |
| Jacksonville, FL | 30,594 | 4.2 | 692,931 | 94.2 | 12,092 | 1.6 | 735,617 |
| Kansas City, MO | 30,604 | 6.9 | 402,475 | 91.2 | 8,466 | 1.9 | 441,545 |
| Las Vegas, NV | 112,962 | 23.6 | 353,485 | 73.9 | 11,987 | 2.5 | 478,434 |
| Long Beach, CA | 165,092 | 35.8 | 282,849 | 61.3 | 13,581 | 2.9 | 461,522 |
| Los Angeles, CA | 1,719,073 | 46.5 | 1,888,470 | 51.1 | 87,277 | 2.4 | 3,694,820 |
| Louisville/Jefferson Co., KY | 11,501 | 1.7 | 671,698 | 96.8 | 10,405 | 1.5 | 693,604 |
| Memphis, TN | 19,317 | 3.0 | 625,147 | 96.2 | 5,636 | 0.9 | 650,100 |
| Mesa, AZ | 78,281 | 19.7 | 312,042 | 78.7 | 6,052 | 1.5 | 396,375 |
| Miami, FL | 238,351 | 65.8 | 118,017 | 32.6 | 6,102 | 1.7 | 362,470 |
| Milwaukee, WI | 71,646 | 12.0 | 514,273 | 86.1 | 11,055 | 1.9 | 596,974 |
| Minneapolis, MN | 29,175 | 7.6 | 339,323 | 88.7 | 14,120 | 3.7 | 382,618 |
| Nashville-Davidson, TN | 26,091 | 4.6 | 534,074 | 93.7 | 9,726 | 1.7 | 569,891 |
| New Orleans, LA | 14,826 | 3.1 | 465,083 | 96.0 | 4,765 | 1.0 | 484,674 |
| New York, NY | 2,160,554 | 27.0 | 5,622,575 | 70.2 | 225,149 | 2.8 | 8,008,278 |
| Oakland, CA | 87,467 | 21.9 | 299,051 | 74.9 | 12,966 | 3.2 | 399,484 |
| Oklahoma City, OK | 51,368 | 10.1 | 438,765 | 86.7 | 15,999 | 3.2 | 506,132 |
| Omaha, NE | 29,397 | 7.5 | 354,866 | 91.0 | 5,744 | 1.5 | 390,007 |
| Philadelphia, PA | 128,928 | 8.5 | 1,363,896 | 89.9 | 24,726 | 1.6 | 1,517,550 |
| Phoenix, AZ | 449,972 | 34.1 | 850,366 | 64.4 | 20,707 | 1.6 | 1,321,045 |
| Pittsburgh, PA | 4,425 | 1.3 | 325,203 | 97.2 | 4,935 | 1.5 | 334,563 |
| Portland, OR | 36,058 | 6.8 | 474,662 | 89.7 | 18,401 | 3.5 | 529,121 |
| Sacramento, CA | 87,974 | 21.6 | 300,988 | 73.9 | 18,056 | 4.4 | 407,018 |
| San Antonio, TX | 671,394 | 58.7 | 460,731 | 40.3 | 12,521 | 1.1 | 1,144,646 |
| San Diego, CA | 310,752 | 25.4 | 874,260 | 71.5 | 38,388 | 3.1 | 1,223,400 |
| San Francisco, CA | 109,504 | 14.1 | 644,075 | 82.9 | 23,154 | 3.0 | 776,733 |
| San Jose, CA | 269,989 | 30.2 | 598,158 | 66.8 | 26,796 | 3.0 | 894,943 |
| Seattle, WA | 29,719 | 5.3 | 511,964 | 90.9 | 21,691 | 3.9 | 563,374 |
| St. Louis, MO | 7,022 | 2.0 | 335,187 | 96.3 | 5,980 | 1.7 | 348,189 |
| Tucson, AZ | 173,868 | 35.7 | 304,188 | 62.5 | 8,643 | 1.8 | 486,699 |
| Tulsa, OK | 28,111 | 7.2 | 349,803 | 89.0 | 15,135 | 3.9 | 393,049 |
| Virginia Beach, VA | 17,770 | 4.2 | 397,829 | 93.6 | 9,658 | 2.3 | 425,257 |
| Washington, DC | 44,953 | 7.9 | 517,522 | 90.5 | 9,584 | 1.7 | 572,059 |
| Wichita, KS | 33,112 | 9.6 | 303,420 | 88.1 | 7,752 | 2.3 | 344,284 |

Source: U.S. Census Bureau - Census 2000 ST2 and SF1

numerator and census data as the denominator, have incompatible race data. In recognition of this incompatibility of racial/ethnic data across systems, the Census Bureau is conducting research to develop a data file that can be used to implement bridging methods between these sources and the Census 2000 data on race. Recently, the National Center for Health Statistics, in collaboration with the U.S. Census Bureau, released bridged single-race estimates down to the county level.¹³ Given that such data are not yet available at the city-level, the non-Hispanic *race alone* and the *non-Hispanic race alone or in combination* population figures were used in this report to calculate the race/ethnicity-specific rates. These two population figures provide the lower and upper limits for the “true” number of people of a given race that would have been classified in that race category using the one race reporting methodology specified in Directive 15. Table A.6 presents these population figures for the 54 cities presented in this report.

Race/ethnicity figures for morbidity indicators are based on reported data. While all states generally adhere to the national notifiable case definitions, reporting mechanisms, resources, and systems for collecting disease reports vary significantly from state to state. States that are heavily reliant on laboratory reporting may identify cases in a more timely manner than those dependent on provider reporting, but less information may be obtained on each case report. The ability to follow-up on incomplete disease reports is dependent on staff resources and reporting load. Completion of the patient’s race/ethnicity is highly susceptible to these factors. Therefore, race/ethnicity-specific rates should be interpreted as minimum estimate of the true rate. The percent of reported morbidity cases with “Other or Unknown Race” can be used to assess the possible level of underreporting across cities and diseases covered in this report (see Table A.7). While a city may have a high percentage of “Other/Unknown Race” because its population has a considerable proportion of people of race, other than the two included in the report, it may also reflect the fact that a large proportion of cases had missing information for the patient’s race. While the data requested for this report are not robust enough to differentiate between these two possibilities, race/ethnicity-specific comparisons across cities should consider the percent of cases with “Other/Unknown

Race.” In general, rates for cities where the percentage of Other/Unknown Race” is greater than 20% may not be comparable.

While it is essential to capture the health status of all race/ethnicity groups, non-Hispanic White, non-Hispanic Black, and Hispanic were selected due to the fact that most of the cities in the report tended to have a large enough population concentration in these groups to produce statistically reliable rates. The data in Section 2 reveal that, for most causes, Hispanic people tended to have the lowest mortality rates. While this may correspond to reality, research suggests that the Hispanic death rate is estimated to be understated by 2%.¹⁴ This underestimation should be considered when interpreting race/ethnicity-specific results.

Rank

For each health indicator, cities for which data were available and met reliability standards were assigned a rank. A rank of 1 corresponds to the highest rate or percent.

Rates and Percents

As is customary, communicable disease indicators were measured using crude rates. Mortality rates are age-adjusted to compare relative mortality risks among cities, different demographic groups and over time. In all cases, the 2000 projected population of the U.S. by the standard 11 age ranges was used as the standard for adjustment and the 11 age ranges.¹⁵ All mortality rates are presented per 100,000 population with the exception of female breast cancer mortality which is per 100,000 female population and hence is not comparable to other causes of death.

Infant mortality is presented as the number of deaths of children less than one year old per 1,000 live births occurring in the same year. Fertility rate is calculated by dividing the total number of live births by the number of women of reproductive age (15–44) in the population and is presented per 1,000 women ages 15–44.

The city average rates and percents are the unweighted average of individual city rates or percents. The average for each indicator is calculated using only those cities for which data are available and have numerators of 20 or more.

Population figures used to calculate the rates presented in this report were obtained from the U.S.

TABLE A.6: CITY POPULATION & RACE/ETHNICITY DISTRIBUTION, 2000

| CITY | NH WHITE ALONE | | NH WHITE ALONE/COMBO | | NH BLACK ALONE | | NH BLACK ALONE/COMBO | | HISPANIC | | TOTAL N |
|----------------------------------|----------------|------------|----------------------|------------|----------------|------------|----------------------|------|-----------|---------|-----------|
| | N | % OF TOTAL | N | % OF TOTAL | N | % OF TOTAL | N | % | N | % TOTAL | |
| Albuquerque, NM | 223,895 | 49.9 | 230,367 | 51.4 | 12,376 | 2.8 | 14,343 | 3.2 | 179,075 | 39.9 | 448,607 |
| Arlington, TX | 198,591 | 59.6 | 203,832 | 61.2 | 45,061 | 13.5 | 47,116 | 14.2 | 60,817 | 18.3 | 332,969 |
| Atlanta, GA | 130,222 | 31.3 | 132,645 | 31.8 | 254,062 | 61.0 | 256,605 | 61.6 | 18,720 | 4.5 | 416,474 |
| Austin, TX | 347,554 | 52.9 | 355,695 | 54.2 | 64,259 | 9.8 | 67,117 | 10.2 | 200,579 | 30.5 | 656,562 |
| Baltimore, MD | 201,566 | 31.0 | 206,940 | 31.8 | 417,009 | 64.0 | 422,007 | 64.8 | 11,061 | 1.7 | 651,154 |
| Boston, MA | 291,561 | 49.5 | 300,117 | 50.9 | 140,305 | 23.8 | 151,246 | 25.7 | 85,089 | 14.4 | 589,141 |
| Charlotte, NC | 297,845 | 55.1 | 302,363 | 55.9 | 175,661 | 32.5 | 178,699 | 33.0 | 39,800 | 7.4 | 540,828 |
| Chicago, IL | 907,166 | 31.3 | 943,299 | 32.6 | 1,053,739 | 36.4 | 1,068,054 | 36.9 | 753,644 | 26.0 | 2,896,016 |
| Cincinnati, OH | 173,781 | 52.5 | 177,483 | 53.6 | 141,534 | 42.7 | 144,770 | 43.7 | 4,230 | 1.3 | 331,285 |
| Cleveland, OH | 185,641 | 38.8 | 191,741 | 40.1 | 241,512 | 50.5 | 245,890 | 51.4 | 34,728 | 7.3 | 478,403 |
| Colorado Springs, CO | 271,734 | 75.3 | 279,961 | 77.6 | 22,760 | 6.3 | 26,370 | 7.3 | 43,330 | 12.0 | 360,890 |
| Columbus, OH | 475,897 | 66.9 | 487,638 | 68.5 | 172,750 | 24.3 | 183,224 | 25.8 | 17,471 | 2.5 | 711,470 |
| Dallas, TX | 410,777 | 34.6 | 420,044 | 35.3 | 304,824 | 25.6 | 310,185 | 26.1 | 422,587 | 35.6 | 1,188,580 |
| Denver, CO | 287,997 | 51.9 | 296,074 | 53.4 | 59,921 | 10.8 | 64,370 | 11.6 | 175,704 | 31.7 | 554,636 |
| Detroit, MI | 99,921 | 10.5 | 112,574 | 11.8 | 771,966 | 81.2 | 782,837 | 82.3 | 47,167 | 5.0 | 951,270 |
| El Paso, TX | 103,422 | 18.3 | 106,960 | 19.0 | 15,768 | 2.8 | 17,070 | 3.0 | 431,875 | 76.6 | 563,662 |
| Fort Worth, TX | 244,966 | 45.8 | 250,412 | 46.8 | 106,988 | 20.0 | 109,379 | 20.5 | 159,368 | 29.8 | 534,694 |
| Fresno, CA | 159,473 | 37.3 | 167,387 | 39.1 | 34,357 | 8.0 | 36,800 | 8.6 | 170,520 | 39.9 | 427,652 |
| Honolulu, HI | 69,503 | 18.7 | 103,539 | 27.9 | 5,706 | 1.5 | 8,236 | 2.2 | 16,229 | 4.4 | 371,657 |
| Houston, TX | 601,851 | 30.8 | 618,504 | 31.7 | 487,851 | 25.0 | 495,338 | 25.4 | 730,865 | 37.4 | 1,953,631 |
| Indianapolis, IN | 536,496 | 67.7 | 545,617 | 68.9 | 199,096 | 25.1 | 205,360 | 25.9 | 30,759 | 3.9 | 791,926 |
| Jacksonville, FL | 457,478 | 62.2 | 467,111 | 63.5 | 211,252 | 28.7 | 215,484 | 29.3 | 30,594 | 4.2 | 735,617 |
| Kansas City, MO | 254,471 | 57.6 | 260,692 | 59.0 | 136,921 | 31.0 | 141,182 | 32.0 | 30,604 | 6.9 | 441,545 |
| Las Vegas, NV | 277,704 | 58.0 | 287,272 | 60.0 | 48,380 | 10.1 | 51,888 | 10.8 | 112,962 | 23.6 | 478,434 |
| Long Beach, CA | 152,899 | 33.1 | 161,584 | 35.0 | 66,836 | 14.5 | 70,935 | 15.4 | 165,092 | 35.8 | 461,522 |
| Los Angeles, CA | 1,099,188 | 29.7 | 1,167,030 | 31.6 | 401,986 | 10.9 | 422,819 | 11.4 | 1,719,073 | 46.5 | 3,694,820 |
| Louisville/ Jefferson Co., KY | 530,648 | 76.5 | 537,509 | 77.5 | 129,282 | 18.6 | 134,150 | 19.3 | 11,501 | 1.7 | 693,604 |
| Memphis, TN | 216,174 | 33.3 | 220,230 | 33.9 | 397,732 | 61.2 | 400,616 | 61.6 | 19,317 | 3.0 | 650,100 |
| Mesa, AZ | 290,180 | 73.2 | 295,371 | 74.5 | 9,377 | 2.4 | 11,103 | 2.8 | 78,281 | 19.7 | 396,375 |
| Miami, FL | 42,897 | 11.8 | 44,105 | 12.2 | 72,190 | 19.9 | 77,247 | 21.3 | 238,351 | 65.8 | 362,470 |
| Milwaukee, WI | 270,989 | 45.4 | 279,184 | 46.8 | 220,432 | 36.9 | 226,742 | 38.0 | 71,646 | 12.0 | 596,974 |
| Minneapolis, MN | 239,080 | 62.5 | 247,853 | 64.8 | 67,966 | 17.8 | 76,672 | 20.0 | 29,175 | 7.6 | 382,618 |
| Nashville-Davidson, TN | 371,150 | 65.1 | 378,853 | 66.5 | 146,939 | 25.8 | 150,483 | 26.4 | 26,091 | 4.6 | 569,891 |
| New Orleans, LA | 128,871 | 26.6 | 132,133 | 27.3 | 323,392 | 66.7 | 326,032 | 67.3 | 14,826 | 3.1 | 484,674 |
| New York, NY | 2,801,267 | 35.0 | 2,912,995 | 36.4 | 1,962,154 | 24.5 | 2,050,764 | 25.6 | 2,160,554 | 27.0 | 8,008,278 |
| Oakland, CA | 93,953 | 23.5 | 101,996 | 25.5 | 140,139 | 35.1 | 146,510 | 36.7 | 87,467 | 21.9 | 399,484 |
| Oklahoma City, OK | 327,225 | 64.7 | 340,685 | 67.3 | 76,994 | 15.2 | 81,714 | 16.1 | 51,368 | 10.1 | 506,132 |
| Omaha, NE | 293,876 | 75.4 | 298,507 | 76.5 | 51,427 | 13.2 | 54,484 | 14.0 | 29,397 | 7.5 | 390,007 |
| Philadelphia, PA | 644,395 | 42.5 | 658,721 | 43.4 | 646,123 | 42.6 | 659,241 | 43.4 | 128,928 | 8.5 | 1,517,550 |
| Phoenix, AZ | 736,844 | 55.8 | 754,002 | 57.1 | 63,756 | 4.8 | 70,246 | 5.3 | 449,972 | 34.1 | 1,321,045 |
| Pittsburgh, PA | 223,982 | 66.9 | 227,669 | 68.0 | 90,183 | 27.0 | 93,132 | 27.8 | 4,425 | 1.3 | 334,563 |
| Portland, OR | 399,351 | 75.5 | 414,564 | 78.3 | 34,395 | 6.5 | 40,209 | 7.6 | 36,058 | 6.8 | 529,121 |
| Sacramento, CA | 164,974 | 40.5 | 176,446 | 43.4 | 61,136 | 15.0 | 66,927 | 16.4 | 87,974 | 21.6 | 407,018 |
| San Antonio, TX | 364,357 | 31.8 | 374,557 | 32.7 | 74,778 | 6.5 | 78,542 | 6.9 | 671,394 | 58.7 | 1,144,646 |
| San Diego, CA | 603,892 | 49.4 | 632,533 | 51.7 | 92,830 | 7.6 | 103,508 | 8.5 | 310,752 | 25.4 | 1,223,400 |
| San Francisco, CA | 338,909 | 43.6 | 356,374 | 45.9 | 58,791 | 7.6 | 64,070 | 8.2 | 109,504 | 14.1 | 776,733 |
| San Jose, CA | 322,534 | 36.0 | 343,088 | 38.3 | 29,495 | 3.3 | 33,571 | 3.8 | 269,989 | 30.2 | 894,943 |
| Seattle, WA | 382,532 | 67.9 | 398,409 | 70.7 | 46,545 | 8.3 | 53,869 | 9.6 | 29,719 | 5.3 | 563,374 |
| St. Louis, MO | 149,329 | 42.9 | 153,721 | 44.1 | 177,446 | 51.0 | 180,487 | 51.8 | 7,022 | 2.0 | 348,189 |
| Tucson, AZ | 263,748 | 54.2 | 270,941 | 55.7 | 19,795 | 4.1 | 22,558 | 4.6 | 173,868 | 35.7 | 486,699 |
| Tulsa, OK | 263,782 | 67.1 | 276,741 | 70.4 | 60,297 | 15.3 | 64,132 | 16.3 | 28,111 | 7.2 | 393,049 |
| Virginia Beach, VA | 295,402 | 69.5 | 303,258 | 71.3 | 79,092 | 18.6 | 82,978 | 19.5 | 17,770 | 4.2 | 425,257 |
| Washington, DC | 159,178 | 27.8 | 164,520 | 28.8 | 340,088 | 59.4 | 346,083 | 60.5 | 44,953 | 7.9 | 572,059 |
| Wichita, Kansas | 246,924 | 71.7 | 253,386 | 73.6 | 38,732 | 11.3 | 41,738 | 12.1 | 33,112 | 9.6 | 344,284 |

TABLE A.7: PERCENT OF TOTAL CASES THAT ARE OF OTHER/UNKNOWN RACE/ETHNICITY BY INDICATOR, 2005

| CITY | INDICATOR | | | | | | | |
|---------------------------------------|-------------------|--------------------|------------------|-------------------|--------------------------------------|-----------|-----------|--------------|
| | HIV PREVALENCE | AIDS PREVALENCE | HIV INCIDENCE | AIDS INCIDENCE | PRIMARY AND SECONDARY SYPHILIS | CHLAMYDIA | GONORRHEA | TUBERCULOSIS |
| Albuquerque, NM (Bernalillo County) | 6.0% | 4.0% | 0.0% | 4.4% | 21.4% | 6.7% | 5.9% | --- |
| Arlington, TX | 2.6% | 1.3% | --- | --- | 3.3% | 11.2% | 7.0% | 40.0% |
| Atlanta, GA | --- | --- | --- | --- | --- | --- | --- | --- |
| Austin, TX | --- | --- | --- | --- | --- | --- | --- | --- |
| Baltimore, MD | 16.3% | 0.3% | 18.6% | 0.3% | 6.2% | 16.8% | 6.0% | --- |
| Boston, MA | 2.7% | 1.4% | 2.9% | 1.4% | --- | 32.3% | 26.0% | 21.1% |
| Charlotte, NC | 0.8% | 1.2% | 1.5% | 1.4% | 1.3% | 3.4% | 2.0% | 10.9% |
| Chicago, IL | 3.2% | 1.6% | 4.0% | 1.8% | 3.8% | 22.3% | 19.3% | 16.4% |
| Cincinnati, OH | 0.6% | 0.9% | 1.4% | 1.4% | 5.3% | 71.7% | 59.9% | 5.0% |
| Cleveland, OH | 7.7% | 1.6% | 5.2% | 2.1% | 0.0% | 26.4% | 23.9% | 13.6% |
| Colorado Springs, CO (El Paso County) | 2.4% | 2.0% | 0.0% | 5.0% | 0.0% | 25.5% | 19.6% | 44.4% |
| Columbus, OH | 0.7% | 1.6% | 0.0% | 2.4% | 0.0% | 44.5% | 9.9% | 16.0% |
| Dallas, TX | 1.4% | 1.2% | 1.1% | 1.1% | 0.8% | 14.9% | 13.3% | 4.8% |
| Denver, CO | 2.6% | 1.6% | 1.7% | 3.6% | 5.7% | 37.2% | 24.8% | 9.1% |
| Detroit, MI | --- | 0.7% | --- | 1.8% | --- | --- | --- | --- |
| El Paso, TX | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 6.2% | 11.8% | --- |
| Fort Worth, TX | 2.3% | 0.8% | 2.5% | --- | --- | 8.1% | 5.3% | --- |
| Fresno, CA (Fresno County) | 8.4% | 2.7% | 2.2% | 2.1% | 0.0% | 23.8% | 22.8% | 27.5% |
| Honolulu, HI (Honolulu County) | --- | --- | --- | --- | --- | --- | --- | --- |
| Houston, TX | 1.3% | 0.9% | 2.8% | 1.1% | 0.4% | 18.4% | 14.9% | 0.0% |
| Indianapolis, IN (Marion County) | 1.4% | 1.1% | 3.9% | 2.1% | 0.0% | 8.4% | 7.2% | 26.7% |
| Jacksonville, FL | 1.7% | 1.6% | 2.2% | 3.0% | 4.1% | 6.7% | 4.3% | 13.6% |
| Kansas City, MO | 1.1% | 1.2% | 0.8% | 0.0% | 3.3% | 18.0% | 11.2% | 4.2% |
| Las Vegas, NV | --- | --- | --- | --- | --- | --- | --- | --- |
| Long Beach, CA | 22.2% | 34.6% | 19.3% | 32.8% | --- | --- | --- | --- |
| Los Angeles, CA | 6.6% | 3.5% | 100.0% | 2.3% | 0.0% | 0.0% | 0.0% | 21.6% |
| Louisville/Jefferson Co., KY | --- | --- | --- | --- | 7.7% | 21.6% | 14.8% | 9.7% |
| Memphis, TN | 0.5% | 0.5% | 0.7% | 0.3% | 7.9% | 62.7% | 49.1% | 2.4% |
| Mesa, AZ | 7.2% | 6.6% | 10.8% | 7.4% | 18.2% | 27.0% | 21.9% | 26.7% |
| Miami, FL | 0.9% | 1.3% | 0.9% | 1.0% | 1.8% | 6.8% | 5.1% | 6.1% |
| Milwaukee, WI | 0.8% | 0.8% | 0.0% | 0.0% | 6.7% | 46.3% | 37.0% | 22.7% |
| Minneapolis, MN | 4.1% | 3.5% | 5.3% | 4.0% | 9.5% | 26.2% | 23.7% | 7.4% |
| Nashville-Davidson, TN | 0.7% | 0.7% | 0.0% | 1.1% | 0.0% | 16.6% | 11.9% | 3.0% |
| New Orleans, LA | 1.2% | 0.8% | 1.9% | 1.6% | --- | --- | --- | --- |
| New York, NY | 3.1% | 1.7% | 2.9% | 1.9% | 43.0% | 64.9% | 60.0% | 31.3% |
| Oakland, CA | 6.5% | 3.4% | 10.0% | 9.4% | 21.7% | 48.4% | 45.5% | 60.0% |
| Oklahoma City, OK | 25.1% | 20.0% | 10.3% | 6.1% | 9.5% | 7.1% | 4.6% | 30.3% |
| Omaha, NB | 4.7% | 2.6% | 11.9% | 2.3% | 0.0% | 15.2% | 16.0% | 25.0% |
| Philadelphia, PA | --- | 12.3% | --- | 12.7% | 10.3% | 6.4% | 3.6% | 38.8% |
| Phoenix, AZ | 5.1% | 4.0% | 2.4% | 5.4% | 9.0% | 23.7% | 20.7% | 2.0% |
| Pittsburgh, PA | --- | --- | --- | --- | --- | --- | --- | --- |
| Portland, OR (Multnomah County) | 2.7% | 3.0% | --- | --- | --- | 17.9% | 8.4% | --- |
| Sacramento, CA (Sacramento County) | --- | 4.9% | --- | 8.9% | 0.0% | 57.8% | 54.0% | 50.8% |
| San Antonio, TX | 1.3% | 0.8% | 2.4% | 0.0% | --- | 12.5% | 12.9% | 6.8% |
| San Diego, CA (San Diego County) | --- | 3.0% | --- | 3.1% | 4.7% | 60.8% | 65.0% | 30.8% |
| San Francisco, CA | 8.6% | 5.4% | 12.4% | 6.6% | 11.6% | 35.5% | 21.0% | 68.2% |
| San Jose, CA | 6.8% | 6.5% | 18.2% | 10.5% | 48.8% | 62.8% | 57.9% | --- |
| Seattle, WA | 5.9% | 4.5% | 9.5% | 9.0% | --- | --- | --- | 44.3% |
| St. Louis, MO | --- | --- | --- | --- | --- | --- | --- | --- |
| Tucson, AZ | 5.5% | 3.3% | 3.9% | 4.5% | --- | --- | --- | --- |
| Tulsa, OK | --- | --- | --- | --- | --- | --- | --- | --- |
| Virginia Beach, VA | 2.1% | 1.2% | 0.0% | 5.3% | 0.0% | 15.3% | 11.4% | 0.0% |
| Washington, DC | 0.5% | 0.8% | --- | 0.8% | 4.4% | 57.0% | 27.7% | 0.0% |
| Wichita, KS (Sedgwick County) | --- | --- | --- | --- | 0.0% | 30.2% | 25.3% | 0.0% |

Census Bureau. Figures for 1990 were obtained from the Modified Age-Race-Sex (MARS) file directly from the census bureau and population figures for 2000 were obtained from the Census 2000 Summary File 2 (SF2) 100-Percent data (see Table A.8). Rates for the years

1991—1999 were obtained by geometric interpolation using 1990 and 2000 census figures.

Morbidity and mortality rates for 2001—2005 are calculated using 2000 population figures and not population projections for 2001—2005 because the U.S. Census Bureau does not produce city-level population projections by age, gender, and race/ethnicity.

The effect on rates from using 2000 census figures as the denominator for health data collected after 2000 should be considered when interpreting the rates in the report. For instance, the city of Fort Worth, TX experienced the largest population increase (16.7%) and Detroit the greatest decrease (6.8%) from 2000 to 2005 (see Table A.8). The 2005 AIDS prevalence rate for these cities using the 2000 population figures are displayed in Table A.9. The AIDS prevalence rate for Fort Worth, TX using the 2000 population figure as calculated in this report is 485.5 per 100,000 population, compared to 416.0 using the 2005 population figure. Thus, the AIDS prevalence rate in the report is 16.7% greater than the rate using the true population figure in 2005.

In general, if a given city's population has increased over the last five years, the communicable disease rate

TABLE A.8: POPULATION CHANGE BETWEEN 2000 AND 2005

| CITY | 4/1/2000 CENSUS | 7/1/2005 ESTIMATE | % CHANGE, 2000-05 |
|------------------------------|--------------------|----------------------|----------------------|
| Albuquerque, NM | 448,607 | 494,236 | 10.2% |
| Arlington, TX | 332,969 | 362,805 | 9.0% |
| Atlanta, GA | 416,474 | 470,688 | 13.0% |
| Austin, TX | 656,562 | 690,252 | 5.1% |
| Baltimore, MD | 651,154 | 635,815 | -2.4% |
| Boston, MA | 589,141 | 559,034 | -5.1% |
| Charlotte, NC | 540,828 | 610,949 | 13.0% |
| Chicago, IL | 2,896,016 | 2,842,518 | -1.8% |
| Cincinnati, OH | 331,285 | 308,728 | -6.8% |
| Cleveland, OH | 478,403 | 452,208 | -5.5% |
| Colorado Springs, CO | 360,890 | 369,815 | 2.5% |
| Columbus, OH | 711,470 | 730,657 | 2.7% |
| Dallas, TX | 1,188,580 | 1,213,825 | 2.1% |
| Denver, CO | 554,636 | 557,917 | 0.6% |
| Detroit, MI | 951,270 | 886,671 | -6.8% |
| El Paso, TX | 563,662 | 598,590 | 6.2% |
| Fort Worth, TX | 534,694 | 624,067 | 16.7% |
| Fresno, CA | 427,652 | 461,116 | 7.8% |
| Honolulu, HI | 371,657 | 377,379 | 1.5% |
| Houston, TX | 1,953,631 | 2,016,582 | 3.2% |
| Indianapolis, IN | 781,870 | 784,118 | 0.3% |
| Jacksonville, FL | 735,617 | 782,623 | 6.4% |
| Kansas City, MO | 441,545 | 444,965 | 0.8% |
| Las Vegas, NV | 478,434 | 545,147 | 13.9% |
| Long Beach, CA | 461,522 | 474,014 | 2.7% |
| Los Angeles, CA | 3,694,820 | 3,844,829 | 4.1% |
| Louisville/Jefferson Co., KY | 693,604 | 699,827 | 0.9% |
| Memphis, TN | 650,100 | 672,277 | 3.4% |
| Mesa, AZ | 396,375 | 442,780 | 11.7% |
| Miami, FL | 362,470 | 386,417 | 6.6% |
| Milwaukee, WI | 596,974 | 578,887 | -3.0% |
| Minneapolis, MN | 382,618 | 372,811 | -2.6% |
| Nashville-Davidson, TN | 545,524 | 549,110 | 0.7% |
| New Orleans, LA | 484,674 | 454,863 | -6.2% |
| New York, NY | 8,008,278 | 8,143,197 | 1.7% |
| Oakland, CA | 399,484 | 395,274 | -1.1% |
| Oklahoma City, OK | 506,132 | 531,324 | 5.0% |
| Omaha, NB | 390,007 | 414,521 | 6.3% |
| Philadelphia, PA | 1,517,550 | 1,463,281 | -3.6% |
| Phoenix, AZ | 1,321,045 | 1,461,575 | 10.6% |
| Pittsburgh, PA | 334,563 | 316,718 | -5.3% |
| Portland, OR | 529,121 | 533,427 | 0.8% |
| Sacramento, CA | 407,018 | 456,441 | 12.1% |
| San Antonio, TX | 1,144,646 | 1,256,509 | 9.8% |
| San Diego, CA | 1,223,400 | 1,255,540 | 2.6% |
| San Francisco, CA | 776,733 | 739,426 | -4.8% |
| San Jose, CA | 894,943 | 912,332 | 1.9% |
| Seattle, WA | 563,374 | 573,911 | 1.9% |
| St. Louis, MO | 348,189 | 344,362 | -1.1% |
| Tucson, AZ | 486,699 | 515,526 | 5.9% |
| Tulsa, OK | 393,049 | 382,457 | -2.7% |
| Virginia Beach, VA | 425,257 | 438,415 | 3.1% |
| Washington, DC | 572,059 | 550,521 | -3.8% |
| Wichita, KS | 344,284 | 354,865 | 3.1% |

TABLE A.9: IMPACT OF CENSUS POPULATION YEAR USED TO CALCULATE AIDS INCIDENCE RATES FOR SELECT CITIES

| CITY | 2000-2005 POPULATION % CHANGE | 2005 AIDS PREVALENCE RATE PER 100,000 POPULATION DENOMINATOR | |
|-----------------|-------------------------------------|--|---------|
| | | 2000 | 2005 |
| Fort Worth, TX | 16.7% | 485.5 | 416.0 |
| Detroit, MI | -6.8% | 270.4 | 290.1 |
| Los Angeles, CA | 4.0% | 300.6 | 288.9 |
| Washington, DC | -3.8% | 2,015.2 | 2,094.0 |

presented in the *Inventory* overestimates the true rate proportionate to the percent change in population. Conversely, if a city's population declines, the rate will underestimate the true rate. This pattern generally holds true for age-adjusted rates but the differences in the two rates is not exactly equal to the percent change in population. It is also important to note that the rank order of cities with similar rates could change as well if 2005 population figures were used in the report. Rates by race/ethnicity and over time are equally susceptible to the magnitude of population change and should be considered when interpreting the data in this report.

Source: 2000 U.S. Census Bureau Summary Tape File 2.

Endnotes

1. Freedman MA. Health Status Indicators for the year 2000. *Healthy People Statistical Notes*, Vol. 1, No. 1 Hyattsville, Maryland: National Center for Health Statistics. 1991.
2. Martin JA, Hamilton BE, Sutton PD, et al. Births: Final data for 2003. *National vital statistics reports; vol 54 no 2*. Hyattsville, MD: National Center for Health Statistics. 2005.
3. Miniño AM, Heron MP, Smith BL. Deaths: Preliminary Data for 2004. *National vital statistics reports; vol 54 no 19*. Hyattsville, MD: National Center for Health Statistics. 2006.
4. National Center for Health Statistics. *Documentation of the Detail Natality Public Use File for 2003*.
5. Martin JA, Hamilton BE, Sutton PD, et al. Births: Final data for 2003. *National vital statistics reports; vol 54 no 2*. Hyattsville, MD: National Center for Health Statistics. 2005.
6. Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2005*. Atlanta, GA: U.S. Department of Health and Human Services.
7. Centers for Disease Control and Prevention. *HIV/AIDS Surveillance Report, 2005*. Vol. 17, Revised Edition, June 2007. Atlanta, GA: U.S. Department of Health and Human Services.
8. Joel C. Kleinman, "Infant Mortality," National Center for Health Statistics, *Statistical Notes*, Vol. 1, No. 2, p. 7, 1991.
9. National Center for Health Statistics. *Vital Statistics of the United States, 1990, Volume II-Mortality, Part A*. 7:25.
10. Pastor PN, Makuc DM, Reuben C, Xia H. *Chartbook and Trends in the Health of Americans. Health, United States, 2002*. Hyattsville, Maryland: National Center for Health Statistics. 2002.
11. Anderson RN, Miniño AM, Hoyert DL, Rosenberg HM. Comparability of cause-of-death classification between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports*. Vol 49 No. 2. Hyattsville, Maryland: National Center for Health Statistics. 2001.
12. U.S. Census Bureau. Summary File 2 - 2000 Census of Population and Housing: Technical Documentation.
13. National Center for Health Statistics. Estimates of the April 1, 2000, United States resident population by age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. Available on the Internet at: <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>. 2003.
14. Rosenberg HM, Maurer JD, Sorlie PD, Johnson NJ, et al. Quality of death rates by race and Hispanic origin: A summary of current research, 1999. National Center for Health Statistics. *Vital Health Stat; 2(128)*. 1999
15. Anderson RN, Rosenberg HM. Age standardization of death rates: Implementation of the year 2000 standard. *National Vital Statistics Reports*. 2001; 47(3). Hyattsville, Maryland: National Center for Health Statistics.

